

As of: 12/19/24

			ver and Individual	
Codes	Description	Not Covered	Preauthorization Required	
visclaimer: Please note that coverage may vary by plan type and may n hould be directed to the Pharmacy link option within the website.	ot follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding	immunizations, injectable drugs,	or specialty medications a	
11055 Trim skin lesion		Х	-	
11056 Trim skin lesions, 2 to 4		X	-	
11057 Trim skin lesions, over 4		X	-	
11719 Trim nail(s)		X	-	
11720 Debride nail, 1-5		Х	-	
11721 Debride nail, 6 or more		Х	-	
11765 Excision of nail fold, toe		Х	-	
11950 Therapy for contour defects		Х	-	
1951 Therapy for contour defects		Х	-	
1952 Therapy for contour defects		Х	-	
11954 Therapy for contour defects		Х	-	
15775 Hair transplant punch grafts		Х	-	
15776 Hair transplant punch grafts		Х	-	
15780 Abrasion treatment of skin		Х	-	
5781 Abrasion treatment of skin		Х	-	
5782 Abrasion treatment of skin		X	-	
5783 Abrasion treatment of skin		X	-	
5786 Abrasion, lesion, single		X	-	
5787 Abrasion, lesions, add-on		X	-	
5788 Chemical peel, face, epiderm		X	-	
5789 Chemical peel, face, dermal		Х	-	
5792 Chemical peel, nonfacial		X	-	
5793 Chemical peel, nonfacial		Х	-	
5820 Revision of lower eyelid		-	X	
5821 Revision of lower eyelid		-	X	
5822 Revision of upper eyelid			× X	
5823 Revision of upper eyelid 5824 Removal of forehead wrinkles		X	-	
5825 Removal of neck wrinkles		<u> </u>	-	
5826 Removal of brow wrinkles		X X	-	
5828 Removal of face wrinkles		X		
5829 Removal of skin wrinkles		X	-	
5832 Excise excessive skin tissue		X	-	
5833 Excise excessive skin tissue		X	-	
5834 Excise excessive skin tissue		X	-	
5836 Excise excessive skin tissue		X	-	
5837 Excise excessive skin tissue		X	-	
5838 Excise excessive skin tissue		X	-	
5845 Skin and muscle repair, face		Х	-	
	us tissue (includes lipectomy), abdomen (eg, abdominoplasty) (includes umbilical	Х	-	
5850 Removal of sutures		Х	-	
5876 Suction assisted lipectomy		Х	-	



As of: 12/19/24

		Small Employ	II Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm irected to the Pharmacy link option within the website.	unizations, injectable drugs,	•	
	Suction assisted lipectomy	Х	-	
	Suction assisted lipectomy	X	-	
	Suction assisted lipectomy	Х	-	
	Skin peel therapy	Х	-	
	Hair removal by electrolysis	Х	-	
	Ablation, cryosurgical, of fibroadenoma, including ultrasound guidance, each fibroadenoma	Х	-	
	Correct inverted nipple(s)	Х	-	
20560	Ndl insj w/o njx 1 or 2 musc	Х	-	
0561	Ndl insj w/o njx 3+ musc	Х	-	
	Allograft, morselized, or placement of osteopromotive material, for spine surgery only (list separately in addition to code for primary procedure)	х	-	
	Spinal bone autograft	X	-	
	Prepare face/oral prosthesis	X	-	
	Interdental fixation	Х	-	
	Reconstruction of chin	Х	-	
	Reconstruction of chin	Х	-	
	Reconstruction of chin	Х	-	
	Reconstruction of chin	Х	-	
1280	Revision of eyelid	-	Х	
	Revision of eyelid	-	Х	
1295	Revision of jaw muscle/bone	Х	-	
1497	Interdental wiring	Х	-	
2505	Manipulation of spine	Х	-	
2510	Perq cervicothoracic inject	-	Х	
2511	Perq lumbosacral injection	-	Х	
2512	Vertebroplasty addl inject	-	Х	
2513	Perq vertebral augmentation	-	Х	
2514	Perq vertebral augmentation	-	Х	
	Perq vertebral augmentation	-	Х	
	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including fluoroscopic guidance; single le	Х	-	
	Percutaneous intradiscal electrothermal annuloplasty, unilateral or bilateral including fluoroscopic guidance; one or mo	Х	-	
	Arthrodesis, lateral extracavitary technique, including minimal diskectomy to prepare interspace; lumbar	-	Х	
2551	Neck spine fuse&remove	-	Х	
	Neck spine fuse&remove addl	-	Х	
	Neck spine fusion	-	X	
	Lumbar spine fusion	-	Х	
	Prescrl fuse /w instr I5/1	Х	-	
	Neck spine fusion	-	Х	
2610	arthrodesis, posterior or posterolateral technique, single interspace; thoracic (with lateral transverse technique, when performed)	-	х	
2612	Arthrodesis, posterior or posterolateral technique, single level; lumbar (with lateral transverse technique, when performed)	-	Х	
	Spine fusion, extra segment	-	Х	



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: should be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications and
22630	Lumbar spine fusion	-	Х
22632	Spine fusion, extra segment	-	Х
22633	Arthrodesis, combined posterior or posterolateral technique with posterior interbody technique including laminectomy and/or discectomy sufficient to prepare interspace(other t	-	х
22800	Fusion of spine	-	X
	Fusion of spine	-	Х
22804	Fusion of spine	-	Х
	Anterior thoracic vertebral body tethering, including thoracoscopy	Х	-
	Anterior thoracic vertebral body tethering, including thoracoscopy	Х	-
22838	Anterior thoracic vertebral body tethering, including thoracoscopy	Х	-
22856	Total disc arthroplasty (artificial disc), anterior approach, including discectomy with end plate preparation (includes	-	Х
22857	Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for	-	Х
	Second level cer diskectomy	-	Х
22860	Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for decompression); second interspace, lumbar (list separately in addition to code for primary procedure)	-	x
22861	Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, single interspace; cervi	-	Х
	Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, single interspace; lumba	-	Х
	Removal of total disc arthroplasty (artificial disc), anterior approach, single interspace; cervical	-	Х
	Removal of total disc arthroplasty (artificial disc), anterior approach, single interspace; lumbar	-	Х
	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed,		
	with open decompression, lumbar; sing	Х	-
22868	Insertion of interlaminar/interspinous process stabilization/distraction device, without fusion, including image guidance when performed,		
	with open decompression, lumbar; seco	Х	-
22869	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image		
	guidance when performed, lumbar; single	Х	-
22870	Insertion of interlaminar/interspinous process stabilization/distraction device, without open decompression or fusion, including image		
	guidance when performed, lumbar; second	Х	-
	Reconstruct shoulder joint	-	Х
	Tenotomy, elbow, lateral or medial (eg, epicondylitis, tennis elbow, golfer's elbow); percutaneous	Х	-
	Total hip replacement	-	Х
	Arthrodesis, sacroiliac joint, percutaneous, with image guidance, including placement of intra-articular implant(s)	Х	-
	Arthrodesis sacroiliac joint	-	X
	Fusion of sacroiliac joint	-	X
	Total knee replacement	-	X
	Reconstruct ankle joint	-	Х
	Fusion of foot bones	<u>X</u>	-
	Extracorporeal shock wave, high energy, performed by a physician, requiring anesthesia other than local, including ultra	Х	-
	Reconstruction of nose	-	Х
	Reconstruction of nose	<u>X</u>	-
	Revision of nose	<u>X</u>	-
	Revision of nose	<u> </u>	-
30450	Revision of nose	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	e note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm d to the Pharmacy link option within the website.	unizations, injectable drugs,	
30468 Rep	air of nasal valve collapse with subcutaneous/submucosal lateral wall implant(s)	Х	-
30469 Rep	air of nasal valve collapse with low energy, temperature-controlled (ie, radiofrequency) subcutaneous/submucosal remodeling	х	-
30620 Intra	anasal reconstruction	Х	-
	noval of lung, other than pneumonectomy; with resection-plication of emphysematous lung(s) (bullous or non-bullous) for lung Ime reduction, sternal split or transthoracic	х	-
	or pneumonectomy	-	Х
32851 Lung	g transplant, single	-	Х
32852 Lung	g transplant with bypass	-	Х
	g transplant, double	-	Х
32854 Lung	g transplant with bypass	-	Х
	kbench standard preparation of cadaver donor lung allograft; unilateral	-	Х
	kbench standard preparation of cadaver donor lung allograft; bilateral	-	Х
	rt revascularize (tmr)	Х	-
	rt tmr w/other procedure	Х	-
	noval of heart lesion	Х	-
	noval of donor heart/lung	-	Х
	kbench standard preparation of cadaver donor heart/lung allograft	-	Х
	nsplantation, heart/lung	-	Х
	noval of donor heart	-	Х
	kbench standard preparation of cadaver donor heart allograft	-	X
	Insplantation of heart	-	X
	ning pt spec fenest graft	Х	-
	ze needle in vein	X	-
36400 Drav		X	-
36405 Drav		X	-
36406 Drav	× ·	X	-
36410 Drav		X	
	ection of venous blood by venipuncture	X	-
	ection of capillary blood specimen (eq. finger, heel, ear stick)	X	_
	ablish access to vein	X	_
	ablish access to vein	X	-
		-	X
	of non-comp foam sclerosant w/ultrasound comp maneuvers, single incompetent vein If non-comp foam sclerosant w/ultrasound comp maneuvers, mult incompetent veins	-	X
	ction(s), spider veins	X	^
		~	X
	ction therapy of vein	-	X
	ction therapy of veins	-	^
mec	ovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, chanochemical; first vein treated	-	х
	ovenous ablation therapy of incompetent vein, extremity, inclusive of all imaging guidance and monitoring, percutaneous, hanochemical; subsequent vein(s) treated in a si	-	х
	ovenous ablation therapy of incompetent vein, extremity, percutaneous, radiofrequency; first vein treated	-	Х



As of: 12/19/24

	Small Employ	ver and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding in should be directed to the Pharmacy link option within the website.	nmunizations, injectable drugs,	
36476 Endovenous ablation therapy incompetent vein, extremity, percut, radiofreq; 2nd & subsequent veins, same extrem, sep sites	-	Х
36478 Endovenous ablation therapy of incompetent vein, extremity, percutaneous, laser; first vein treated	-	Х
36479 Endovenous ablation therapy incompetent vein, extremity, percutaneous, laser; 2nd & subseq veins, same extrem, sep sites	-	Х
36482 Endovenous ablation therapy of incompetent vein, extremity, percutaneous; first vein treated	-	Х
36483 Endovenous ablation therapy of incompetent vein, extremity, percutaneous; sub vein treated	-	Х
37186 Secondary percutaneous transluminal thrombectomy (eg, nonprimary mechanical, snare basket, suction technique), noncorona	Х	-
37200 Transcatheter biopsy	-	Х
37500 Vascular endoscopy, surgical, with ligation of perforator veins, subfascial (seps)	Х	-
37700 Revise leg vein	-	Х
37718 Ligation, division, and stripping, short saphenous vein	-	Х
37722 Ligation, division, and stripping, long (greater) saphenous veins from saphenofemoral junction to knee or below	-	Х
37735 Removal of leg veins/lesion	-	Х
37760 Ligation of perforator veins, subfascial, radical (linton type), including skin graft, when performed, open,1 leg	-	Х
37761 Ligation of perforator vein(s), subfascial, open, including ultrasound guidance, when performed, 1 leg	-	Х
37765 Stab phlebectomy of varicose veins, one extremity; 10-20 stab incisions	-	Х
37766 Stab phlebectomy of varicose veins, one extremity; more than 20 incisions	-	Х
37780 Revision of leg vein	-	Х
37785 Revise secondary varicosity	-	Х
37788 Revascularization, penis	Х	-
37790 Penile venous occlusion	Х	-
38204 Management of recipient hematopoietic progenitor cell donor search and cell acquisition	Х	-
38205 Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; allogenic	-	Х
38206 Blood-derived hematopoietic progenitor cell harvesting for transplantation, per collection; autologous	-	Х
38207 Transplant preparation of hematopoietic progenitor cells; cryopreservation and storage	-	Х
38211 Transplant preparation of hematopoietic progenitor cells; tumor cell depletion	-	Х
38212 Transplant preparation of hematopoietic progenitor cells; red blood cell removal	-	Х
38213 Transplant preparation of hematopoietic progenitor cells; platelet depletion	-	Х
38214 Transplant preparation of hematopoietic progenitor cells; plasma (volume) depletion	-	Х
38215 Transplant preparation of hematopoietic progenitor cells; cell concentration in plasma, mononuclear, or buffy coat layer	-	Х
38225 Chimeric antigen receptor T-cell (CAR-T) therapy; harvesting of blood-derived T lymphocytes for development of genetically modified autologous CAR-T cells, per day	х	-
38226 Chimeric antigen receptor T-cell (CAR-T) therapy; preparation of blood-derived T lymphocytes for transportation (eg, cryopreservation storage)	^{n,} X	-
38227 Chimeric antigen receptor T-cell (CAR-T) therapy; receipt and preparation of CAR-T cells for administration	Х	-
38230 Bone marrow harvesting for transplantation; allogenic	-	Х
38232 Bone marrow harvesting for transplantation; autologous	-	X
38240 Bone marrow/stem transplant	-	X
38241 Bone marrow/stem transplant	-	X
38242 Bone marrow or blood-derived peripheral stem cell transplantation; allogenic donor lymphocyte infusions	-	X
41512 Tongue base suspension, permanent suture technique	Х	-
41530 Submucosal ablation of the tongue base, radiofrequency, one or more sites, per session	X	-



As of: 12/19/24

		Small Employ	yer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer:	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and	
	Excision of gum flap	Х	-	
	Excision of gum lesion	X	-	
	Excision of gum lesion	Х	-	
41825	Excision of gum lesion	Х	-	
41826	Excision of gum lesion	Х	-	
41827	Excision of gum lesion	Х	-	
41828	Excision of gum lesion	Х	-	
41830	Removal of gum tissue	Х	-	
41850	Treatment of gum lesion	Х	-	
41870	Gum graft	Х	-	
	Repair gum	Х	-	
	Repair tooth socket	Х	-	
	Remove tonsils and adenoids	-	Х	
-	Remove tonsils and adenoids	-	X	
	Removal of tonsils	-	X	
	Removal of tonsils	-	X	
	Removal of adenoids	-	X	
	Removal of adenoids	-	X	
	Removal of adenoids	-	X	
	Removal of adenoids	-	Х	
	Esoph optical endomicroscopy	X	-	
	Upper gi optical endomicrscopy	X	-	
	Esophagogastroduodenoscopy, flexible, transoral; with deployment of intragastric bariatric balloon	Х	-	
	Esophagogastroduodenoscopy, flexible, transoral; with removal of intragastric bariatric balloon(s)	-	X	
	Laparoscopy, surg, gastric restrictive procedure; w gastric bypass and roux-en-y gastroenterostomy (roux limb <= 150 cm)	-	Х	
	Laparoscopy, surgical, gastric restrictive procedure; with gastric bypass and small intestine reconstruction	X	-	
	Laparoscopy, surgical, gastric restrictive procedure; placement of adjustable gastric band (gastric band and subcutaneou	X	-	
	Laparoscopy, surgical, gastric restrictive procedure; revision of adjustable gastric band component only	X	-	
	Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric band component only	X	-	
	Laparoscopy, surgical, gastric restrictive procedure; removal and replacement of adjustable gastric band component only	X	- V	
	Laparoscopy, surgical, gastric restrictive procedure; removal of adjustable gastric band and subcutaneous port component	-	X	
	Laparoscopy, surgical, gastric restrictive procedure; longitudinal gastrectomy (ie, sleeve gastrectomy)	-	X	
	Pyloroplasty		^	
	Gastroplasty for obesity	X	-	
	Gastroplasty for obesity	Х	- X	
	Gastric revision for obesity	-	X	
	Gastric bypass for obesity	- X	X -	
	Gastric bypass for obesity	× -	- X	
	Revision gastroplasty			
	Revision of gastroduodenal anastomosis (gastroduodenostomy) with reconstruction; without vagotomy	X -	- X	
	Revise stomach-bowel fusion	-	X	
43865	Revise stomach-bowel fusion	-	^	



As of: 12/19/24

	Small Employ	oyer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding hould be directed to the Pharmacy link option within the website.	immunizations, injectable drugs,		
43886 Gastric restrictive procedure, open; revision of subcutaneous port component only	Х	-	
43887 Gastric restrictive procedure, open; removal of subcutaneous port component only	Х	-	
43888 Gastric restrictive procedure, open; removal and replacement of subcutaneous port component only	Х	-	
44132 Enterectomy, cadaver donor	-	Х	
44133 Enterectomy, live donor	-	Х	
44135 Intestine transplnt, cadaver	-	Х	
14136 Intestine transplant, live	-	Х	
14137 Removal of transplanted intestinal allograft, complete	-	Х	
14715 Backbench standard preparation of cadaver or living donor intestine allograft	-	Х	
14720 Backbench reconstruction of cadaver or living donor intestine allograft; venous anastomosis, each	-	Х	
14721 Backbench reconstruction of cadaver or living donor intestine allograft; arterial anastomosis, each	-	Х	
16930 Destruction of internal hemorrhoid(s) by thermal energy (eg, infrared coagulation, cautery, radiofrequency)	Х	-	
17133 Removal of donor liver	-	Х	
17135 Transplantation of liver	-	Х	
17140 Donor hepatectomy, with preparation and maintenance of allograft, living donor; left lateral segment only	-	Х	
17141 Donor hepatectomy, with preparation and maintenance of allograft, living donor; total left lobectomy	-	Х	
17142 Donor hepatectomy, with preparation and maintenance of allograft, living donor; total right lobectomy	-	Х	
17143 Backbench standard preparation of cadaver donor whole liver graft; without trisegment or lobe split	-	Х	
7144 Backbench standard preparation of cadaver donor whole liver graft; w trisegment split of graft into two partial grafts	-	Х	
7145 Backbench standard preparation of cadaver donor whole liver graft; with lobe split of graft into two partial grafts	-	Х	
7146 Backbench reconstruction of cadaver or living donor liver graft prior to allotransplantation; venous anastomosis, each	-	Х	
7147 Backbench reconstruction of cadaver or living donor liver graft prior to allotransplantation; arterial anastomosis, each	-	Х	
18550 Donor pancreatectomy	-	Х	
8551 Backbench standard preparation of cadaver donor pancreas allograft	-	Х	
8552 Backbench reconstruction of cadaver donor pancreas allograft prior to transplantation, venous anastomosis, each	-	Х	
18554 Transpl allograft pancreas	-	Х	
18556 Removal, allograft pancreas	-	Х	
0300 Removal of donor kidney	-	Х	
0320 Removal of donor kidney	-	Х	
0323 Backbench standard preparation of cadaver donor renal allograft	-	Х	
0325 Backbench standard preparation of living donor renal allograft (open or laparoscopic)	-	Х	
0327 Backbench reconstruction of cadaver or living donor renal allograft prior to transplantation; venous anastomosis, each	-	Х	
0328 Backbench reconstruction of cadaver or living donor renal allograft prior to transplantation; arterial anastomosis, each	-	Х	
0329 Backbench reconstruction of cadaver or living donor renal allograft prior to transplantation; ureteral anastomosis, each	-	Х	
i0340 Removal of kidney	-	Х	
0360 Transplantation of kidney	-	Х	
50365 Transplantation of kidney	-	Х	
50370 Remove transplanted kidney	-	Х	
50380 Reimplantation of kidney	-	Х	
50382 Removal (via snare/capture) and replacement of internally dwelling ureteral stent via percutaneous approach, including r	Х	-	
50547 Laparo removal donor kidney	-	Х	
1925 Hysterectomy/bladder repair	-	Х	



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: should be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur rected to the Pharmacy link option within the website.	nizations, injectable drugs,		
53431	Urethroplasty with tubularization of posterior urethra and/or lower bladder for incontinence	Х	-	
53444	Insertion of tandem cuff (dual cuff)	Х	-	
53860	Transurethral rf treatment	Х	-	
54115	Treatment of penis lesion	Х	-	
54205	Treatment of penis lesion	Х	-	
54220	Treatment of penis lesion	Х	-	
54230	Prepare penis study	Х	-	
54231	Dynamic cavernosometry	Х	-	
54235	Penile injection	Х	-	
54240	Penis study	Х	-	
54250	Penis study	Х	-	
54400	Insert semi-rigid prosthesis	Х	-	
54401	Insert self-contd prosthesis	Х	-	
54405	Insert multi-comp prosthesis	Х	-	
54406	Removal of all components of a multi-component, inflatable penile prosthesis without replacement of prosthesis	Х	-	
54408	Repair of component(s) of a multi-component, inflatable penile prosthesis	Х	-	
	Removal and replacement of all component(s) of a multi-component, inflatable penile prosthesis, same operative session	Х	-	
	Removal and replacement multi-component inflatable penile prosthesis, infected field, same op sess, w irrig & debridemnt	Х	-	
	Removal of non-inflatable or inflatable (self-contained) penile prosthesis, wo replacement of prosthesis	Х	-	
	Removal and replacement of non-inflatable or inflatable (self-contained) penile prosthesis, same operative session	Х	-	
	Removal and replacement of inflat/non-inflatable penile prosthesis, infected field, same op sess, w irrig & debridement	Х	-	
	Revision of testis	Х	-	
55400	Repair of sperm duct	Х	-	
	Electroejaculation	Х	-	
	Ablation of malignant prostate tissue, transrectal, with high intensity-focused ultrasound (hifu), including ultrasound guidance	Х	-	
	Sex transformation, male to female	-	Х	
55980	Sex transformation, female to male	-	Х	
	Computer-aided mapping of cervix uteri during colposcopy, including optical dynamic spectral imaging and algorithmic quantification of			
	the acetowhitening effect (list separately in addition to code for primary procedure)	Х	-	
	Total hysterectomy	-	Х	
	Total hysterectomy	-	Х	
58180	Partial hysterectomy	-	Х	
	Extensive hysterectomy	-	Х	
	Vaginal hysterectomy, for uterus 250 grams or less;	-	Х	
	Vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s)	-	X	
	Vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s), and/or ovary(s), with repair of enterocele	-	X	
	Vaginal hysterectomy, for uterus 250 grams or less; with colpo-urethrocystopexy (marshall-marchetti-krantz type, pereyra	-	X	
	Vaginal hysterectomy, for uterus 250 grams or less; with repair of enterocele	-	X	
	Hysterectomy/revise vagina	-	X	
	Hysterectomy/revise vagina	-	X	
	Vaginal hysterectomy, for uterus greater than 250 grams;	-	X	
	Vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovary(s)	-	X	



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
58292	Vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovary(s), with repair of enteroc	-	Х
58294	Vaginal hysterectomy, for uterus greater than 250 grams; with repair of enterocele	-	Х
	Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less;	-	Х
	Laparoscopy, surgical, supracervical hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)	-	Х
	Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g;	-	Х
	Laparoscopy, surgical, supracervical hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s	-	Х
	Laparoscopy surgical, with vaginal hysterectomy, for uterus 250 grams or less;	-	Х
	Laparoscopy surgical, with vaginal hysterectomy, for uterus 250 grams or less; with removal of tube(s) and/or ovary(s)	-	Х
	Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 grams;	-	Х
	Laparoscopy, surgical, with vaginal hysterectomy, for uterus greater than 250 grams; with removal of tube(s) and/or ovar	-	Х
	Hysteroscopy, surgical; with bilateral fallopian tube cannulation to induce occlusion by placement of permanent implants	Х	-
	Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less;	-	Х
	Laparoscopy, surgical, with total hysterectomy, for uterus 250 g or less; with removal of tube(s) and/or ovary(s)	-	Х
	Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g;	-	Х
	Laparoscopy, surgical, with total hysterectomy, for uterus greater than 250 g; with removal of tube(s) and/or ovary(s)	-	Х
	Laparoscopy, salpingostomy	Х	-
58674	Laparoscopy, surgical, ablation of uterine fibroid(s) including intraoperative ultrasound guidance and monitoring, radiofrequency	х	-
58750	Repair oviduct	Х	-
58770	Create new tubal opening	Х	-
58970	Retrieval of oocyte	Х	-
58974	Transfer of embryo	Х	-
58976	Transfer of embryo	Х	-
59070	Transabdominal amnioinfusion, including ultrasound guidance	Х	-
	Fetal umbilical cord occlusion, including ultrasound guidance	Х	-
59866	Abortion (mpr)	Х	-
60660	Ablation of 1 or more thyroid nodule(s), one lobe or the isthmus, percutaneous, including imaging guidance, radiofrequency	-	Х
60661	Ablation of 1 or more thyroid nodule(s), additional lobe, percutaneous, including imaging guidance, radiofrequency (List separately in addition to code for primary procedure)	-	Х
61630	Balloon angioplasty, intracranial (eg, atherosclerotic stenosis), percutaneous	Х	-
	Transcatheter placement of intravascular stent(s), intracranial (eg, atherosclerotic stenosis), including balloon angiop	Х	-
	Balloon dilatation of intracranial vasospasm, percutaneous; initial vessel	Х	-
	Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in same vascular family (list separat	Х	-
	Balloon dilatation of intracranial vasospasm, percutaneous; each additional vessel in different vascular family (list se	Х	-
	Magnetic resonance image guided high intensity focused ultrasound (MRgFUS), stereotactic ablation of target, intracranial, including stereotactic navigation and frame placement, when performed	-	Х
61736	Laser interstitial thermal therapy (litt) of lesion, intracranial, including burr hole(s), with magnetic resonance imaging guidance, when performed; single trajectory for 1 simple lesion	x	_
61737	Laser interstitial thermal therapy (litt) of lesion, intracranial, including burr hole(s), with magnetic resonance imaging guidance, when performed; multiple trajectories for multiple or complex lesion(s)	x	-
61796	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 simple cranial lesion	-	Х
	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); a simple cranial lesion simple (lis	_	X



As of: 12/19/24

		Small Employer and Individu	er and Individual
Codes	Description	Not Covered	Preauthorization Required
sclaimer: ould be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 complex cranial lesion	-	Х
61799	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional cranial lesion, complex (li	-	Х
61800	Application of stereotactic headframe for stereotactic radiosurgery (list separately in addition to code for primary pro	-	Х
	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic saline, enzyme) or mechanical means (e	Х	-
2264	Percutaneous lysis of epidural adhesions using solution injection (eg, hypertonic saline, enzyme) or mechanical means (e	Х	-
62287	Decompression procedure, percutaneous, of nucleus pulposus of intervertebral disc, any method utilizing needle based technique to remove disc material under fluoroscopic imagi	Х	-
62380	Endoscopic decompression of spinal cord, nerve root(s), including laminotomy, partial facetectomy, foraminotomy, discectomy and/or excision of herniated intervertebral disc. 1	х	-
3030	Laminotomy (hemilaminectomy), with decompression of nerve root(s), including partial facetectomy, foraminotomy and/or excision of herniated intervertebral disc; 1 interspace,	-	х
3035		-	х
3052	root[s] [eg, spinal or lateral recess stenosis]), during posterior interbody arthrodesis, lumbar; single vertebral segment (list separately in addition to code for primary procedure)	-	х
3053	Laminectomy, facetectomy, or foraminotomy (unilateral or bilateral with decompression of spinal cord, cauda equina and/or nerve root[s] [eg, spinal or lateral recess stenosis]), during posterior interbody arthrodesis, lumbar; each additional segment (list separately in addition to code for primary procedure)	-	х
3620	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); 1 spinal lesion	-	Х
	Stereotactic radiosurgery (particle beam, gamma ray, or linear accelerator); each additional spinal lesion (list separat	-	Х
	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
4491	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
4492	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
4493	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
4494	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
4495	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
4505	Injection, anesthetic agent; sphenopalatine ganglion	Х	-
4624	Dstrj nulyt agt gnclr nrv	Х	-
4628	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; first 2 vertebral bodies, lumbar or sacral	-	х
4629	Thermal destruction of intraosseous basivertebral nerve, including all imaging guidance; each additional vertebral body, lumbar or sacral (list separately in addition to code for primary procedure)	-	х
4633	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); cervical or thoracic, single facet joint	-	х
4634	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); cervical or thoracic, each additional facet joint (list separat	-	х
	facet joint	-	х
64636	Destruction by neurolytic agent, paravertebral facet joint nerve(s), with imaging guidance (fluoroscopy or ct); lumbar or sacral, each additional facet joint (list separately	-	х



As of: 12/19/24

		Small Employ	oyer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immedirected to the Pharmacy link option within the website.	unizations, injectable drugs,	· ·	
65710	Keratoplasty (corneal transplant); anterior lamellar	-	Х	
	Keratoplasty (corneal transplant); penetrating (except in aphakia or pseudophakia)	-	Х	
	Corneal transplant	-	Х	
	Corneal transplant	-	Х	
	Keratoplasty (corneal transplant); endothelial	-	Х	
	Backbench preparation of corneal endothelial allograft prior to transplantation (list separately in addition to code for	-	Х	
	Revision of cornea	Х	-	
	Revision of cornea	Х	-	
	Corneal tissue transplant	Х	-	
	Revise cornea with implant	Х	-	
	Radial keratotomy	X	-	
	Revision of iris	Х	-	
	Implant eye drug system	-	Х	
	Suprachoroidal space injection of pharmacologic agent (separate procedure)	X	-	
	Incision of eyelid fold	Х	-	
	Repair brow defect	-	X	
	Repair eyelid defect	-	X	
	Repair eyelid defect	-	X	
	Repair eyelid defect	-	X	
	Repair eyelid defect	-	Х	
	Repair eyelid defect	-	X	
	Repair eyelid defect	-	X	
	Revise eyelid defect	-	X	
	Revise eyelid defect	-	Х	
	Insertion of drug-eluting implant, including punctal dilation when performed, into lacrimal canaliculus, each	Х	-	
	Pierce earlobes	X	-	
	Revise external ear	Х	-	
	Implant/replace hearing aid	-	X	
	Remove/repair hearing aid	-	X	
	Implant temple bone w/stimul	-	X	
	Implantation, osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor	-	X	
	Temple bone implant revision	-	Х	
9719	Revision or replacement (including removal of existing device), osseointegrated implant, skull; with magnetic transcutaneous		V	
	attachment to external speech processor	-	X	
	Removal, osseointegrated implant, skull; with percutaneous attachment to external speech processor	-	X	
	Removal, osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor	-	Х	
9728	Removal, entire osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor, outside the mastoid and involving a bony defect greater than or equal to 100 sq mm surface area of bone deep to the outer cranial cortex	_	x	
9729	Implantation, osseointegrated implant, skull; with magnetic transcutaneous attachment to external speech processor, outside of the mastoid and resulting in removal of greater than or equal to 100 sq mm surface area of bone deep to the outer cranial cortex			
		-	Х	



As of: 12/19/24

		Small Employer and Indiv	er and Individual
Codes	Description	Not Covered	Preauthorization Required
nould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	
69730	Replacement (including removal of existing device), osseointegrated implant, skull; with magnetic transcutaneous attachment to		
	external speech processor, outside the mastoid and involving a bony defect greater than or equal to 100 sq mm surface area of bone		
	deep to the outer cranial cortex	-	Х
	Implant cochlear device	-	Х
	Magnetic resonance imaging, brain, functional mri; including test selection and administration of repetitive body part m	-	Х
	Magnetic resonance imaging, brain, functional mri; requiring physician or psychologist administration of entire neurofun	-	Х
	Cardiac magnetic resonance imaging for morphology and function without contrast material;	-	X
	Cardiac magnetic resonance imaging for morphology and function without contrast material; with stress imaging	-	X
	Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast materi	-	X
	Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast materi	-	X
	Cardiac magnetic resonance imaging for velocity flow mapping (list separately in addition to code for primary procedure)	-	Х
76014	MR safety implant and/or foreign body assessment by trained clinical staff, including identification and verification of implant components from appropriate sources (eg, surgical reports, imaging reports, medical device databases, device vendors, review of prior imaging), analyzing current MR conditional status of individual components and systems, and consulting published professional guidance with written report; initial 15 minutes	Х	-
76015	MR safety implant and/or foreign body assessment by trained clinical staff, including identification and verification of implant components from appropriate sources (eg, surgical reports, imaging reports, medical device databases, device vendors, review of prior imaging), analyzing current MR conditional status of individual components and systems, and consulting published professional guidance with written report; each additional 30 minutes (List separately in addition to code for primary procedure)	Х	
6016	MR safety determination by a physician or other qualified health care professional responsible for the safety of the MR procedure, including review of implant MR conditions for indicated MR examination, analysis of risk vs clinical benefit of performing MR examination, and determination of MR equipment, accessory equipment, and expertise required to perform examination, with written report	х	-
6017	MR safety medical physics examination customization, planning and performance monitoring by medical physicist or MR safety expert, with review and analysis by physician or other qualified health care professional to prioritize and select views and imaging sequences, to tailor MR acquisition specific to restrictive requirements or artifacts associated with MR conditional implants or to mitigate risk of non- conditional implants or foreign bodies, with written report	х	-
6018	MR safety implant electronics preparation under supervision of physician or other qualified health care professional, including MR- specific programming of pulse generator and/or transmitter to verify device integrity, protection of device internal circuitry from MR electromagnetic fields, and protection of patient from risks of unintended stimulation or heating while in the MR room, with written report	х	-
6019	MR safety implant positioning and/or immobilization under supervision of physician or other qualified health care professional, including application of physical protections to secure implanted medical device from MR-induced translational or vibrational forces, magnetically induced functional changes, and/or prevention of radiofrequency burns from inadvertent tissue contact while in the MR room, with written report	х	-
76140	X-ray consultation	Х	-
	Echo guide, ova aspiration	X	-
	Us bone density measure	X	-
	Computed tomography, bone mineral density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine) old code 760	X	-
	Dual-energy x-ray absorptiometry (dxa), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eq, rad	X	-
	Fracture assessment via dxa	X	



As of: 12/19/24

		Small Employ	yer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu directed to the Pharmacy link option within the website.	unizations, injectable drugs,	or specialty medications and	
77371	Radiation treatment delivery, stereotactic radiosurgery (srs), complete course of treatment of cerebral lesion(s) consis	-	Х	
77372	Radiation treatment delivery, stereotactic radiosurgery (srs), complete course of treatment of cerebral lesion(s) consis	-	Х	
77373	Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, en	-	Х	
77423	High energy neutron radiation treatment delivery; 1 or more isocenter(s) with coplanar or non-coplanar geometry with blo	Х	-	
77432	Stereotactic radiation trmt	-	Х	
77435	Stereotactic body radiation therapy, treatment management, per treatment course, to one or more lesions, including image	-	Х	
77520	Proton trmt, simple w/o comp	-	Х	
	Proton trmt, simple w/comp	-	Х	
	Proton trmt, intermediate	-	Х	
	Proton treatment, complex	-	Х	
	Alcohols	X	-	
	Alcohol biomarkers; 1 or 2	X	-	
	Alcohol biomarkers; 3 or more	X	-	
	Alkaloids, not otherwise specified	X	-	
	Amphetamines; 1 or 2	Х	-	
	Amphetamines; 3 or 4	X	-	
	Amphetamines; 5 or more	Х	-	
	Anabolic steroids; 1 or 2	Х	-	
	Anabolic steroids; 3 or more	Х	-	
	Analgesics, non-opioid; 1 or 2	Х	-	
80330	Analgesics, non-opioid; 3-5	Х	-	
80331	Analgesics, non-opioid; 6 or more	Х	-	
	Antidepressants, serotonergic class; 1 or 2	Х	-	
	Antidepressants, serotonergic class; 3-5	Х	-	
	Antidepressants, serotonergic class; 6 or more	Х	-	
	Antidepressants, tricyclic and other cyclicals; 1 or 2	Х	-	
	Antidepressants, tricyclic and other cyclicals; 3-5	Х	-	
	Antidepressants, tricyclic and other cyclicals; 6 or more	Х	-	
	Antidepressants, not otherwise specified	Х	-	
	Antiepileptics, not otherwise specified; 1-3	Х	-	
	Antiepileptics, not otherwise specified; 4-6	X	-	
	Antiepileptics, not otherwise specified; 7 or more	X	-	
	Antipsychotics, not otherwise specified; 1-3	Х	-	
	Antipsychotics, not otherwise specified; 4-6	Х	-	
	Antipsychotics, not otherwise specified; 7 or more	X	-	
	Barbiturates	X	-	
	Benzodiazepines; 1-12	X	-	
	Benzodiazepines; 13 or more	X	-	
	Buprenorphine	X	-	
	Cannabinoids, natural	X	-	
	Cannabinoids, synthetic; 1-3	X	-	
80351	Cannabinoids, synthetic; 4-6	Х	-	



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunitienced to the Pharmacy link option within the website.	izations, injectable drugs,	
30352	Cannabinoids, synthetic; 7 or more	Х	-
	Cocaine	Х	-
30354	Fentanyl	Х	-
30355	Gabapentin, non-blood	Х	-
30356	Heroin metabolite	Х	-
30357	Ketamine and norketamine	Х	-
	Methadone	Х	-
	Methylenedioxyamphetamines (mda, mdea, mdma)	Х	-
	Methylphenidate	Х	-
	Opiates, 1 or more	Х	-
	Opioids and opiate analogs; 1 or 2	Х	-
	Opioids and opiate analogs; 3 or 4	X	-
	Opioids and opiate analogs; 5 or more	Х	-
	Oxycodone	X	-
	Pregabalin	X	-
	Propoxyphene	X	-
	Sedative hypnotics (non-benzodiazepines)	X	
	Skeletal muscle relaxants; 1 or 2	X X	· ·
	Skeletal muscle relaxants; 3 or more	X	
		× ×	-
	Stimulants, synthetic	× X	
	Tapentadol	× X	-
	Stereoisomer anal single drug class	<u>X</u>	-
	Drug(s) definitive, qual or quant nos 1-3	X	-
	Drug(s) definitive, qual or quant nos 7 or more	Х	-
	Idh1 (isocitrate dehydrogenase 1 [nadp+], soluble) (eg, glioma), common variants (eg, r132h, r132c)	-	X
	Idh2 (isocitrate dehydrogenase 2 [nadp+], mitochondrial) (eg, glioma), common variants (eg, r140w, r172m)	-	Х
31162	Brca1, brca2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis and full		
	duplication/deletion analysis	-	Х
31163	Brca1 (brca1, dna repair associated), brca2 (brca2, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full		
	sequence analysis	-	Х
31164	Brca1 (brca1, dna repair associated), brca2 (brca2, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full		
	duplication/deletion analysis (ie, de	-	Х
31165	Brca1 (brca1, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	-	Х
31166	Brca1 (brca1, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie,		
	detection of large gene rearrangements)	-	Х
31167	Brca2 (brca2, dna repair associated) (eg, hereditary breast and ovarian cancer) gene analysis; full duplication/deletion analysis (ie,		Ī
-	detection of large gene rearrangements)	-	Х
31173	Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x chromosome inactivation) gene analysis; full gene		
	sequence	-	X
1174	Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x chromosome inactivation) gene analysis; known		
	familial variant		x



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuni directed to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications ar
81175	Asxl1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic myelomonocytic leukemia), gene analysis; full gene sequence	-	х
31176	Asxl1 (additional sex combs like 1, transcriptional regulator) (eg, myelodysplastic syndrome, myeloproliferative neoplasms, chronic		
31177	myelomonocytic leukemia), gene analysis; targeted sequence analysis (eg, exon 12) Atn1 (atrophin 1) (eg, dentatorubral-pallidoluysian atrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	X
21178	Atxn1 (ataxin 1) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	X
	Atxn2 (ataxin 2) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	X
	Atxn3 (ataxin 3) (eg, spinocerebellar ataxia, machado-joseph disease) gene analysis, evaluation to detect abnormal (eg, expanded) alleles		x
31181	Atxn7 (ataxin 7) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	X
	Atxn8os (atxn8 opposite strand [non-protein coding]) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	X
31183	Atxn10 (ataxin 10) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	Х
	Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	-	х
1185	Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene analysis; full gene sequence	-	X
	Cacna1a (calcium voltage-gated channel subunit alpha1 a) (eg, spinocerebellar ataxia) gene analysis; known familial variant	-	Х
	Cnbp (cchc-type zinc finger nucleic acid binding protein) (eg, myotonic dystrophy type 2) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	х
31188	Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; evaluation to detect abnormal (eg, expanded) alleles	-	Х
	Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; full gene sequence	-	Х
	Cstb (cystatin b) (eg, unverricht-lundborg disease) gene analysis; known familial variant(s)	-	Х
	Ntrk1 (neurotrophic receptor tyrosine kinase 1) (eg, solid tumors) translocation analysis	-	Х
	Ntrk2 (neurotrophic receptor tyrosine kinase 2) (eg, solid tumors) translocation analysis	-	Х
1193	Ntrk3 (neurotrophic receptor tyrosine kinase 3) (eg, solid tumors) translocation analysis	-	Х
1194	Ntrk (neurotrophic-tropomyosin receptor tyrosine kinase 1, 2, and 3) (eg, solid tumors) translocation analysis	-	Х
81195	Cytogenomic (genome-wide) analysis, hematologic malignancy, structural variants and copy number variants, optical genome mapping (OGM)	-	Х
	Apc gene analysis; full sequence	-	Х
	Apc gene analysis; known fam variants	-	Х
	Apc gene anaysis; duplication/deletion variants	-	Х
	Ar (androgen receptor) (eg, spinal and bulbar muscular atrophy, kennedy disease, x chromosome inactivation) gene analysis; characterization of alleles (eg, expanded size or me	-	х
	Blm (bloom syndrome, recq helicase-like) (eg, bloom syndrome) gene analysis, 2281del6ins7 variant	-	Х
1212	Brca1, brca2 (breast cancer 1 and 2) (eg, hereditary breast and ovarian cancer) gene analysis; 185delag, 5385insc, 6174delt variants	-	х
1215	Brca1 (breast cancer 1) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	-	Х
	Brca2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; full sequence analysis	-	Х
	Brca2 (breast cancer 2) (eg, hereditary breast and ovarian cancer) gene analysis; known familial variant	-	Х
	Cebpa (ccaat/enhancer binding protein [c/ebp], alpha) (eg, acute myeloid leukemia), gene analysis, full gene sequence	-	Х
31223	Cftr (cystic fibrosis transmembrane conductance regulator) (eg, cystic fibrosis) gene analysis; full gene sequence	-	Х



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
81225	Cyp2c19 (cytochrome p450, family 2, subfamily c, polypeptide 19) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *8, *17)	-	х
81226	Cyp2d6 (cytochrome p450, family 2, subfamily d, polypeptide 6) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *4, *5, *6, *9, *10, *17, *19, *29, *35, *41,	-	х
81227	Cyp2c9 (cytochrome p450, family 2, subfamily c, polypeptide 9) (eg, drug metabolism), gene analysis, common variants (eg, *2, *3, *5, *6)	-	х
81228	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number variants (eg, bacterial artificial chromosome [bac] or oligo-bas	-	х
81229	Cytogenomic constitutional (genome-wide) microarray analysis; interrogation of genomic regions for copy number and single nucleotide polymorphism (snp) variants for chromosoma	-	х
81230	Cyp3a4, gene analysis, common variant(s)	-	Х
81231	Cyp3a5, gene analaysis, common variants	-	Х
81233	Btk (bruton's tyrosine kinase) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, c481s, c481r, c481f)	-	Х
81234	Dmpk (dm1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; evaluation to detect abnormal (expanded) alleles	-	Х
81235	Egfr gene analysis; common variants	-	Х
81236	Ezh2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, myelodysplastic syndrome, myeloproliferative neoplasms) gene analysis, full gene sequence	-	х
81237	Ezh2 (enhancer of zeste 2 polycomb repressive complex 2 subunit) (eg, diffuse large b-cell lymphoma) gene analysis, common variant(s) (eg, codon 646)	-	х
81239	Dmpk (dm1 protein kinase) (eg, myotonic dystrophy type 1) gene analysis; characterization of alleles (eg, expanded size)	-	Х
81242	Fancc (fanconi anemia, complementation group c) (eg, fanconi anemia, type c) gene analysis, common variant (eg, ivs4+4a>t)	-	х
81250	G6pc (glucose-6-phosphatase, catalytic subunit) (eg, glycogen storage disease, type 1a, von gierke disease) gene analysis, common variants (eg, r83c, q347x)	-	х
81251	Gba (glucosidase, beta, acid) (eg, gaucher disease) gene analysis, common variants (eg, n370s, 84gg, I444p, ivs2+1g>a)	-	Х
	Gjb2 (gap junction protein, beta 2, 26kda, connexin 26) (eg, nonsyndromic hearing loss) gene analysis; full gene sequence	-	Х
81254	Gib6 gene com variants	-	Х
81260	Ikbkap (inhibitor of kappa light polypeptide gene enhancer in b-cells, kinase complex-associated protein) (eg, familial dysautonomia) gene analysis, common variants (eg, 2507+6	-	х
81261	Igh@ (immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, b-cell), gene rearrangement analysis to detect abnormal clonal population(s); amplified methodology (eg,	-	х
81262	Igh@ (immunoglobulin heavy chain locus) (eg, leukemias and lymphomas, b-cell), gene rearrangement analysis to detect abnormal clonal population(s); direct probe methodology (e	-	х
81263	Igh@ (immunoglobulin heavy chain locus) (eg, leukemia and lymphoma, b-cell), variable region somatic mutation analysis	-	Х
	Igk@ (immunoglobulin kappa light chain locus) (eg, leukemia and lymphoma, b-cell), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)	-	х
81272	Kit (v-kit hardy-zuckerman 4 feline sarcoma viral oncogene homolog) (eg, gastrointestinal stromal tumor [gist], acute myeloid leukemia, melanoma), gene analysis, targeted sequ	-	х
81273	Kit (v-kit hardy-zuckerman 4 feline sarcoma viral oncogene homolog) (eg, mastocytosis), gene analysis, d816 variant(s)	-	X
81278	Igh@/bcl2 (t(14;18)) (eg, follicular lymphoma) translocation analysis, major breakpoint region (mbr) and minor cluster region (mcr) breakpoints, qualitative or quantitative	_	x
	Jak2 (janus kinase 2) (eg, myeloproliferative disorder) targeted sequence analysis (eg, exons 12 and 13)	-	X



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	
31284	Fxn (frataxin) (eg, friedreich ataxia) gene analysis; evaluation to detect abnormal (expanded) alleles	-	Х
	Fxn (frataxin) (eg, friedreich ataxia) gene analysis; characterization of alleles (eg, expanded size)	-	Х
1286	Fxn (frataxin) (eg, friedreich ataxia) gene analysis; full gene sequence	-	Х
1287	Mgmt gene methylation anal	-	Х
1288	Mlh1 gene methylation anal	-	Х
81291	Mthfr (5,10-methylenetetrahydrofolate reductase) (eg, hereditary hypercoagulability) gene analysis, common variants (eg, 677t, 1298c)	Х	-
1292	Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	x
1293	Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; known familial variants	-	х
1294	Mlh1 (mutl homolog 1, colon cancer, nonpolyposis type 2) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants	-	х
1295	Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	x
1296	Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; known familial variants	-	х
1297	Msh2 (muts homolog 2, colon cancer, nonpolyposis type 1) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants	-	х
1298	Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	х
1300	Msh6 (muts homolog 6 [e. coli]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants	-	х
1301	Microsatellite instability analysis (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) of markers for mismatch repair deficiency (eg, bat25, bat26), includes com	-	х
1305	Myd88 (myeloid differentiation primary response 88) (eg, waldenstrom's macroglobulinemia, lymphoplasmacytic leukemia) gene analysis, p.leu265pro (l265p) variant	-	х
1307	Palb2 gene full gene seq	-	Х
	Pik3ca gene trgt seg alvs	-	Х
	Nras (neuroblastoma ras viral [v-ras] oncogene homolog) (eg, colorectal carcinoma), gene analysis, variants in exon 2 (eg, codons 12 & 13) and exon 3 (eg, codon61)	-	x
1312	Pabpn1 (poly[a] binding protein nuclear 1) (eg, oculopharyngeal muscular dystrophy) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	х
1313	Pca3 klk3	-	Х
1314	Pdgfra (platelet-derived growth factor receptor, alpha polypeptide) (eg, gastointestinal stromal tumor [gist]), gene analysis, targeted sequence analysis (eg, exons 12, 18)	-	х
1316	Pml/raralpha, (t(15;17)), (promyelocytic leukemia/retinoic acid receptor alpha) (eg, promyelocytic leukemia) translocation analysis; single breakpoint (eg, intron 3, intron 6 or exon 6), qualitative or quantitative	-	х
1317	Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; full sequence analysis	-	x
1318	Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; known familial variants		x



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
nould be c	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
	Pms2 (postmeiotic segregation increased 2 [s. cerevisiae]) (eg, hereditary non-polyposis colorectal cancer, lynch syndrome) gene analysis; duplication/deletion variants	-	х
31320	Plcg2 (phospholipase c gamma 2) (eg, chronic lymphocytic leukemia) gene analysis, common variants (eg, r665w, s707f, l845f)	-	х
1321	Pten gene analysis;full seq analysis	-	Х
1323	Pten gene analysis; duplication/deletion variant	-	Х
	Pmp22 gene analysis; dup/deletion analysis	-	Х
1325	Pmp22 gene analysis; full seq analysis	-	Х
1326	Pmp22 (peripheral myelin protein 22) gene analysis; known fam variant	-	Х
1327	Sept9 (septin9) (eg, colorectal cancer) methylation analysis	Х	-
1328	SIc01b1, gene analysis, common variant(s)	-	Х
31330	Smpd1(sphingomyelin phosphodiesterase 1, acid lysosomal) (eg, niemann-pick disease, type a) gene analysis, common variants (eg, r496l, I302p, fsp330)	-	х
1333	Tgfbi (transforming growth factor beta-induced) (eg, corneal dystrophy) gene analysis, common variants (eg, r124h, r124c, r124l, r555w, r555a)	-	х
1334	Runx1 (runt related transcription factor 1) (eg, acute myeloid leukemia, familial platelet disorder with associated myeloid malignancy), gene analysis, targeted sequence analysis (eg, exons 3-8)	-	х
1338	Mpl (mpl proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; common variants (eg, w515a, w515k, w515l, w515r)	-	х
1339	Mpl (mpl proto-oncogene, thrombopoietin receptor) (eg, myeloproliferative disorder) gene analysis; sequence analysis, exon 10	-	х
1340	Trb@ (t cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using amplification methodology (eg, pol	-	х
1341	Trb@ (t cell antigen receptor, beta) (eg, leukemia and lymphoma), gene rearrangement analysis to detect abnormal clonal population(s); using direct probe methology (eg, southe	-	х
1342	Trg@ (t cell antigen receptor, gamma) (eg, leukemia and lymphoma), gene rearrangement analysis, evaluation to detect abnormal clonal population(s)	-	х
1343	Ppp2r2b (protein phosphatase 2 regulatory subunit bbeta) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	х
1344	Tbp (tata box binding protein) (eg, spinocerebellar ataxia) gene analysis, evaluation to detect abnormal (eg, expanded) alleles	-	х
1345	Tert (telomerase reverse transcriptase) (eg, thyroid carcinoma, glioblastoma multiforme) gene analysis, targeted sequence analysis (eg, promoter region)	-	х
1347	Sf3b1 (splicing factor [3b] subunit b1) (eg, myelodysplastic syndrome/acute myeloid leukemia) gene analysis, common variants (eg, a672t, e622d, l833f, r625c, r625l)	-	х
	Srsf2 (serine and arginine-rich splicing factor 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, p95h, p95l)	-	х
1349	Cytogenomic (genome-wide) analysis for constitutional chromosomal abnormalities; interrogation of genomic regions for copy number and loss-of-heterozygosity variants, low-pass sequencing analysis	-	х
1351	Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; full gene sequence	-	Х
	Tp53 (tumor protein 53) (eg, li-fraumeni syndrome) gene analysis; targeted sequence analysis (eg, 4 oncology)	-	Х



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
31355	Vkorc1 (vitamin k epoxide reductase complex, subunit 1) (eg, warfarin metabolism), gene analysis, common variants (eg, -1639/3673)	-	х
31357	U2af1 (u2 small nuclear rna auxiliary factor 1) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variants (eg, s34f, s34y, q157r, q157p)	-	х
	Zrsr2 (zinc finger ccch-type, rna binding motif and serine/arginine-rich 2) (eg, myelodysplastic syndrome, acute myeloid leukemia) gene analysis, common variant(s) (eg, e65fs, e122fs, r448fs)	-	х
	Molecular pathology procedure, level 1 (eg, identification of single germline variant [eg, snp] by techniques such as restriction enzyme digestion or melt curve analysis)acadm	-	х
1401	Molecular pathology procedure, level 2 (eg, 2-10 snps, 1 methylated variant, or 1 somatic variant [typically using nonsequencing target variant analysis], or detection of a dy	-	х
1402	Molecular pathology procedure, level 3 (eg, >10 snps, 2-10 methylated variants, or 2-10 somatic variants [typically using non- sequencing target variant analysis], immunoglobul	-	х
1403	Molecular pathology procedure, level 4 (eg, analysis of single exon by dna sequence analysis, analysis of >10 amplicons using multiplex pcr in 2 or more independent reactions,	-	х
	Molecular pathology procedure, level 5 (eg, analysis of 2-5 exons by dna sequence analysis, mutation scanning or duplication/deletion variants of 6-10 exons, or characterizati	-	х
	Molecular pathology procedure, level 6 (eg, analysis of 6-10 exons by dna sequence analysis, mutation scanning or duplication/deletion variants of 11-25 exons) cyp21a2 (cytoch	-	х
	Molecular pathology procedure, level 7 (eg, analysis of 11-25 exons by dna sequence analysis, mutation scanning or duplication/deletion variants of 26-50 exons, cytogenomic ar	-	х
	Molecular pathology procedure, level 8 (eg, analysis of 26-50 exons by dna sequence analysis, mutation scanning or duplication/deletion variants of >50 exons, sequence analysi	-	x
	Molecular pathology procedure, level 9 (eg, analysis of >50 exons in a single gene by dna sequence analysis) fbn1 (fibrillin 1) (eg, marfan syndrome), full gene sequence nf1 (_	X
	Gsps for aortic dysfnc or dilat	-	X
	Gsps for aortic dysfnc or dilat dupe delete anal	-	Х
	Ashkenazi jewish associated disorders (eg, bloom syndrome, canavan disease, cystic fibrosis, familial dysautonomia faconi anemia group c. gaucher disease, tay-sachs disease),	-	х
	Cardiac ion channelopathies (eg, brgada syndrome, long qt syndrome, short qt syndrome, catecholaminergic polymorphic ventricular tachycardia); genomic seguence analysis panel.	-	х
	Cardiac ion channelopathies (eg. brugada syndrome, long qt syndrome, short qt syndrome, catecholaminergic polymorphic ventricular tachycardia); duplication deletion gene analy	-	х
	Exome sequence anal	-	Х
	Exome sequence anal ea add	-	Х
	Exome sequence anal re-eval	-	Х
	Drug metabolism (eg, pharmacogenomics) genomic sequence analysis panel, must include testing of at least 6 genes, including cyp2c19, cyp2d6, and cyp2d6 duplication/deletion analysis	Х	-
	Epilepsy genomic sequence analysis panel, must include analyses for aldh7a1, cacna1a, cdkl5, chd2, gabrg2, grin2a, kcnq2, mecp2, pcdh19, polg, prrt2, scn1a, scn1b, scn2a, scn8a, slc2a1, slc9a6, stxbp1, syngap1, tcf4, tpp1, tsc1, tsc2, and zeb2		×
	Fetal chromosomal microdeletion(s) genomic sequence analysis (eg, digeorge syndrome, cri-du-chat syndrome), circulating cell-free fetal dna in maternal blood	- X	X



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
31425	Gsps for unex costitut heritable ds	-	Х
31426	Gsps for unex costitut heritable ds ea add	-	Х
31427	Gsps for unex costitut heritable ds re-eval	-	Х
31430	Gsps for hearing loss	-	Х
31431	Gsps for hearing loss dupe delete anal	-	Х
81432	Hereditary breast cancer-related disorders (eg, hereditary breast, ovarian endometrial cancer); must include genomic sequencing of at least 14 genes: atm brca1 brca2 brip1 cdh	-	Х
31434	Hereditary retinal disorders (eg, retinitis pigmentosa, leber congenital amaurosis, cone-rod dystophy); must inc genomic sequencing 15 genes: abca4 cnga1 crb1 eys pde6a pde6b	-	Х
	Gsps for colon ca	-	Х
31437	Hereditary neuroendocrine tumor disorders (eg, medullary throid or parathyroid cancer, malignant pheochromocytoma or paragangliom); must incl genomic sequencing 6 genes: max s	-	Х
31439	Inherited cardiomyopathy (eg. hypertrophic cardiomyopathy, dilated cardiomyopathy, arrhythmogenic right ventricular cardiomyopathy) genomic sequence analysis panel, must inclu	-	х
31440	Gsps nuclear encod mitochondrial genes	-	Х
	Inherited bone marrow failure syndromes (ibmfs) (eg, fanconi anemia, dyskeratosis congenita, diamond-blackfan anemia, shwachman- diamond syndrome, gata2 deficiency syndrome, congenital amegakaryocytic thrombocytopenia) sequence analysis panel, must include sequencing of at least 30 genes, including brca2, brip1, dkc1, fanca, fancb, fancc, fancd2, fance, fancf, fancg, fanci, fancl, gata1, gata2, mpl, nhp2, nop10, palb2, rad51c, rpl11, rpl35a, rpl5, rps10, rps19, rps24, rps26, rps7, sbds, tert, and tinf2	-	x
31442	Noonan spectrum disorders (eg, noonan syndrome, cardio-facio-cutaneous syndrome, costello syndrome leopard syndrome, noonan- like syndrome); must incl genomic sequencing 12 ge	_	X
31445	Gsps for solid organ neoplasm	-	X
	Hereditary peripheral neuropathies (eg, charcot-marie-tooth, spastic paraplegia), genomic sequence analysis panel, must include sequencing of at least 5 peripheral neuropathy-related genes (eg, bscl2, gjb1, mfn2, mpz, reep1, spast, spg11, sptlc1)	_	x
	Targeted genomic sequence analysis panel, solid organ neoplasm, 5-50 genes (eg, alk, braf, cdkn2a, egfr, erbb2, kit, kras, met, nras, pdgfra, pdgfrb, pgr, pik3ca, pten, ret), interrogation for sequence variants and copy number variants or rearrangements, if performed;		
14450	rna analysis	-	X
	Gsps hematolymphoid neo 5-50 genes Targeted genomic sequence analysis panel, hematolymphoid neoplasm or disorder, 5-50 genes (eg, braf, cebpa, dnmt3a, ezh2, flt3, idh1, idh2, jak2, kit, kras, mll, notch1, npm1, nras), interrogation for sequence variants, and copy number variants or rearrangements, or	-	
21/55	isoform expression or mrna expression levels, if performed; rna analysis Gsps hematolymphoid neo =/>51 genes	-	X X
1456	Targeted genomic sequence analysis panel, solid organ or hematolymphoid neoplasm or disorder, 51 or greater genes (eg, alk, braf, cdkn2a, cebpa, dnmt3a, egfr, erbb2, ezh2, flt3, idh1, idh2, jak2, kit, kras, met, mll, notch1, npm1, nras, pdgfra, pdgfrb, pgr, pik3ca, pten, ret), interrogation for sequence variants and copy number variants or rearrangements, or isoform expression or mrna expression levels, if performed; rna analysis	<u> </u>	x
1457	Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; DNA analysis, microsatellite instability	-	x
1458	Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; DNA analysis, copy number variants and microsatellite instability	-	х



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
isclaimer: hould be c	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
1459	Solid organ neoplasm, genomic sequence analysis panel, interrogation for sequence variants; DNA analysis or combined DNA and RNA analysis, copy number variants, microsatellite instability, tumor mutation burden, and rearrangements	-	х
31460	Gsps for whole mitochondrial genome	-	Х
1462	Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), interrogation for sequence variants; DNA analysis or combined DNA and RNA analysis, copy number variants and rearrangements	-	х
1463	Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), interrogation for sequence variants; DNA analysis, copy number variants, and microsatellite instability	-	х
1464	Solid organ neoplasm, genomic sequence analysis panel, cell-free nucleic acid (eg, plasma), interrogation for sequence variants; DNA analysis or combined DNA and RNA analysis, copy number variants, microsatellite instability, tumor mutation burden, and		
	rearrangements	-	Х
	Gsps for whole mitochondrial genome Ig delete anal	-	X
	Gsps for xlid at least 60 genes	-	Х
	Gsps for xlid at least 60 genes	-	X
	Unlisted molecular pathology	-	Х
31490	Autoimmune (rheumatoid arthritis), analysis of 12 biomarkers using immunoassays, utilizing serum, prognostic algorithm reported as a disease activity score	Х	-
31493	Coronary artery disease, mrna, gene expression profiling by real-time rt-pcr of 23 genes, utilizing whole peripheral blood, algorithm		
	reported as a risk score	-	Х
31500	Maaa 2 serum proteins	-	Х
1503	Maaa 2 serum proteins	-	Х
31504	Oncology tissue of origin	-	Х
31506	Maaa 7 serum/plasma analytes	Х	-
31507	Fetal aneuploidy trisom risk	-	Х
1512	Maaa 5 maternal serum analytess	Х	-
	Liver disease, analysis of 3 biomarkers (hyaluronic acid [HA], procollagen III amino terminal peptide [PIIINP], tissue inhibitor of metalloproteinase 1 [TIMP-1]), using immunoassays, utilizing serum, prognostic algorithm reported as a risk score and risk of liver fibrosis and liver-related clinical events within 5 years	Х	-
31518	Oncology (breast), mrna, gene expression profiling by real-time rt-pcr of 11 genes (7 content and 4 housekeeping), utilizing formalin- fixed paraffin-embedded tissue, algorithm	-	x
	Gsps onco (brst) 21 genes	-	Х
	Oncology (breast), mrna gene exp profil by hybrid cap of 58 genes	-	Х
81521	Oncology (breast), mrna microarray gene exp profil of 70 cont genes & 465 housekeep genes	-	Х
1522	Onc breast mrna 12 genes	-	Х
1523	Oncology (breast), mrna, next-generation sequencing gene expression profiling of 70 content genes and 31 housekeeping genes, utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as index related to risk to distant metastasis	-	x
	Oncology (colon), mrna, gene expression profiling by real-time rt-pcr of 12 genes (7 content and 5 housekeeping), utilizing formalin- fixed paraffin embedded tissue, algorithm	-	х
31529	Oncology (cutaneous melanoma), mrna, gene expression profiling by real-time rt-pcr of 31 genes (28 content and 3 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorithm reported as recurrence risk, including likelihood of sentinel lymph node metastasis	_	х
31535	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by dapi stain and morphology, predictive algorithm reported as a drug response score; first singl	-	х



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
should be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuni irected to the Pharmacy link option within the website.	zations, injectable drugs,	or specialty medications and
	Oncology (gynecologic), live tumor cell culture and chemotherapeutic response by dapi stain and morphology, predictive algorithm reported as a drug response score; each additi	Х	-
81538	Oncology (lung), mass spectrometric 8-protein signature, including amyloid a, utilizing serum, prognostic and predictive algorithm reported as good versus poor overall surviva	-	х
81539	Oncology (high-grade prostate cancer), biochemical assay of four proteins (total psa, free psa, intact psa and human kallikrein-2 [hk2]) utilizing plasma or serum, prognostic	Х	-
81540	Oncology (tumor of unknown origin), mrna, gene expression profiling by real-time rt-pcr of 92 genes (87 content and 5 housekeeping) to classify tumor into main cancer type and	-	х
81541	Oncology (prostate), mrna gene exp profil by real-time rt-pcr of 46 genes	-	Х
	Onc prostate mrna 22 cnt gen	-	Х
81546	Oncology (thyroid), mrna, gene expression analysis of 10,196 genes, utilizing fine needle aspirate, algorithm reported as a categorical result (eq, benign or suspicious)	-	х
81551	Oncology (prostate), promoter methylation profil by real-time pcr of 3 genes	-	Х
81552	Onc breast mrna 12 genes	-	Х
81554	Pulmonary disease (idiopathic pulmonary fibrosis [ipf]), mrna, gene expression analysis of 190 genes, utilizing transbronchial biopsies, diagnostic algorithm reported as categorical result (eg, positive or negative for high probability of usual interstitial pneumonia [uip])	-	x
	Transplantation medicine (allograft rejection, kidney), mRNA, gene expression profiling by quantitative polymerase chain reaction (qPCR) of 139 genes, utilizing whole blood, algorithm reported as a binary categorization as transplant excellence, which indicates immune quiescence, or not transplant excellence, indicating subclinical rejection	Х	-
81560	Transplantation medicine (allograft rejection, pediatric liver and small bowel), measurement of donor and third-party-induced cd154+t- cytotoxic memory cells, utilizing whole peripheral blood, algorithm reported as a rejection risk score	х	-
81595	Cardiology (heart transplant), mrna, gene expression profiling by real-time quantitative pcr of 20 genes (11 content and 9 housekeeping), utilizing subfraction of peripheral b	-	х
	Infectious disease, chronic hepatitis c virus (hcv) infection, six biochemical assays (alt, a2-macroglobulin, apolipoprotein a-1, total bilirubin, ggt, and haptoglobin) utiliz	Х	-
	Beta-amyloid; 1-40 (Abeta 40)	Х	-
	Beta-amyloid; 1-42 (Abeta 42)	Х	-
	Assay of galectin-3	X	-
	Assay growth hormone (st2)	X	-
	Lipoprotein, blood; high resolution fractionation and quantitation of lipoproteins including lipoprotein subclasses when	X	-
	Lipoprotein, blood; quantitation of lipoprotein particle numbers and lipoprotein particle subclasses (eg, by nuclear mag	X	-
	Oncoprotein; her-2/neu	<u>X</u>	-
	Oncoprotein; des-gamma-carboxy-prothrombin (dcp)	X X	-
	Assay for phencyclidine Allergen specific ige; qualitative, multiallergen screen (eg, disk, sponge, card)	<u> </u>	-
	Cell enumeration	× ×	-
	Cell enumeration phys interp	× ×	-
	Leukocyte histamine release	X X	-
	Cellular function assay involving stimulation (eg, mitogen or antigen) and detection of biomarker (eg, atp)	X X	-
	Autologous blood process	X	-
	Autologous blood, op salvage	X	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes Descrip	tion	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes should be directed to the Pharmacy link option within the website.	are updated quarterly. Additionally, these coding lists do not reflect information regarding	immunizations, injectable drugs,		
86923 Compatibility test each unit; electronic		Х	-	
87623 Hpv low-risk types		Х	-	
87900 Infectious agent drug susceptibility phenotype prediction using regular	ly updated genotypic bioinformatics	Х	-	
88120 Cytp urne 3-5 probes ea spec		Х	-	
88121 Cytp urine 3-5 probes cmptr		Х	-	
88375 Optical endomicroscopy interp		Х	-	
88738 Hemoglobin (hgb), quantitative, transcutaneous		Х	-	
88740 Hemoglobin, quantitative, transcutaneous, per day; carboxyhemoglobi	n	Х	-	
88741 Hemoglobin, quantitative, transcutaneous, per day; methemoglobin		Х	-	
89049 Caffeine halothane contracture test (chct) for malignant hyperthermia	susceptibility, including interpretation and repor	Х	-	
89250 Fertilization of oocyte		Х	-	
89251 Culture oocyte w/embryos		Х	-	
89253 Embryo hatching		Х	-	
89254 Oocyte identification		Х	-	
89255 Prepare embryo for transfer		Х	-	
89257 Sperm identification		X	-	
89258 Cryopreservation, embryo		X	-	
89259 Cryopreservation, sperm		X	-	
89268 Insemination of oocytes		X	-	
89272 Extended culture of oocyte(s)/embryo(s), 4-7 days		X	_	
89280 Assisted oocyte fertilization, microtechnique; less than or equal to 10 c		X	_	
89281 Assisted oocyte fertilization, microtechnique; greater than 10 oocytes	000/183	X	-	
89290 Biopsy, oocyte polar body or embryo blastomere, microtechnique; less	than or equal to 5 ombrues	X	-	
89290 Biopsy, oocyte polar body or embryo blastomere, microtechnique; ress		X X		
89300 Semen analysis		X		
89329 Sperm evaluation test		X	-	
		X		
89335 Cryopreservation, reproductive tissue, testicular				
89337 Cryopreservation, mature oocyte(s)		X	-	
89342 Storage, (per year); embryo(s)			-	
89343 Storage, (per year); sperm/semen		X	-	
89344 Storage, (per year); reproductive tissue, testicular/ovarian		X	-	
89346 Storage, (per year); oocyte		X	-	
89352 Thawing of cryopreserved; embryo(s)		X	-	
89353 Thawing of cryopreserved; sperm/semen, each aliquot		X	-	
89354 Thawing of cryopreserved; reproductive tissue, testicular/ovarian		X	-	
89356 Thawing of cryopreserved; oocytes, each aliquot		X	-	
90581 Anthrax vaccine, for subcutaneous or intramuscular use		X	-	
90585 Bcg vaccine, percut		Х	-	
90587 Dengue vaccine quadrivalent live 3 dose schedule for subcutaneous u	ISE	Х	-	
90625 Cholera vaccine, live, adult dosage, 1 dose schedule, for oral use		Х	-	
90664 Influenza virus vaccine, pandemic formulation, live, for intranasal use		Х	-	
90666 Influenza virus vaccine, pandemic formulation, split virus, preservative	free, for intramuscular use	Х	-	



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
90667	Influenza virus vaccine, pandemic formulation, split virus, adjuvanted, for intramuscular use	Х	-
90668	Influenza virus vaccine, pandemic formulation, split virus, for intramuscular use	Х	-
	Typhoid vaccine, oral	Х	-
	Typhoid vaccine, im	Х	-
	Yellow fever vaccine, sc	Х	-
	Japanese encephalitis virus vaccine, inactivated, for intramuscular use	Х	-
	Family psytx w/o patient	Х	-
	Family psytx w/patient	Х	-
	Multiple family group psytx	Х	-
	Narcosynthesis	Х	-
	Psychophysiological therapy	Х	-
	Psychophysiological therapy	Х	-
	Hypnotherapy	Х	-
	Environmental manipulation	Х	-
	Psy evaluation of records	Х	-
90887	Consultation with family	Х	-
	Preparation of report	Х	-
	Biofeedback train, any meth	Х	-
90912	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including emg and/or manometry, when performed; initial 15		
	minutes of one-on-one physician or other qualified health care professional contact with the patient	Х	-
90913	Biofeedback training, perineal muscles, anorectal or urethral sphincter, including emg and/or manometry, when performed; each		
	additional 15 minutes of one-on-one physician or other qualified health care professional contact with the patient (list separately in		
	addition to code for primary procedure)	Х	-
91111	Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), esophagus with physician interpretation and report	Х	-
91112	Gi wireless capsule measure	Х	-
91113	Gastrointestinal tract imaging, intraluminal (eg, capsule endoscopy), colon, with interpretation and report	Х	-
	Colon motility 6 hr study	Х	-
92065	Orthoptic/pleoptic training	Х	-
92145	Corneal hysteresis deter	Х	-
92311	Contact lens fitting	Х	-
92312	Contact lens fitting	Х	-
92315	Prescription of contact lens	Х	-
92316	Prescription of contact lens	Х	-
92340	Fitting of spectacles	Х	-
92341	Fitting of spectacles	Х	-
92342	Fitting of spectacles	Х	-
	Special spectacles fitting	Х	-
	Special spectacles fitting	Х	-
	Special spectacles fitting	Х	-
	Special spectacles fitting	Х	-
	Eye prosthesis service	Х	-
	Repair & adjust spectacles	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
sclaimer: ould be c	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
	Repair & adjust spectacles	Х	-
	Speech/hearing therapy	-	X*
	Speech/hearing therapy	-	X*
	Evaluation of speech fluency	-	Х*
	Evaluate speech production	-	Χ*
	Speech sound lang comprehen	-	X*
	Behavral qualit analys voice	-	X*
	Oral function therapy	-	X*
	Spontaneous nystagmus study	X	-
	Positional nystagmus study	X	-
	Caloric vestibular test	X	-
	Optokinetic nystagmus	X	-
	Tympanometry and reflex threshold measurements	X	-
	Speech threshold audiometry	X	-
	Speech audiometry, complete	X	-
	Comprehensive hearing test	X	-
	Loudness balance test	X X	-
	Tone decay hearing test		
	Stenger test, pure tone	X X	-
	Tympanometry Acoustic reflex testing	× X	-
		X	-
	Acoustic immittance testing, includes tympanometry (impedance testing), acoustic reflex threshold testing, and acoustic Filtered speech hearing test	X	-
	Staggered spondaic word test	X	-
	Sensorineural acuity test	X	-
	Synthetic sentence test	X	-
	Stenger test, speech	X	-
	Visual audiometry (vra)	X	-
	Conditioning play audiometry	X	-
	Select picture audiometry	X	-
	Electrocochleography	X	-
	Distortion product evoked otoacoustic emissions; limited evaluation (to confirm the presence or absence of hearing disorder, 3-6		
	frequencies) or transient evoked otoacoustic e	Х	-
2588	Distortion product evoked otoacoustic emissions; comprehensive diagnostic evaluation (quantitative analysis of outer hair cell function		
	by cochlear mapping, minimum of 12 freq	Х	-
2596	Ear protector evaluation	Х	-
	Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with t	-	X*
	Evaluation for prescription for speech-generating augmentative and alternative communication device, face-to-face with t	-	Х*
	Therapeutic services for the use of speech-generating device, including programming and modification	-	Χ*
	Evaluation of central auditory function, with report; initial 60 minutes	Х	-
2621	Evaluation of central auditory function, with report; each additional 15 minutes (list separately in addition to code for primary procedure)	х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	
92625	Assessment of tinnitus (includes pitch, loudness matching, and masking)	Х	-
92626	Evaluation of auditory rehabilitation status; first hour	Х	-
	Evaluation of auditory rehabilitation status; each additional 15 minutes (list separately in addition to code for primar	Х	-
92630	Auditory rehabilitation; pre-lingual hearing loss	-	X*
92633	Auditory rehabilitation; post-lingual hearing loss	Х	-
92640	Diagnostic analysis with programming of auditory brainstem implant, per hour	Х	-
	Prq cardiac angio addl art	Х	-
92925	Prq card angio/athrect addl	Х	-
92929	Prq card stent w/angio addl	Х	-
92934	Prq card stent/ath/angio	Х	-
92938	Prq revasc byp graft addl	Х	-
92944	Percut translum revasc of chronic total occusion, corn artery, corn artery branch, or bypass graft; each addl	Х	-
93025	Microvolt t-wave alterans for assessment of ventricular arrhythmias	Х	-
93050	Arterial pressure waveform analysis for assessment of central arterial pressures, includes obtaining waveform(s), digitization and		
	application of nonlinear mathematical transf	Х	-
93590	Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, mitral valve	Х	-
	Percutaneous transcatheter closure of paravalvular leak; initial occlusion device, aortic valve	Х	-
	Percutaneous transcatheter closure of paravalvular leak; each additional occlusion device (list separately in addition to code for primary		
	procedure)	Х	-
93668	Peripheral vascular rehab	-	Х*
93701	Bioimpedance-derived physiologic cardiovascular analysis	Х	-
93702	Bis xtracell fluid analysis	Х	-
93740	Temperature gradient studies	Х	-
	Measure venous pressure	Х	-
93895	Carotid intima atheroma eval	Х	-
94005	Home ventilator management care plan oversight of a patient (patient not present) in home, domiciliary or rest home (eg,	Х	-
	Measurement of spirometric forced expiratory flows in an infant or child through 2 years of age	Х	-
	Measurement of spirometric forced expiratory flows, before and after bronchodilator, in an infant or child through 2 yea	Х	-
	Measurement of lung volumes (ie, functional residual capacity [frc], forced vital capacity [fvc], and expiratory reserve	Х	-
	Vital capacity test	Х	-
94452	High altitude simulation test (hast), with physician interpretation and report;	Х	-
	High altitude simulation test (hast), with physician interpretation and report; with supplemental oxygen titration	Х	-
	Eye allergy tests	Х	-
	Neuromuscular junction test	-	Х
	Eeg digital analysis	Х	-
	Comprehensive computer-based motion analysis by video-taping and 3-d kinematics	Х	-
	Comprehensive computer-based motion analysis by video-taping and 3-d kinematics; with plantar pressure measurements	X	-
	Dynamic surface electromyography, during walking or other functional activities, 1-12 muscles	Х	-
	Physician review & interp of motion analysis, plantar pressures, surface electromyography, and fine wire emg, w report	X	-
	Assessment of aphasia	X	-
	Trichogram	X	-
	Whole body integumentary photography, for monitoring of high risk patients with dysplastic nevus syndrome or a history o	X	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	zations, injectable drugs,	
96931	Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, first lesion	Х	-
96932	Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image acquisition only, first lesion	X X	-
	Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; interpretation and report only, first lesion	X	-
	Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image acquisition and interpretation and report, each additional lesion (list separately i	X	
96935	Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; image acquisition only, each additional lesion (list separately in addition to code for p	X	
96936	Reflectance confocal microscopy (rcm) for cellular and sub-cellular imaging of skin; interpretation and report only, each additional lesion		-
07040	(list separately in addition to cod	X	-
	Hot or cold packs therapy Mechanical traction therapy	X -	- X*
		-	× X*
	Electric stimulation therapy Vasopneumatic device therapy	-	× X*
	Paraffin bath therapy	-	X*
	Whirlpool therapy	-	× X*
	Diathermy treatment	-	<u>х</u> *
	Infrared therapy	X	^
		-	 X*
	Ultraviolet therapy Electrical stimulation	-	
		-	
	Electric current therapy	-	X* X*
	Contrast bath therapy	-	
	Ultrasound therapy	-	X*
	Hydrotherapy	-	X*
97037	Application of a modality to 1 or more areas; low-level laser therapy (ie, nonthermal and non-ablative) for post-operative pain reduction	х	-
97039	Physical therapy treatment	-	Χ*
	Therapeutic exercises	-	Х*
	Neuromuscular reeducation	-	Χ*
	Aquatic therapy/exercises	-	Χ*
	Gait training therapy	-	X*
	Massage therapy	-	X*
	Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; initial 15 minutes	-	X*
97130	Therapeutic interventions that focus on cognitive function (eg, attention, memory, reasoning, executive function, problem solving, and/or pragmatic functioning) and compensatory strategies to manage the performance of an activity (eg, managing time or schedules, initiating, organizing, and sequencing tasks), direct (one-on-one) patient contact; each additional 15 minutes (list separately in addition		
	to code for primary procedure)	-	Χ*
	Physical medicine procedure	-	X*
	Manual therapy	-	X*
97150	Group therapeutic procedures	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications a
97161	Physical therapy evaluation: low complex	-	Χ*
	Physical therapy evaluation: moderate complex	-	Χ*
	Physical therapy evaluation: high complex	-	X*
	Re-evaluation of physical therapy	-	X*
	Occupational therapy evaluation, low complex	-	Χ*
	Occupational therapy evaluation, moderate complex	-	Χ*
	Occupational therapy evaluation, high complex	-	Χ*
	Reevaluation of occupational therapy established plan of care, requiring these components: an assessment of changes in patient		
	functional or medical status with revised plan	-	Х*
7169	Athletic training evaluation, low complexity, requiring these components: a history and physical activity profile with no comorbidities that		
	affect phsical activity;	Х	-
7170	Athletic training evaluation, moderate complexity, requiring these components: a history and physical activity profile with no		
	comorbidities that affect phsical activity;	Х	-
7171	Athletic training evaluation, high complexity, requiring these components: a history and physical activity profile with no comorbidities that		
	affect phsical activity:	х	-
7172	Reevaluation of athletic training established plan of care, requiring these components: an assessment of patient's current functional	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
1112	status when there is a documented change	х	-
7530	Therapeutic activities	-	X*
	Sensory integration	-	X*
	Self care mngment training	-	X*
	Community/work reintegration	-	X*
	Wheelchair mngment training	-	X*
	Work hardening	-	X*
	Work hardening add-on	-	X*
	Caregiver training in strategies and techniques to facilitate the patient's functional performance in the home or community	X	-
	Caregiver training in strategies and techniques to facilitate the patient's functional performance in the home or community (eg, activities	Λ	-
7551	of daily living [adls], instrumental adls [iadls], transfers, mobility,	х	
7550	Group caregiver training in strategies and techniques to facilitate the patient's functional performance in the home or community (eg,	Λ	-
1002	activities of daily living [adls]	v	
7600		X	-
	Wound care non-selective		-
	Low frequency non-thermal us	Х	- X*
	Physical performance test	-	× X
	Assistive technology assessment, direct one-on-one contact by provider, with written report, each 15 minutes	-	X*
	Physical medicine procedure	-	
	Acupuncture, one or more needles, without electrical stimulation; init 15 min personal contact with the patient	X	-
	Acupuncture, one or more needles, without electrical stimulation; ea addl 15 min, w re-insertion of needle(s)	X	-
	Acupuncture, one or more needles, w electrical stimulation; initial 15 min of personal contact w the patient	X	-
	Acupuncture, one or more needles, w electrical stimulation; ea addl 15 min, w re-insertion of needle(s)	Х	-
8001	Synchronous audio-video visit for the evaluation and management of a new patient, which requires a medically appropriate history		
	and/or examination and low medical decision making. When using total time on the date of the encounter for code selection, 30 minutes	Х	-
	must be met or exceeded.		



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunirected to the Pharmacy link option within the website.	izations, injectable drugs,	
	Synchronous audio-video visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and moderate medical decision making. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.	х	-
	Synchronous audio-video visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination and high medical decision making. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.	Х	-
98004	Synchronous audio-video visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and straightforward medical decision making. When using total time on the date of the encounter for code selection, 10 minutes must be met or exceeded.	Х	-
	Synchronous audio-video visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and low medical decision making. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.	Х	-
	Synchronous audio-video visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and moderate medical decision making. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.	Х	-
8007	Synchronous audio-video visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination and high medical decision making. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.	Х	-
98008	Synchronous audio-only visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination, straightforward medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 15 minutes must be met or exceeded.	Х	-
	Synchronous audio-only visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination, low medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.	Х	-
	Synchronous audio-only visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination, moderate medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 45 minutes must be met or exceeded.	Х	-
	Synchronous audio-only visit for the evaluation and management of a new patient, which requires a medically appropriate history and/or examination, high medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 60 minutes must be met or exceeded.	Х	-
	Synchronous audio-only visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination, straightforward medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 10 minutes must be exceeded.	Х	-
	Synchronous audio-only visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination, low medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 20 minutes must be met or exceeded.	Х	-
	Synchronous audio-only visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination, moderate medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 30 minutes must be met or exceeded.	Х	-
98015	Synchronous audio-only visit for the evaluation and management of an established patient, which requires a medically appropriate history and/or examination, high medical decision making, and more than 10 minutes of medical discussion. When using total time on the date of the encounter for code selection, 40 minutes must be met or exceeded.	Х	-



As of: 12/19/24

_		Small Employer and Individ	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
98016	Brief communication technology-based service (eg, virtual check-in) by a physician or other qualified health care professional who can		
	report evaluation and management services, provided to an established patient, not originating from a related evaluation and	Х	-
	management service provided within the previous 7 days nor leading to an evaluation and management service or procedure within the	~	
	next 24 hours or soonest available appointment, 5-10 minutes of medical discussion.		
	Chiropractic manipulation	-	X*
	Chiropractic manipulation	-	X*
	Chiropractic manipulation	-	X*
	Chiropractic manipulation	-	X*
	Education and training for patient self-management by a qualified, nonphysician health care professional using a standar	<u>X</u>	-
	Education and training for patient self-management by a qualified, nonphysician health care professional using a standar	X	-
	Education and training for patient self-management by a qualified, nonphysician health care professional using a standar	Х	-
98970	Qualified nonphysician health care professional online digital evaluation and management service, for an established patient, for up to		
	7 days, cumulative time during the 7 days; 5-10 minutes	Х	-
98971	Qualified nonphysician health care professional online digital evaluation and management service, for an established patient, for up to		
	7 days, cumulative time during the 7 days; 11-20 minutes	Х	-
8972	Qualified nonphysician health care professional online digital evaluation and management service, for an established patient, for up to		
	7 days, cumulative time during the 7 days; 21 or more minutes	Х	-
	Specimen handling	Х	-
	Specimen handling	Х	-
	Device handling	Х	-
	Postop follow-up visit	Х	-
	Hospital mandated on call service; in-hospital, each hour	Х	-
	Hospital mandated on call service; out-of-hospital, each hour	Х	-
	Special supplies	Х	-
	Patient education materials	Х	-
9072	Addl supl matrl&staf tm phe	Х	-
	Medical testimony	Х	-
9078	Group health education	Х	-
9080	Special reports or forms	Х	-
9082	Unusual physician travel	Х	-
9116	Anesthesia with hypothermia	Х	-
9241	Office consultation	Х	-
9242	Office consultation	Х	-
9243	Office consultation	Х	-
9244	Office consultation	Х	-
9245	Office consultation	Х	-
9251	Initial inpatient consult	Х	-
	Initial inpatient consult	Х	-
	Initial inpatient consult	Х	- 1
	Initial inpatient consult	Х	-
	Initial inpatient consult	Х	-
	Individual physician supervision of a patient (patient not present) in home, domiciliary or rest home	Х	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: should be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	zations, injectable drugs,		
99358	Prolong service w/o contact	Х	-	
99359	Prolong serv w/o contact add	Х	-	
99366	Medical team conference with interdisciplinary team of health care professionals, face-to-face with patient and/or famil	Х	-	
	Medical team conference with interdisciplinary team of health care professionals, patient and/or family not present, 30	Х	-	
99368	Medical team conference with interdisciplinary team of health care professionals, patient and/or family not present, 30	Х	-	
	Home health care supervision	Х	-	
99377	Hospice care supervision	Х	-	
99379	Nursing fac care supervision	Х	-	
	Nursing fac care supervision	Х	-	
	Preventive counseling, group	Х	-	
	Preventive counseling, group	Х	-	
99417	Prolonged office or other outpatient evaluation and management service(s) beyond the minimum required time of the primary procedure			
	which has been selected using total time, requiring total time with or without direct patient contact beyond the usual service, on the date			
	of the primary service, each 15 minutes of total time (list separately in addition to codes 99205, 99215 for office or other outpatient			
	evaluation and management services)	Х	-	
99450	Life/disability evaluation	Х	-	
99452	Interprofessional telephone/internet/electronic health record referral service(s) provided by a treating/requesting physician or other			
	qualified health care professional, 30 m	Х	-	
99455	Disability examination	Х	-	
99456	Disability examination	Х	-	
99474	Self-measured blood pressure using a device validated for clinical accuracy; separate self-measurements of two readings one minute			
	apart, twice daily over a 30-day period (minimum of 12 readings), collection of data reported by the patient and/or caregiver to the			
	physician or other qualified health care professional, with report of average systolic and diastolic pressures and subsequent			
	communication of a treatment plan to the patient	Х	-	
99485	Suprv interfacilty transport	Х	-	
99486	Suprv interfac trnsport addl	Х	-	
99500	Home visit for prenatal assessment inc fetal heart rate, non-stress test, uterine monitoring, and diabetes monitoring	-	Х	
99501	Home visit for postnatal assessment and follow-up care	-	Х	
99502	Home visit for newborn care and assessment	-	Х	
99503	Home visit for respiratory therapy care (eg, bronchodilator, oxygen therapy, respiratory assessment, apnea evaluation)	-	Х	
99504	Home visit for mechanical ventilation care	-	Х	
99505	Home visit for stoma care and maintenance including colostomy and cystostomy	-	Х	
99506	Home visit for intramuscular injections	-	Х	
99507	Home visit for care and maintenance of catheter(s) (eg, urinary, drainage, and enteral)	Х	-	
99509	Home visit for assistance with activities of daily living and personal care	Х	-	
99510	Home visit for individual, family, or marriage counseling	Х	-	
	Home visit for fecal impaction management and enema administration	Х	-	
99512	Home visit for hemodialysis, per diem	-	Х	
99605	Medication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with assessmen	Х	-	
	Medication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with assessmen	Х	-	
	Medication therapy management service(s) provided by a pharmacist, individual, face-to-face with patient, with assessmen	Х	-	
0001F	Heart failure assessed (includes assessment of all the following components) (cad)	Х	-	



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm litrected to the Pharmacy link option within the website.	unizations, injectable drugs,	or specialty medications and
0005F	Osteoarthritis assessed (oa)	Х	-
0012F	Community acquired bacterial pneumonia assessed (cap)	Х	-
0014F	Comprehensive preoperative assessment performed for cataract surgery with intraocular lens (iol) placement (includes ass	Х	-
	Melanoma follow up completed (includes assessment of all of the following components) (ml)5: history obtained regarding	Х	-
	Initial prenatal care visit	Х	-
0501F	Prenatal flow sheet documented in medical record by first prenatal visit	Х	-
	Subsequent prenatal care visit	Х	-
	Postpartum care visit2	Х	-
	Hemodialysis plan of care documented (esrd)	Х	-
	Peritoneal dialysis plan of care documented (esrd)	Х	-
	Urinary incontinence plan of care documented (ger)	Х	-
	Elevated blood pressure plan of care documented (ckd)1	X	-
	Plan of care for elevated hemoglobin level documented for patient receiving erythropoiesis-stimulating agent (esa) thera	X	-
	Anemia plan of care documented (esrd)1	X	-
	Glaucoma plan of care documented (ec)5	X	-
	Falls plan of care documented (ger)5	X	-
	Planned chemotherapy regimen, including at a minimum: drug(s) prescribed, dose, and duration, documented prior to initia	X	
	Normal tissue dose constraints established within five treatment days from the initiation of a course of 3d conformal ra	X	
	Plan of care to address pain documented (onc)1	X	
	Initial visit for episode (bkp)2	X	-
	Subsequent visit for episode (bkp)2	X	-
		X	
	Recommended follow-up interval for repeat colonoscopy of at least 10 years documented in colonoscopy report (end/polyp) Interval of 3 or more years since patient's last colonoscopy, documented (end/polyp)	X	-
		X	
	Dyspnea management plan of care, documented (pall cr)	× X	
	Glucorticoid management plan documented (ra)		-
	Plan for follow-up care for major depressive disorder, documented (mdd adol)	X	-
	Cytopath report-nongyn spcmn	X	-
	Cytopath report non-routine	X	-
	Symptom management plan of care documented (hf)	X	-
	Plan of care to achieve lipid control documented (cad)	X	-
	Plan of care to manage anginal symptoms documented (cad)	X	-
	Hiv rna control plan of care, documented (hiv)	X	-
	Multidisciplinary care plan	X	-
	Pt trnsfrd from anesth to cc	Х	-
	No trnsfr from anesth to cc	X	-
	Transfer care checklist used	X	-
0584F	No transfer care chklist used	Х	-
1000F	Tobacco use, smoking, assessed1	Х	-
1002F	Anginal symptoms and level of activity assessed (nma - no measure associated)	Х	-
	Level of activity assessed (nma no measure associated)	Х	-
1004F	Clinical symptoms of volume overload (excess) assessed (nma - no measure associated)	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications a
005F	Asthma symptoms evaluated (includes physician documentation of numeric frequency of symptoms or patient completion of an asthma		
	assessment tool/survey/questionnaire) (nma - no	Х	-
	Osteoarthritis symptoms and functional status assessed	Х	-
	Use of anti-inflammatory or analgesic over-the-counter (otc) medications for symptom relief assessed	Х	-
	Gastrointestinal and renal risk factors assessed for patients on prescribed or otc nsaids	X	-
	Severity of angina assessed by level of activity (cad)	X	-
	Angina present (cad)	X	-
	Angina absent (cad)	X	-
	Chronic obstructive pulmonary disease (copd) symptoms assessed (includes assessment of at least one of the following:	× X	-
	Dyspnea assessed, not present (copd) Dyspnea assessed, present (copd)	X	
	Pneumococcus immunization status assessed (cap, copd)	X	-
	Co-morbid conditions assessed 9eg, includes assessment for presence or absence of: malignancy, liver disease,	X	-
	Influenza immunization status assessed (cap)	X	-
	Smoking status and exposure to second hand smoke in the home assessed (asthma)	X	-
	Current tobacco smoker or currently exposed to secondhand smoke (asthma)	Х	-
	Current tobacco non-smoker and not currently exposed to secondhand smoke (asthma)	Х	-
034F	Current tobacco smoker (cad, cap, copd, dm, pv)	Х	-
035F	Current smokeless tobacco user (eg chew, snuff)(pv)	Х	-
036F	Current tobacco non-user (cad, cap, copd, pv), (dm), (ibd)	Х	-
038F	Persistent asthma (mild, moderate or severe)	Х	-
	Intermittent asthma	Х	-
	Dsm-iv¿ criteria for major depressive disorder documented (mdd)	X	-
	History obtained regarding new or changing moles (ml)	X	-
	Type, anatomic location, and activity all assessed (ibd)	X	-
	Visual functional staus assessed (ec)	X	-
	Documentation of permanent or persistent or paroxysmal atrial fibrillation (str)	X X	-
	Documentation of absence of permanent and persistent and paroxysmal atrial fibrillation (str)	× X	-
	Ischemic stroke symptom onset of less than 3 hours prior to arrival (str) Ischemic stroke symptom onset greater than or equal to 3 hours prior to arrival (str)	X	-
	Alarm symptoms (involuntary weight loss, dysphagia, or gastrointestinal bleeding) assessed; none present (gerd)	X	
	Alarm symptoms (involuntary weight loss, dysphagia, or gastrointestinal bleeding) assessed; none present (gerd)	X	-
	Presence or absence of urinary incontinence assessed (ger)	X	-
	Urinary incontinence characterized (eg frequency, volume, timing, type of symptoms, how bothersome) (ger)	Х	-
	Patient screened for future fall risk; documentation of two or more falls in the past year or any fall with injury in th	Х	-
	Patient screened for fall risk; documentation of no falls in the past year or only one fall without injury in the past y	Х	-
110F	Patient discharged from an inpatient facility (eg hospital, skilled nursing facility, or rehabilitation facility) within	Х	-
111F	Discharge medications reconciled with the current medication list in outpatient medical record (ger)	Х	-
	Auricular or periauricular pain assessed (aoe)	Х	-
	Gerd symptoms assessed after 12 months of therapy (gerd)5	Х	-
	Initial evaluation for condition (hep c)1	Х	-
121F	Subsequent evaluation for condition (hep c)1	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: should be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
1123F	Advance care planning discussed and documented advance care plan or surrogate decision maker documented in the medical record (dem) (ger, pall cr)	х	-
1124F	Advance care planning discussed and documented in the medical record, patient did not wish or was not able to name a surrogate decision maker or provide an advance care plan (Х	_
1125F	Pain severity quantified; pain present (onc)1	X	-
	Pain severity quantified; no pain present (onc)1	X	-
	New episode for condition (nma-no measure associated)	Х	-
1128F	Subsequent episode for condition (nma-no measure associated)	Х	-
1130F	Back pain and function assessed, including all of the following: pain assessment and functional status and patient histo	Х	-
	Episode of back pain lasting 6 weeks or less (bkp)	Х	-
1135F	Episode of back pain lasting longer than six weeks (bkp)2	Х	-
1136F	Episode of back pain lasting 12 weeks or less (bkp)2	Х	-
1137F	Episode of back pain lasting longer than 12 weeks (bkp)2	Х	-
1150F	Documentation that a patient has a substantial risk of death within 1 year (pall cr)	Х	-
1151F	Documentation that a patient does not have a substantial risk of death within one year (pall cr)	Х	-
1152F	Documentation of advanced disease diagnosis, goals of care prioritize comfort (pall cr)	Х	-
1153F	Documentation of advanced disease diagnosis, goals of care do not prioritize comfort (pall cr)	Х	-
1157F	Advance care plan or similar legal document present in the medical record (coa)	Х	-
	Advance care planning discussion documented in the medical record (coa)	Х	-
	Medication list documented in medical record (coa)	Х	-
	Rvw meds by rx/dr in rcrd	Х	-
1170F	Functional status assessed (coa) (ra)	Х	-
	Functional status for dementia assessed and results reviewed (dem)	Х	-
	All specified thromboembolic risk factors assessed (afib)	Х	-
	Neuropsychiatric symptoms assessed and results reviewed (dem)	Х	-
	Neuropsychiatric symptoms, one or more present (dem)	Х	-
	Neuropsychiatric symptoms, absent (dem)	Х	-
	Seizure type(s) and current seizure frequency(ies) documented (epi)	Х	-
	Etiology of epilepsy or epilepsy syndrome(s) reviewed and documented (epi)	Х	-
	Patient screened for depression (sud)	Х	-
	Prkns diag rviewed	Х	-
	Symptoms improved or remained consistent with treatment goals since last assessment (hf)	Х	-
	Symptoms demonstrated clinically important deterioration since last assessment (hf)	Х	-
	Qualifying cardiac event/diagnosis in previous 12 months (cad)	Х	-
	No qualifying cardiac event/diagnosis in previous 12 months (cad)	X	-
	Dementia severity classified, mild (dem)	X	-
	Dementia severity classified, moderate (dem)	X	-
	Dementia severity classified, severe (dem)	X	-
	Cognition assessed and reviewed (dem)	X	-
	Symptom + sign symm polyneuro	X	
	Not initial eval for cond	X	
1502F	Pt queried pain fxn w/instr	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications ar
1503F	Pt queried symp resp insufficient	Х	-
	Pt has resp insufficiency	Х	-
	Pt has no resp insufficiency	Х	-
	Blood pressure measured (ckd)(dm)	Х	-
	Weight recorded (pag)	Х	-
	Clinical signs of volume overload (excess) assessed (nma - no measure associated)	Х	-
	Initial examination of the involved joint(s)	Х	-
	Vital signs recorded (includes at minimum: temperature, pulse, respiration, and blood pressure)(cap)	X	-
	Mental status assessed (normal/mildly impaired/severely impaired)(cap)	X	-
	Asthma impairment assessed (asthma)	X	-
	Asthma risk assessed (asthma)	X	-
	Hydration status assessed (normal/mildly dehydrated/severely dehydrated)	X	-
	Dilated macular exam performed, including documentation of the presence or absence of macular thickening or hemmorrhage	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
-0131	bliated macular examplementation of the presence of absence of macular thickening of heminormage	х	-
020F	Dilated fundus evaluation performed within six months prior to cataract surgery (ec)	Х	-
	Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level	Х	-
	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist documented and reviewed (dm)	Х	-
	Dilat rta xm w/o rtnopthy	Х	-
024F	Seven standard field stereoscopic photos with interpretation by an ophthalmologist or optemetrist documented and review	Х	-
	F 7 fld rta photo w/o rtnopthy	Х	-
2026F	Eye imaging validated to match diagnosis from seven standard field stereoscopic photos results documented and reviewed	Х	-
	Optic nerve head evaluation performed (ec)	Х	-
	Foot examination performed (includes examination through visual inspection, sensory exam with monofilament, and pulse	Х	-
	Complete physical skin exam performed (ml)	Х	-
	Hydration status documented, normally hydrated (pag)	Х	-
	Hydration status documented, dehydrated (pag)	Х	-
	Eye img valid w/o rtnopthy	Х	-
	Tympanic membrane mobility assessed with pneumatic otoscopy or tympanometry (ome)	Х	-
	Physical examination on the date of the initial visit for low back pain performed, in accordance with specifications (bk	Х	-
	Documentation of mental health assessment prior to intervention (back surgery or epidural steroid injection) or for back	Х	-
	Wound characteristics including size and nature of wound base tissue and amount of drainage prior to debridement documented (cwc)		
		Х	-
060F	Patient interviewed directly by evaluating clinician on or before date of diagnosis of major depressive disorder (mdd ad	Х	-
	Chext xray results documented and reviewed (cap)	Х	-
	Body mass index (bmi), documented (pv)	Х	-
	Lipid panel results documented and reviewed (must include total cholesterol, hdl-c, triglycerides and calculated ldl-c)	Х	-
	Screening mammography results documented and reviewed	Х	-
	Cervical cancer screening results documented and reviewed (pv)	Х	-
	Patient screened for unhealthy alcohol use using a systematic screening method (pv)	Х	-
	Colorectal cancer screening results documented and reviewed (pv) includes: fecal occult blood testing annually, flexible	Х	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications a	
3018F	Pre-procedure risk assessment and depth of insertion and quality of the bowel prep and complete description of polyp(s) found,			
	including location of each polyp, size, number and gross morphology and recommendations for follow-up in final colonoscopy report			
	documented (end/polyp)	Х	-	
	Left ventricular ejection fraction (lvef) assessment planned post discharge (hf)	Х	-	
8020F	Left ventricular function (lvf) assessment (eg, echocardiography, nuclear test, or ventriculography) documented in the medical record			
	(includes quantitative or qualitative ass	X	-	
	Left ventricular ejection fraction (lvef) <40% or documentation of moderately or severely depressed left ventricular	X	-	
	Left ventricular ejection fraction (lvef)>=40% or documentation as normal or mildly depressed left ventricular systolic	X	-	
	Spirometry results documented and reviewed (copd)	X	-	
	Spirometry test results demonstrate fev1/fvc<70% with copd symptoms (eg, dyspnea, cough/sputum, wheezing)	X	-	
	Spirometry test results demonstrate fev1/fvc>=70% or patient does not have copd symptoms (copd)	X	-	
	Oxygen saturation results documneted and reviewed (includes assessment through pulse oximetry or arterial blood gas	X	-	
	Oxygen saturation ,=88% or a pao2<=55 hg1 (copd)	X	-	
	Oxygen saturation > 88% or pao2 > 55mmhg1 (copd)	Х	-	
	Pulmonary function test performed within 12 months prior to surgery (lung/esop cx)	Х	-	
	Functional expiratory volume (fev1) <40% of predicted value (copd)	Х	-	
042F	Functional expiratory volume (fev1) >=40% of predicted value (copd)	Х	-	
044F	Most recent hemoglobin a1c level <7.0% (dm)	Х	-	
	Hemoglobin a1c level > 9.0%	Х	-	
3048F	Most recent IdI-c less than 100 mg/dl (cad) (dm)	Х	-	
8049F	Most recent ldl-c 100-129 mg/dl (cad) (dm)	Х	-	
8050F	Most recent Idl-c greater than or equal to 130 mg/dl (cad) (dm)	Х	-	
051F	Hg a1c>equal 7.0%<8.0%	Х	-	
052F	Hg a1c>equal 8.0%	Х	-	
8055F	Left ventricular ejection fraction (lvef) less than or equal to 35% (hf)	Х	-	
8056F	Left ventricular ejection fraction (lvef) greater than 35% or no lvef result available (hf)	Х	-	
060F	Positive microalbuminuria test result documneted and reviewed (dm)	Х	-	
061F	Negative microalbuminuria test result documented and reviewed (dm)	Х	-	
062F	Positive macroalbuminuria test result documented and reviewed (dm)	Х	-	
066F	Documentation of treatment for nephropathy (eg, patient receiving dialyssi, patient being treated for esrd, crf, arf	Х	-	
072F	Low risk for retinopathy (no evidence of retinopathy in the prior year) (dm)	Х	-	
073F	Pre-surgical (cataract) axial length, corneal power measurement and method of intraocular lens power calculation documen	Х	-	
074F	Most recent systolic blood pressure less than 130 mm hg (dm) (htn, ckd, cad)	Х	-	
075F	Most recent systolic blood pressure 130 - 139 mm hg (dm) (htn, ckd, cad)	Х	-	
077F	Most recent systolic blood pressure greater than or equal to 140 mm hg (htn, ckd, cad) (dm)	Х	-	
	Most recent diastolic blood pressure less than 80 mm hg (htn, ckd, cad) (dm)	Х	-	
	Most recent diastolic blood pressure 80-89 mm hg (htn, ckd, cad) (dm)	Х	-	
	Most recent diastolic blood pressure greater than or equal to 90 mm hg (htn, ckd, cad) (dm)	Х	-	
	Kt/v <1.2 (clearance of urea (kt)/volume (v)) (esrd)	Х	-	
	Kt/v equal to or greater than 1.2 and less than 1.7 (clearance of urea (kt)/volume (v)) (esrd)	Х	-	
	Kt/v >= 1.7 (clearance of urea (kt)/volume (v)) (esrd)	Х	-	
	Suicide risk assessed (mdd)	Х	-	


As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
3088F	Major depressive disorder, mild (mdd)	Х	-
3089F	Major depressive disorder, moderate (mdd)	Х	-
	Major depressive disorder, severe without psychotic features (mdd)	Х	-
3091F	Major depressive disorder, severe with psychotic features (mdd)	Х	-
	Major depressive disorder, in remission (mdd)	Х	-
	Documentation of new diagnosis of initial or recurrent episode of major depressive disorder (mdd)	Х	-
3095F	Central dual - energy x-ray absorptionmetry (dxa) results documented (op)	Х	-
	Central dual - energy x-ray absorptionmetry (dxa) ordered (op)	Х	-
	Carotid imaging study report includes direct or indirect reference to measurements of distal internal carotid diameter a	Х	-
	Documentation in final ct or mri report of presence or absence of hemorrhage and mass lesion and acute infarction (str)	Х	-
3111F	Ct or mri of the brain performed in the hospital within 24 hours of arrival or performed in an outpatient imaging center, to confirm initial diagnosis of stroke, tia or intrac	х	-
3112F	Ct or mri of the brain performed greater than 24 hours after arrival to the hospital or performed in an outpatient imaging center for purpose other than confirmation of initia	х	-
3115F	Quantitative results of an evaluation of current level of activity and clinical symptoms (hf)	Х	-
	Heart failure disease specific structured assessment tool completed (hf)	X	-
	New vork heart association (nvha) class documented (hf)	X	-
	No evaluation of level of activity or clinical symptoms (hf)	Х	-
	12-lead ecg performed (em)	Х	-
	Esoph bx rprt w/dyspl info	Х	-
	Upper gastrointestinal endoscopy performed (gerd)	Х	-
	Documentation of referral for upper gastrointestinal endoscopy (gerd)	Х	-
	Upper gastrointestinal endoscopy report indicates suspicion of barrett's esophagus (gerd)	Х	-
	Upper gastrointestinal endoscopy report indicates no suspicion of barrett's esophagus (gerd)	Х	-
	Barium swallow test ordered (gerd)	Х	-
3150F	Forceps esophageal biopsy performed (gerd)	Х	-
3155F	Cytogenetic testing performed on bone marrow at time of diagnosis or prior to initiating treatment (hem)	Х	-
3160F	Documentation of iron stores prior to initiating erythropoietin therapy (hem)	Х	-
3170F	Flow cytometry studies performed at time of diagnosis or prior to initiating treatment (hem)	Х	-
3200F	Barium swallow test not ordered (gerd)	Х	-
3210F	Group a strep test performed (phar)	Х	-
3215F	Patient has documented immunity to hepatitis a (hep-c)	Х	-
3216F	Patient has documented immunity to hepatitis b (hep-c)	Х	-
3218F	Rna testing for hepatitis c documented as performed within six months prior to initiation of antiviral treatment for hep	Х	-
3220F	Hepatitis c quantitative rna testing documented as performed at 12 weeks from initiation of antiviral treatment (hep-c)	Х	-
3230F	Documentation that hearing test was performed within 6 months prior to tympanostomy tube insertion (ome)	Х	-
3250F	Specimen biopsy site other than anatomic location of primary tumor (eg, liver biopsy, lymph node biopsy) (path)	Х	-
3260F	Pt category (primary tumor), pn category (regional lymph nodes), and histologic grade documented in pathology report (pa	Х	-
	Ribonucleic acid (rna) testing for hepatitis c viremia ordered or results documented (hep c)1	Х	-
3266F	Hepatitis c genotype testing documented as performed prior to initiation of antiviral treatment for hepatitis c (hep c)1	Х	-
3267F	Pathology report includes pt category, pn category, gleason score and statement about margin status (path)	Х	-
	Prostate-specific antigen (psa), and primary tumor (t) stage, and gleason score documented prior to initiation of treatm	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu irected to the Pharmacy link option within the website.	inizations, injectable drugs,	or specialty medications a
3269F	Bone scan performed prior to initiation of treatment or at any time since diagnosis of prostate cancer (prca)1	Х	-
	Bone scan not performed prior to initiation of treatment nor at any time since diagnosis of prostate cancer (prca)1	Х	-
	Low risk of recurrence, prostate cancer (prca)1	Х	-
272F	Intermediate risk of recurrence, prostate cancer (prca)1	Х	-
273F	High risk of recurrence, prostate cancer (prca)1	Х	-
3274F	Prostate cancer risk of recurrence not determined or neither low, intermediate nor high (prca)1	Х	-
3278F	Serum levels of calcium, phosphorus, intact parathyroid hormone (pth) and lipid profile ordered (ckd)1	Х	-
	Hemoglobin level greater than or equal to 13 g/dl (ckd, esrd)1	Х	-
	Hemoglobin level 11 g/dl to 12.9 g/dl (ckd, esrd)1	Х	-
	Hemoglobin level less than 11 g/dl (ckd, esrd)1	Х	-
	Intraocular pressure (iop) reduced by a value of greater than or equal to 15% from the pre-intervention level (ec)5	Х	-
	Intraocular pressure (iop) reduced by a value less than 15% from the pre-intervention level (ec)5	Х	-
	Falls risk assessment documented (ger)5	Х	-
	Patient is d (rh) negative and unsensitized (prenatal)1	X	-
	Patient is d (rh) positive or sensitized (prenatal)1	X	-
	Hiv testing ordered or documented and reviewed during the first or second prenatal visit (prenatal)1	X	-
	Abo and rh blood typing documented as performed (pre-cr)	X	
	Group b streptococcus (gbs) screening documented as performed during week 35-37 gestation (pre-cr)	X	
	American joint committee on cancer (ajcc) stage documented and reviewed prior to the initiation of therapy (onc)1	X	
	Cancer stage documented in medical record as metastatic and reviewed prior to the initiation of therapy (onc)1	X	-
	Estrogen receptor (er) or progesterone receptor (pr) positive breast cancer (onc)1	X	-
		X	-
	Estrogen receptor (er) and progesterone receptor (pr) negative breast cancer (onc)1	X	-
	Pathology report confirming malignancy documented in the medical record and reviewed prior to the initiation of chemothe	X	-
	Pathology report confirming malignancy documented in the medical record and reviewed prior to the initiation of radiatio	X	-
	One of the following diagnostic imaging studies ordered: (chest x-ray, ct, ultrasound, mri, pet, or nuclear medicine sca		
	None of the following diagnostic imaging studies ordered: (chest x-ray, ct, ultrasound, mri, pet, or nuclear medicine sc	X	-
	Ajcc cancer stage 0 or ia melanoma, documented (ml)	X	-
	Melanoma greater than ajcc stage 0 or ia (ml)	X	-
	Clinical tumor, node and metastases (tnm) staging documented and reviewed prior to surgery (lung/esop cx)	X	-
	Mri or ct scan ordered, reviewed or requested (epi)	X	-
	Preoperative assessment of functional or medical indication(s) for surgery prior to the cataract surgery with intraocula	X	-
	Performance status documented and reviewed within 2 weeks prior to surgery(lung/esop cx)	X	-
	Imaging study ordered (bkp)2	X	-
	Imaging study not ordered (bkp)2	X	-
	Breast imaging-reporting and data system (bi-rads) assessment category 0, documented (rad)5	X	-
	Breast imaging-reporting and data system (bi-rads) assessment category 1, documented (rad)5	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 2, documented (rad)5	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 3, documented (rad)5	Х	-
	Mammogram assessment category of "suspicious," documented (rad)	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category 5, documented (rad)5	Х	-
350F	Mammogram assessment category of "known biopsy proven malignancy", documented (rad)	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
3351F	Negative screen for depressive symptoms as categorized by using a standardized depression screening/assessment tool(mdd)	х	-
3352F	No significant depressive symptoms as categorized by using a standardized depression assessment tool (mdd)	Х	-
	Mild to moderate depressive symptoms as categorized by using a standardized depression screening/assessment tool (mdd)	Х	-
3354F	Clinically significant depressive symptoms as categorized by using a standardized depression screening/assessment tool (Х	-
	Ajcc breast cancer stage 0, documented (onc)	Х	-
3372F	Ajcc breast cancer stage i: t1mic, t1a or t1b (tumor size ? 1 cm), documented (onc)	Х	-
3374F	Ajcc breast cancer stage i: t1c (tumor size > 1cm to 2 cm), documented (onc)	Х	-
3376F	Ajcc breast cancer stage ii, documented (onc)	Х	-
3378F	Ajcc breast cancer stage iii, documented (onc)	Х	-
3380F	Ajcc breast cancer stage iv, documented (onc)	Х	-
3382F	Ajcc colon cancer, stage 0, documented (onc)	Х	-
3384F	Ajcc colon cancer, stage i, documented (onc)	Х	-
3386F	Ajcc colon cancer, stage ii, documented (onc)	Х	-
3388F	Ajcc colon cancer, stage iii, documented (onc)	Х	-
3390F	Ajcc colon cancer, stage iv, documented (onc)	Х	-
	Quantitative her2 immunohistochemistry (ihc) evaluation of breast cancer consistent with the scoring system defined in the asco/cap guidelines (path)	Х	-
3395F	Quantitative non-her2 immunohistochemistry (ihc) evaluation of breast cancer (eg, testing for estrogen or progesterone receptors [er/pr]) performed (path)9	х	-
3450F	Dyspnea screened, no dyspnea or mild dyspnea (pall cr)	Х	-
3451F	Dyspnea screened, moderate or severe dyspnea (pall cr)	Х	-
3452F	Dyspnea not screened (pall cr)	Х	-
3455F	Tb screening performed and results interpreted within six months prior to initiation of first-time biologic disease modifying anti-rheumatic drug therapy for ra (ra)	Х	-
3470F	Rheumatoid arthritis (ra) disease activity, low (ra)	Х	-
	Rheumatoid arthritis (ra) disease activity, moderate (ra)	Х	-
	Rheumatoid arthritis (ra) disease activity, high (ra)	Х	-
3475F	Disease prognosis for rheumatoid arthritis assessed, poor prognosis documented (ra)	Х	-
3476F	Disease prognosis for rheumatoid arthritis assessed, good prognosis documented (ra)	Х	-
3490F	History of aids-defining condition (hiv)	Х	-
3491F	Hiv indeterminate (infants of undetermined hiv status born of hiv-infected mothers) (hiv)	Х	-
3492F	History of nadir cd4+ cell count <350 cells/mm (hiv)	Х	-
3493F	No history of nadir cd4+ cell count <350 cells/mm and no history of aids-defining condition (hiv)	Х	-
	Cd4+ cell count <200 cells/mm (hiv)	Х	-
3495F	Cd4+ cell count 200 - 499 cells/mm (hiv)	Х	-
	Cd4+ cell count >=500 cells/mm (hiv)	Х	-
3497F	Cd4+ cell percentage <15% (hiv)	Х	-
3498F	Cd4+ cell percentage >=15% (hiv)	Х	-
	Cd4+ cell count or cd4+ cell percentage documented as performed (hiv)	Х	-
3502F	Hiv rna viral load below limits of quantification (hiv)	Х	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	izations, injectable drugs,		
3503F	Hiv rna viral load not below limits of quantification (hiv)	Х	-	
3510F	Documentation that tuberculosis (tb) screening test performed and results interpreted (hiv)	Х	-	
	Chlamydia and gonorrhea screenings documented as performed (hiv)	Х	-	
3512F	Syphilis screening documented as performed (hiv)	Х	-	
	Hepatitis b screening documented as performed (hiv)	Х	-	
3514F	Hepatitis c screening documented as performed (hiv)	Х	-	
	Patient has documented immunity to hepatitis c (hiv)	Х	-	
3517F	Hepatitis b virus (hbv) status assessed and results interpreted within one year prior to receiving a first course of anti-tnf (tumor necrosis factor) therapy (ibd)	х	-	
3520F	Clostridium difficile testing performed (ibd)	Х	-	
	Low risk for thromboembolism (afib)	Х	-	
3551F	Intermediate risk for thromboembolism (afib)	Х	-	
3552F	High risk for thromboembolism (afib)	Х	-	
3555F	Patient had international normalized ratio (inr) measurement performed (afib)	Х	-	
	Final report for bone scintigraphy study includes correlation with existing relevant imaging studies (eg, x-ray, mri, ct	Х	-	
	Patient considered to be potentially at risk for fracture in a weight-bearing site (nuc_med)	Х	-	
	Patient not considered to be potentially at risk for fracture in a weight-bearing site (nuc_med)	Х	-	
3650F	Electroencephalogram (eeg) ordered, reviewed or requested (epi)	Х	-	
	Psych disorders assessed	Х	-	
	Cognit impairment assessed	Х	-	
	Screening for depression performed (dem)	Х	-	
	Patient not receiving dose of corticosteroids greater than or equal to 10mg/day for 60 or greater consecutive days (ibd)	Х	-	
	Electrodiag polyneuro6mon	Х	-	
3752F	No electrodiag polyneuro6mon	Х	-	
	Pt has symp plus signs neuropathy	Х	-	
3754F	Screening tests dm done	Х	-	
3755F	Cog and behav imprmnt scrng done	Х	-	
3756F	Pt /w pseudobulbar affect, sialorrhea or als rltd sysmptom	Х	-	
3757F	Pt /w no pseudobulbar affect, sialorrhea or als rltd sysmptom	Х	-	
3758F	Pt ref pulmon fx test with peak flow	Х	-	
3759F	Pt scrn dysphag /wt loss/nutrition	Х	-	
	Pt w/ dysphag /wt loss/nutr	Х	-	
3761F	Pt not exhbt dysphagia, wt loss, or impaired nutrition	Х	-	
3762F	Patient is dysarthric	Х	-	
3763F	Patient is not dysarthric	Х	-	
3775F	Adenoma detected screening	Х	-	
	Adenoma not detect screening	Х	-	
4000F	Tobacco use cessation intervention, counseling (copd, cap, cad, asthma)(dm)(pv)	Х	-	
	Tobacco use cessation intervention, pharmacologic therapy (copd, cad, cap, pv, asthma) (dm)(pv)	Х	-	
	Patient education, written/oral, appropriate for patients with heart failure, performed (nma - no measure associated)	Х	-	
	Patient screened for tobacco use and received tobacco cessation intervention (counseling, pharmacotherapy, or both), if identified as a tobacco user (pv, cad)	Х	-	



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunities increased to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
4005F	Pharmacologic therapy (other than minerals/vitamins) for osteoporosis prescribed (op)(ibd)	Х	-
	Beta-blocker therapy prescribed or currently being taken (cad,hf)	Х	-
4010F	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy prescribed or currently being taken (cad, ckd, hf) (dm)	х	-
4011F	Oral antiplatelet therapy, prescribed (eg, aspirin, clopidogrel/plavix, or comb aspirin and dipyridamole/aggrenox)1	X	-
	Warfarin therapy prescribed (nma-no measure associated)	Х	-
	Statin therapy prescribed or currently being taken (cad)	Х	-
	Written discharge instructions provided to heart failure patients discharged home (instructions include all of the following components: activity level, diet, discharge medica	х	-
	Persistent asthma, preferred long term control medication or an acceptable alternative treatment, prescribed (nma - no measure associated) (note: there are no medical exclusio	х	-
4016F	Anti-inflammatory/analgesic agent prescribed [use for prescribed or continued medication(s), including otc medication(s)]	Х	-
4017F	Gastrointestinal prophylaxis for nsaid use prescribed	Х	-
4018F	Therapeutic exercise for the involved joint(s) instructed or physical or occupational therapy prescribed	Х	-
4019F	Documentation of receipt of counseling on exercise and either both calcium and vitamin d use or counseling regarding bot	Х	-
4025F	Inhaled bronchodilator prescribed (copd)	Х	-
4030F	Long term oxygen therapy prescribed (more than fifteen hours per day) (copd)	Х	-
4033F	Pulmonary rehabilitation exercise training recommended (copd)	Х	-
4035F	Influenza immunization recommended (copd)(ibd)	Х	-
4037F	Influenza immunization ordered or administered (copd, pv)	Х	-
4040F	Pneumococcal vaccine administer or previously received (copd) (pv)	Х	-
4041F	Documentation of order for cefazolin or cefuroxime for antimicrobial prophylaxis (peri 2)	Х	-
4042F	Documentation that prophylactic antibiotics were neither given within 4 hours prior to surgical incision nor given intra	Х	-
4043F	Documentation that an order was given to discontinue prophylactic antibiotics within 48 hours of surgical end time, card	Х	-
4044F	Documentation that an order was given for venous thromboembolism (vte) prophylaxis to be given within 24 hrs prior to in	Х	-
4045F	Appropriate empiric antibio0	Х	-
4046F	Documentation that prophylactic antibiotics were given within 4 hours prior to surgical incision or given intraoperative	Х	-
4047F	Documentation of order for prophylactic parenteral antibiotics to be given within one hour (if fluoroquinolone or vancom	Х	-
4048F	Documentation that administration of prophylactic parenteral antibiotic was initiated within one hour (if fluoroquinolon	Х	-
4049F	Documentation that order was given to discontinue prophylactic antibiotics within 24 hours of surgical end time, non-car	Х	-
4050F	Hypertension plan of care documented as appropriate (nma - no measure associated)	Х	-
4051F	Referred for an arterio-venous (av) fistula (esrd)	Х	-
4052F	Hemodialysis via functioning arterio-venous (av) fistula (esrd)	Х	-
4053F	Hemodialysis via functioning arterio-venous (av) graft (esrd)	Х	-
4054F	Hemodialysis via catheter (esrd)	Х	-
4055F	Patient receiving peritoneal dialysis (esrd)	Х	-
4056F	Appropriate oral rehydration solution recommended (pag)	Х	-
4058F	Pediatric gastroenteritis education provided to caregiver (pag)	Х	-
4060F	Psychotherapy services provided (mdd)	Х	-
	Patient referral for psychotherapy documented (mdd)	Х	-
4063F	Antidepressant pharmacotherapy considered and not prescribed (mdd adol)	Х	-
	Antidepressant pharmacotherapy prescribed (mdd)	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu irected to the Pharmacy link option within the website.	inizations, injectable drugs,	or specialty medications ar
	Antipsychotic pharmacotherapy prescribed (mdd)	Х	-
	Electroconvulsive therapy (ect) provided (mdd)	Х	-
	Patient referral for electroconvulsive therapy (ect) documented (mdd)	Х	-
4069F	Venous thromboembolism (vte) prophylaxis received (ibd)	Х	-
1070F	Deep vein thrombosis (dvt) prophylaxis received by end of hospital day 2 (str)	Х	-
	Oral antiplatelet therapy prescribed at discharge (str)	Х	-
1075F	Anticoagulant therapy prescribed at discharge (str)	Х	-
1077F	Documentation that tissue plasminogen activator (t-pa) administration was considered (str)	Х	-
	Documentation that rehabilitation services were considered (str)	Х	-
	Aspirin received within 24 hours before emergency department arrival or during emergency department stay (em)	X	-
	Aspirin or clopidogrel prescribed or currently being taken (cad)	X	-
	Patient receiving erythropoietin therapy (hem)	X	-
	Patient not receiving erythropoietin therapy (hem)	X	-
	Bisphosphonate therapy, intravenous, ordered or received (hem)	X	-
	Internal mammary artery graft performed for primary, isolated coronary artery bypass graft procedure (cabg)	X	-
	Beta blocker administered within 24 hours prior to surgical incision (cabg)	X	-
	Antibiotic prescribed or dispensed (uri, phar)	X	-
	Antibiotic neither prescribed nor dispensed (uri, phar)	X	-
	Topical preparations (including otc) prescribed for acute otitis externa (aoe) Systemic antimicrobial therapy prescribed (aoe)	X X	-
	Systemic antimicrobial therapy not prescribed (ace)	X	-
	Antihistamines or decongestants prescribed or recommended (ome)	X	
	Antihistamines of decongestants prescribed of recommended (ome)	X	
	Systemic corticosteroids prescribed (ome)	X	-
	Systemic controsteroids prescribed (one)	X	-
	Inhaled corticosteroids prescribed (asthma)	X	-
	Corticosteroid sparing therapy prescribed (ibd)	X	-
	Alternative long-term control medication prescribed (asthma)	X	-
	Two or more anti-hypertensive agents prescribed or currently being taken (cad, htn)	Х	-
	Hepatitis a vaccine injection administered or previously received (hep-c)	Х	-
	Hepatitis b vaccine injection administered or previously received (hep-c, hiv)	Х	-
	Patient receiving antiviral treatment for hepatitis c (hep-c)	Х	-
	Patient not receiving antiviral treatment for hepatitis c (hep-c)	Х	-
153F	Combination peginterferon and ribavirin therapy prescribed (hep-c)	Х	-
155F	Hepatitis a vaccine series previously received (hep-c)	Х	-
157F	Hepatitis b vaccine series previously received (hep-c)	Х	-
	Patient counseled about risks of alcohol use (hep-c)	Х	-
159F	Counseling regarding contraception received prior to initiation of antiviral treatment (hep-c)	Х	-
	Patient counseling at a minimum on all of the following treatment options for clinically localized prostate cancer: acti	Х	-
164F	Adjuvant (ie, in combination with external beam radiotherapy to the prostate for prostate cancer) hormonal therapy (gona	Х	-
	Three-dimensional conformal radiotherapy (3d-crt) or intensity modulated radiation therapy (imrt) received (prca)1	Х	-
1167F	Head of bed elevation (30-45 degrees) on first ventilator day ordered (crit)1	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunitiented to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications an
4168F	Patient receiving care in the intensive care unit (icu) and receiving mechanical ventilation, 24 hours or less (crit)1	Х	-
4169F	Patient either not receiving care in the intensive care unit (icu) or not receiving mechanical ventilation or receiving	Х	-
4171F	Patient receiving erythropoiesis-stimulating agents (esa) therapy (ckd)1	Х	-
	Patient not receiving erythropoiesis-stimulating agents (esa) therapy (ckd)1	Х	-
	Counseling about the potential impact of glaucoma on visual functioning and quality of life, and importance of treatment	Х	-
	Best-corrected visual acuity of 20/40 or better (distance or near) achieved within the 90 days following cataract surger	Х	-
4176F	Counseling about value of protection from uv light and lack of proven efficacy of nutritional supplements in prevention	Х	-
	Counseling about the benefits and/or risks of the age-related eye disease study (areds) formulation for preventing progr	Х	-
	Anti-d immune globulin received between 26 and 30 weeks gestation (prenatal)1	Х	-
	Tamoxifen or aromatase inhibitor (ai) prescribed (onc)1	Х	-
	Adjuvant chemotherapy referred, prescribed, or previously received for stage iii colon cancer (onc)	X	-
	Conformal radiation therapy received (onc)1	X	-
	Conformal radiation therapy not received (onc)1	X	-
	Continuous (12-months) therapy with proton pump inhibitor (ppi) or histamine h2 receptor antagonist (h2ra) received (ger	Х	-
	No continuous (12-months) therapy with either proton pump inhibitor (ppi) or histamine h2 receptor antagonist (h2ra) rec	Х	-
	Disease modifying anti-rheumatic drug therapy prescribed or dispensed (ra)2	Х	-
	Appropriate angiotensin converting enzyme (ace)/angiotensin receptor blockers (arb) therapeutic monitoring test ordered	Х	-
	Appropriate digoxin therapeutic monitoring test ordered or performed (am)2	Х	-
	Appropriate diuretic therapeutic monitoring test ordered or performed (am)2	Х	-
	Appropriate anticonvulsant therapeutic monitoring test ordered or performed (am)2	Х	-
	Patient not receiving glucocorticoid therapy (ra)	Х	-
193F	Patient receiving <10 mg daily prednisone (or equivalent), or ra activity is worsening, or glucocorticoid use is for less than 6 months (ra)	Х	-
4194F	Patient receiving >=10 mg daily prednisone (or equivalent) for longer than 6 months, and improvement or no change in disease activity (ra)	х	-
1195F	Patient receiving first-time biologic disease modifying anti-rheumatic drug therapy for rheumatoid arthritis (ra)	X	-
	Patient not receiving first-time biologic disease modifying anti-rheumatic drug therapy for rheumatoid arthritis (ra)	Х	-
	External beam radiotherapy as primary therapy to the prostate with or without nodal irradiation (prca)	Х	-
	External beam radiotherapy with or without nodal irradiation as adjuvant or salvage therapy for prostate cancer patient	Х	-
	Angiotensin converting enzyme (ace) or angiotensin receptor blockers (arb) medication therapy for 6 months or more (mm)2	Х	-
	Digoxin medication therapy for 6 months or more (mm)2	Х	-
	Diuretic medication therapy for 6 months or more (mm)2	Х	-
230F	Anticonvulsant medication therapy for 6 months or more (mm)2	Х	-
	Instruction in therapeutic exercise with follow-up by the physician provided to patients during episode of back pain las	Х	-
	Counseling for supervised exercise program provided to patients during episode of back pain lasting longer than 12 weeks	Х	-
	Patient counseled during the initial visit to maintain or resume normal activities (bkp)2	Х	-
	Patient counseled during the initial visit for an episode of back pain against bed rest lasting 4 days or longer (bkp)2	Х	-
	Active warming used intraoperatively for the purpose of maintaining normothermia, or at least one body temperature equal	Х	-
	Duration of general or neuraxial anesthesia 60 minutes or longer, as documented in the anesthesia record (crit)	Х	-
	Duration of general or neuraxial anesthesia less than 60 minutes, as documented in the anesthesia record (crit)	Х	-
	Wound surface culture technique used (cwc)	Х	-
	Tech other than surfc cultr	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm lirected to the Pharmacy link option within the website.	nunizations, injectable drugs,	or specialty medications and
4265F	Use of wet to dry dressings prescribed or recommended (cwc)	Х	-
4266F	Use of wet to dry dressings neither prescribed nor recommended (cwc)	Х	-
4267F	Compression therapy prescribed (cwc)	Х	-
4268F	Patient education regarding the need for long term compression therapy including interval replacement of compression stockings received (cwc)	х	-
4269F	Appropriate method of offloading (pressure relief) prescribed (cwc)	Х	-
	Patient receiving potent antiretroviral therapy for 6 months or longer (hiv)	Х	-
4271F	Patient receiving potent antiretroviral therapy for less than 6 months or not receiving potent antiretroviral therapy (h	Х	-
4274F	Influenza immunization administered or previously received (hiv)	Х	-
4276F	Potent antiretroviral therapy prescribed (hiv)	Х	-
4279F	Pneumocystis jiroveci pneumonia prophylaxis prescribed (hiv)	Х	-
4280F	Pneumocystis jiroveci pneumonia prophylaxis prescribed within 3 months of low cd4+ cell count or percentage (hiv)	Х	-
	Patient screened for injection drug use (hiv)	Х	-
	Patient screened for high-risk sexual behavior (hiv)	Х	-
	Patient receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (afib)	Х	-
	Patient not receiving warfarin therapy for nonvalvular atrial fibrillation or atrial flutter (afib)	Х	-
4305F	Patient education regarding appropriate foot care and daily inspection of the feet received (cwc)	Х	-
4306F	Patient counseled regarding psychosocial and pharmacologic treatment options for opioid addiction (sud)	Х	-
	Patient counseled regarding psychosocial and pharmacologic treatment options for alcohol dependence (sud)	Х	-
	Caregiver provided with education and referred to additional resources for support (dem)	Х	-
4324F	Pt queried prkns complic	Х	-
	Med txmnt options rvwd w/pt	Х	-
4326F	Pt asked re symp auto dysfxn	Х	-
4328F	Pt asked re sleep disturb	Х	-
	Counseling about epilepsy specific safety issues provided to patient (or caregiver (s)) (epi)	Х	-
4340F	Counseling for women of childbearing potential with epilepsy (epi)	Х	-
	Counseling provided on symptom management, end of life decisions, and palliation (dem)	Х	-
4400F	Rehab thxpy options w/pt	Х	-
4450F	Self-care education provided to patient (hf)	Х	-
	Implantable cardioverter-defibrillator (icd) counseling provided (hf)	Х	-
	Patient receiving ace inhibitor/arb therapy and beta-blocker therapy for 3 months or longer (hf)	Х	-
	Patient receiving ace inhibitor/arb therapy and beta-blocker therapy for less than 3 months (hf)	Х	-
4500F	Referred to an outpatient cardiac rehabilitation program (cad)	Х	-
	Previous cardiac rehabilitation for qualifying cardiac event completed (cad)	Х	-
	Neuropsychiatric intervention ordered (dem)	Х	-
4526F	Neuropsychiatric intervention received (dem)	Х	-
	Disease modified pharmacothxpy	Х	-
4541F	Pt offered tx for pseudobulb	Х	-
	Noninvas resp support talk	Х	-
	Nutritional support offered	Х	-
	Pt ref for speech lang path	Х	-
4553F	Pt asst re end life issues	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu irected to the Pharmacy link option within the website.	inizations, injectable drugs,	
4554F	Pt recvd inhal anesthetic	Х	-
4555F	Pt recvd no inhal anesthic	Х	-
	Ptw/3+ post-op nausea and vommiting	Х	-
	Pt w/o 3+ pot-op nausea and vommiting	Х	-
	Pt recvd 2 rx anti-emetagnts	Х	-
	1 bodytemp >=35.5 cw/in 30 mins	Х	-
	Anesth w/o general or neurax anesth	Х	-
	Pt w/ cornonary artery stent	Х	-
	Patient does not have coronary artery stent	Х	-
	Pt recvd aspirin w/in 24 hours	Х	-
	Patient counseled on self - examination for new or changing moles (ml)	Х	-
	Findings of dilated macular or fundus exam communicated to the physician managing the diabetes care (ec)	Х	-
	Documentation of communication that a fracture occurred and that the patient was or should be tested or treated for oste	Х	-
5020F	Treatment summary report communicated to physician(s) managing continuing care and to the patient within one month of co	х	-
5050F	Treatment plan communicated to provider(s) managing continuing care within one month of diagnosis (ml)5	Х	-
5060F	Findings from diagnostic mammogram communicated to practice managing patient; s on-going care within 3 business days of e	х	_
5062F	Documentation of direct communication of diagnostic mammogram findings by telephone or in person [by the diagnostic imag	х	-
5100F	Potential risk for fracture communicated to the referring physician within 24 hours of completion of the imaging study (nuc_med)	х	-
5200F	Consideration of referral for a neurological evaluation of appropriateness for surgical therapy for intractable epilepsy	Х	-
	Asthma discharge plan present (asthma)	Х	-
6005F	Rationale (eg, severity of illness and safety) for level of care (eg, home hospital) documented.	Х	-
	Dysphagia screening conducted prior to order for or receipt of any foods, fluids or medication by mouth (str)	Х	-
6015F	Patient receiving or eligible to receive foods, fluids or medication by mouth (str)	Х	-
6020F	Npo (nothing by mouth) ordered (str)	Х	-
6030F	All elements of maximal sterile barrier technique followed including: cap and mask and sterile gown and sterile gloves a	Х	-
5040F	Use of appropriate radiation dose reduction devices or manual techniques for appropriate moderation of exposure, documen	Х	-
6045F	Radiation exposure or exposure time in final report for procedure using fluoroscopy, documented (rad)5	Х	-
6070F	Patient queried and counseled about anti-epileptic drug (aed) side effects (epi)	Х	-
5080F	Pt/caregiver queried falls	Х	-
5090F	Pt/caregiver counsel safety	Х	-
	Timeout to verify correct patient, correct site, and correct procedure, documented (path)9	Х	-
	Safety counsel dementia prov	Х	-
	Safety counsel dementia ord	Х	-
	Counsel risks driving and alternatives	Х	-
	Patient not receiving a first course of anti-tnf (tumor necrosis fact0r) therapy (ibd)	Х	-
	Patient information entered into a recall system that includes: target date for the next exam specified and a process to	Х	-
	Breast imaging-reporting and data system (bi-rads) assessment category entered into an internal database to allow for a	Х	-
	Patient information entered into a reminder system with a target due date for the next mammogram (rad)5	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	r: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu directed to the Pharmacy link option within the website.	unizations, injectable drugs,	or specialty medications ar
9001F	Immunohisto antibod add slid	Х	-
9002F	Aortic aneurysm 5-5.4cm diam	Х	-
9003F	Aortic anrysm5.5-5.9cm diam	Х	-
	Aortic anrysm 6/> cm diam	Х	-
	Asympt carot/vrtbrbas sten	Х	-
	Sympt sten-tia/strk<120days	Х	-
	Other carot sten 120 days/>	Х	-
	Liver disease, 10 biochem assays	Х	-
	Liver disease, 10 biochem assays	Х	-
	Scoliosis dna alys	Х	-
	Onc hep gene risk classifier	Х	-
	Onc gastro 51 gene nomogram	Х	-
	Onc prst8 ca mrna 12 genes bld plsm &/ur alg	-	Х
	Onc mrna 5 genes ur alg risk urothelial cancer	Х	-
	Onc mrna 5 genes ur alg risk recr urothelial ca	Х	-
014M	Liver disease, analysis of 3 biomarkers (hyaluronic acid [HA], procollagen III amino terminal peptide [PIIINP], tissue inhibitor of		
	metalloproteinase 1 [TIMP-1]), using Immunoassays, utilizing serum, prognostic algorithm reported as a risk score and risk of liver		
	fibrosis and liver-related clinical events within 5 years	Х	-
	Adrnl cortcl tum bchm asy 25	Х	-
	Onc bladder mrna 219 gen alg	Х	-
017M	Oncology (diffuse large b-cell lymphoma [dlbcl]), mrna, gene expression profiling by fluorescent probe hybridization of 20 genes,		
	formalin-fixed paraffinembedded tissue, algorithm reported as cell of origin	Х	-
	Trnsplj rnl meas cd154+cll	Х	-
019M	Cardiovascular disease, plasma, analysis of protein biomarkers by aptamer-based microarray and algorithm reported as 4-year		
	likelihood of coronary event in high-risk populations	Х	-
020M	Oncology (central nervous system), analysis of 30000 DNA methylation loci by methylation array, utilizing DNA extracted from tumor		
	tissue, diagnostic algorithm reported as probability of matching a reference tumor subclass	Х	-
	Focused ultrasound ablation of uterine leiomyomata, including mr guidance: total leiomyomata volume less than 200 cc of	X	-
	Focused ultrasound ablation of uterine leiomyomata, including mr guidance: total leiomyomata volume less than 200 cc of	Х	-
	Removal of total disc arthroplasty (artificial disc), anterior approach, each additional interspace, cervical (list sepa	-	X
	Revision including replacement of total disc arthroplasty (artificial disc), anterior approach, each additional interspa	-	Х
	Placement of a subconjunctival retinal prosthesis receiver and pulse generator, and implantation of intra-ocular retina	Х	-
	Extracorporeal shock wave involving musculoskeletal system, not otherwise specified; high energy	Х	-
	Extracorporeal shock wave, high energy, performed by a physician, requiring anesthesia other than local, involving later	Х	-
	Quantitative sensory testing (qst), testing and interpretation per extremity; using touch pressure stimuli to assess lar	X	-
	Quantitative sensory testing (qst), testing and interpretation per extremity; using vibration stimuli to assess large di	X	-
	Quantitative sensory testing (qst), testing and interpretation per extremity; using cooling stimuli to assess small nerv	X	-
	Quantitative sensory testing (qst), testing and interpretation per extremity; using heat-pain stimuli to assess small n	X	-
	Quantitative sensory testing (qst), testing and interpretation per extremity; using other stimuli to assess sensation	Х	-
	Total disc arthroplasty (artificial disc), anterior approach, including discectomy to prepare interspace (other than for	-	Х
0174T	Computer aided detection (cad) (computer algorithm analysis of digital image data for lesion detection) with further phy	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm irected to the Pharmacy link option within the website.	nunizations, injectable drugs,	or specialty medications a
	Computer aided detection (cad) (computer algorithm analysis of digital image data for lesion detection) with further phy	Х	-
200T	Percutaneous sacral augmentation (sacroplasty), unilateral injection(s), including the use of a balloon or mechanical de	Х	-
	Percutaneous sacral augmentation (sacroplasty), bilateral injections, including the use of a balloon or mechanical devic	Х	-
	Posterior vertebral joint(s) arthroplasty (e.g., facet joint[s] replacement) including facetectomy, laminectomy, foramin	Х	-
	Evacuation of meibomian glands, automated, using heat and intermittent pressure, unilateral	Х	-
	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	X
	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	X
	Injection(s), diagnostic or therapeutic agent, paravertebral facet (zygapophyseal) joint (or nerves innervating that joi	-	Х
	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	X	-
	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	Х	-
	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	Х	-
	Placement of posterior intrafacet implant(s), unilateral or bilateral, including imaging and placement of bone graft(s)	Х	-
	Injection(s), platelet rich plasma, any tissue, including image guidance, harvesting and preparation when performed	X	-
	Im autol b1 mrw cel ther 1 leg compl incl hrvst	Х	-
	Im autol b1 mrw cel ther 1 leg compl xcl hrvst	Х	-
	Im autol b1 mrw cel ther uni/bi hrvst only	Х	-
	Impltj/rplcmt crtd sns brorflx actv dev tot sys	Х	-
	Impltj/rplcmt crtd sns brorflx actv dev lead uni	Х	-
	Impltj/rplcmt crtd sns brorflx actv dev pls gen	X	-
	Rev/remvl crtd sns brorflx actv dev tot sys	X	-
	Rev/remvl crtd sns brorflx actv dev lead uni	X	-
	Rev/remvl crtd sns brorflx actv dev pls gen	Х	-
	Interrogation eval crtd sns brorflx actv sys	X	-
	Interrogation eval crtd sns brorflx w/progrmg	Х	-
	Perq lamot/lam any meth single/mlt lvl crv/thrc	X	-
	Perq lamot/lam any meth single/mlt lvl lumbar	Х	-
278T	Transcutaneous electrical modulation pain reprocessing (eg, scrambler therapy), each treatment session (includes placement of		
	electrodes).	X	-
	Insertion of ocular telescope prothesis including removal of crystalline lens	X	-
	Laps impltj nstim vagus	Х	-
313T	Vagus nerve blocking therapy (morbid obesity); laparoscopic removal of vagal trunk neurostimulator electrode array and pulse		
	generator	X	-
	Vagus nerve blocking therapy (morbid obesity); laparoscopic removal of vagal trunk neurostimulator	X	-
	Rmvl vagus nerve pls gen	X	-
	Replc vagus nerve pls gen	X	-
	Elec analysis vagus nerve pls gen	X	-
	Mntr io press 24hrs/> uni/bi	X	-
	Tear film img uni/bi w/i&r	X	-
331T	Heart symp image plnr	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: should be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun tirected to the Pharmacy link option within the website.	izations, injectable drugs,	
0332T	Heart symp image plnr spect	Х	-
0333T	Visual ep acuity screen auto	Х	-
	Trnscth renal symp denrv unl	Х	-
0339T	Trnscth renal symp denrv bil	Х	-
0347T	Ins bone device for rsa	Х	-
0348T	Rsa spine exam	Х	-
0349T	Rsa upper extr exam	Х	-
0350T	Rsa lower extr exam	Х	-
0351T	Intraop oct brst/node spec	Х	-
0352T	Oct brst/node i&r per spec	Х	-
0353T	Intraop oct breast cavity	Х	-
0354T	Oct breast surg cavity i&r	Х	-
0358T	Bia whole body	Х	-
0394T	High dose rate electronic brachytherapy, skin surface application, per fraction, includes basic dosimetry, when performed	Х	-
	High dose rate electronic brachytherapy, interstitial or intracavitary treatment, per fraction, includes basic dosimetry, when performed	Х	-
0397T	Endoscopic retrograde cholangiopancreatography (ercp), with optical endomicroscopy (list separately in addition to code for primary procedure)	х	-
	Preventive behavior change, intensive program of prevention of diabetes using a standardized diabetes prevention program curriculum, provided to individuals in a group setting	х	-
0408T	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa	х	-
	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa	х	-
	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa	Х	-
	Insertion or replacement of permanent cardiac contractility modulation system, including contractility evaluation when performed, and programming of sensing and therapeutic pa	х	-
	Removal of permanent cardiac contractility modulation system; pulse generator only	Х	-
	Removal of permanent cardiac contractility modulation system; transvenous electrode (atrial or ventricular)	Х	-
)414T	Removal and replacement of permanent cardiac contractility modulation system pulse generator only	Х	-
)415T	Repositioning of previously implanted cardiac contractility modulation transvenous electrode, (atrial or ventricular lead)	Х	-
	Relocation of skin pocket for implanted cardiac contractility modulation pulse generator	Х	-
	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values	х	-
	Interrogation device evaluation (in person) with analysis, review and report, includes connection, recording and disconnection per patient encounter; implantable cardiac contr	Х	-
0422T	Tactile breast imaging by computer-aided tactile sensors, unilateral or bilateral	Х	-
	Myocrd contrast prfuj echo	Х	-
0440T	Ablation, percutaneous, cryoablation, includes imaging guidance; upper extremity distal/peripheral nerve	Х	-
	Ablation, percutaneous, cryoablation, includes imaging guidance; nerve plexus or other truncal nerve (eg, brachial plexus, pudendal nerve)	х	-



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,		
0443T	Real time spectral analysis of prostate tissue by fluorescence spectroscopy	Х	-	
0444T	Initial placement of a drug-eluting ocular insert under one or more eyelids, including fitting, training, and insertion, unilateral or bilateral	Х	-	
0445T	Subsequent placement of a drug-eluting ocular insert under one or more eyelids, including re-training, and removal of existing insert, unilateral or bilateral	Х	-	
0446T	Crtj subq insj impltbl glucose sensor sys	Х	-	
	Rmvl impltbl glucose sensor subg pocket via inc	Х	-	
	Rmvl insj impltbl gluc sensor dif anatomic site	Х	-	
	Visual ep testing for glaucoma w/interpj & reprt	Х	-	
	Oct skn img acquisj i&r 1st	Х	-	
	Oct skn img acquisj i&r addl	X	-	
	Prgrmg io rta eltrd ra	X	-	
	Insj aqueous drg dev io rsvr	X	-	
0483T	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic valve; percutaneous approach, including transseptal puncture, when performed	-	х	
0484T	Transcatheter mitral valve implantation/replacement (TMVI) with prosthetic valve; transthoracic exposure (eg, thoracotomy, transapical)	-	х	
	Oct middle ear with i&r unilateral	Х	-	
	Oct middle ear with i&r bilateral	X X	-	
	Diabetes prev online/electronic prgrm pr 30 days	X X	-	
	Autol regn cell tx scleroderma hands	X X		
	Autol regn cell tx sclorodchia hands	X X	-	
	Prep & cannulj cdvr don lng orgn prfuj sys	-	Х	
	Init & mntr cdvr don Ing orgn prfuj sys 1st 2 hr	-	X	
	Mntr cdvr don ing orgn prfuj sys ea addi hr	-	X	
	Removal of sinus tarsi implant	Х		
	Removal and reinsertion of sinus tarsi implant	X X	-	
	Extracorporeal shock wave for integumentary wound healing, high energy, including topical application and dressing care; initial wound	x	_	
0513T	Esw integ wnd hlg ea addl	X	-	
	Ev cath dir chem abltj w/img	X	-	
0543T	Transapical mitral valve repair, including transthoracic echocardiography, when performed, with placement of artificial chordae	X		
	tendineae Transacthater mitral value consulue reconstruction, with implementation of adjustable consulue reconstruction device, nerouteneous	۸	-	
	Transcatheter mitral valve annulus reconstruction, with implantation of adjustable annulus reconstruction device, percutaneous approach including transseptal puncture	Х	-	
0545T	Transcatheter tricuspid valve annulus reconstruction with implantation of adjustable annulus reconstruction device, percutaneous approach	-	х	
0547T	Bone-material quality testing by microindentation(s) of the tibia(s), with results reported as a score	Х	-	
0552T	Low-level laser therapy, dynamic photonic and dynamic thermokinetic energies, provided by a physician or other qualified health care	Х	-	



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	•
0554T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a		
	computed tomography scan; retrieval and transmission of the scan data, assessment of bone strength and fracture risk and bone	х	
0555T	mineral density, interpretation and report Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a	^	-
00001	computed tomography scan; retrieval and transmission of the scan data	х	-
0556T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a		
	computed tomography scan; assessment of bone strength and fracture risk and bone mineral density	Х	-
0557T	Bone strength and fracture risk using finite element analysis of functional data, and bone-mineral density, utilizing data from a		
	computed tomography scan; interpretation and report	X	-
	Computed tomography scan taken for the purpose of biomechanical computed tomography analysis	Х	-
05591	Anatomic model 3d-printed from image data set(s); first individually prepared and processed component of an anatomic structure	v	
0560T	Anatomic model 3d-printed from image data set(s); each additional individually prepared and processed component of an anatomic	X	-
05601	structure (list separately in addition to code for primary procedure)	х	_
0561T	Anatomic guide 3d-printed and designed from image data set(s); first anatomic guide	X	-
	Anatomic guide 3d-printed and designed from image data set(s); each additional anatomic guide (list separately in addition to code for		
	primary procedure)	Х	-
0563T	Evac meibomian gInd heat bi	Х	-
	Autol cell implt adps hrvg	Х	-
	Autol cell implt adps njx	Х	-
	Ttvr perq appr 1st prosth	-	X
	Ttvr perq ea addl prosth	-	Х
	Perq islet cell transplant	X X	-
	Laps islet cell transplant Open islet cell transplant	X	-
	Hith&wb coaching indiv 1st	X	-
	Hith&wb coaching indiv f-up	X	-
	Hith&wb coaching group	X	-
	Osteot hum xtrnl Ingth dev	Х	-
0596T	Temp fml iu vlv-pmp 1st insj	Х	-
	Temp fml iu valve-pmp rplcmt	Х	-
	Ncntc r-t fluor wnd img 1st	Х	-
	Ncntc r-t fluor wnd img ea	X	-
	Ire abltj 1+tum organ perq	X	-
	Ire abltj 1+tumors open	X X	-
	Transdermal gfr measurements Transdermal gfr monitoring	<u>х</u>	-
	Rem oct rta dev setup&educaj	X	-
	Rem oct rta techl sprt min 8	X	-
	Rem oct rta phys/ghp ea 30d	X	-
	Rem mntr pulm flu mntr setup	X	-
	Rem mntr pulm flu mntr alys	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun	izations, injectable drugs,	or specialty medications a
	irected to the Pharmacy link option within the website.	V	-
	Mrs disc pain acquisj data	X X	-
	Mrs disc pain transmis data	<u> </u>	-
	Mrs disc pain alg alys data		-
	Mrs discogenic pain i&r	X X	-
	Perq tcat intratrl septl sht		-
	Eye mvmt alys w/o calbrj i&r	X	-
	Trabeculostomy interno laser	<u>X</u>	-
	Trabeculostomy int Isr w/scp	<u>X</u>	-
	Auto quantification c plaque	<u>X</u>	-
	Auto quan c plaq data prep	X	-
	Auto quan c plaq cptr alys	X	-
	Auto quan c plaq i&r	X	-
	Perq njx algc fluor Imbr 1st	Х	-
	Perq njx algc fluor Imbr ea	X	-
	Perq njx algc ct lmbr 1st	Х	-
	Perq njx algc ct lmbr ea	Х	-
	Perq tcat us abltj nrv p-art	Х	-
	Ct breast w/3d uni c	Х	-
	Ct breast w/3d uni c+	Х	-
	Ct breast w/3d uni c-/c+	Х	-
	Ct breast w/3d bi c	Х	-
	Ct breast w/3d bi c+	Х	-
638T	Ct breast w/3d bi c-/c+	Х	-
	Wrls skn snr anisotropy meas	Х	-
640T	Noncontact near-infrared spectroscopy studies of flap or wound (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation [sto2]); image acquisition, interpretation and report, each flap or wound	х	_
)643T	Transcatheter left ventricular restoration device implantation including right and left heart catheterization and left ventriculography when		
044	performed, arterial approach	Х	-
)644T	Transcatheter removal or debulking of intracardiac mass (eg, vegetations, thrombus) via suction (eg, vacuum, aspiration) device,	V	
0.4FT	percutaneous approach, with intraoperative reinfusion of aspirated blood, including imaging guidance, when performed	Х	-
645T	Transcatheter implantation of coronary sinus reduction device including vascular access and closure, right heart catheterization,		
	venous angiography, coronary sinus angiography, imaging guidance, and supervision and interpretation, when performed	х	-
647T	Insertion of gastrostomy tube, percutaneous, with magnetic gastropexy, under ultrasound guidance, image documentation and report	Х	-
651T	Magnetically controlled capsule endoscopy, esophagus through stomach, including intraprocedural positioning of capsule, with	~	
0011	interpretation and report	Х	· .
652T	Esophagogastroduodenoscopy, flexible, transnasal; diagnostic, including collection of specimen(s) by brushing or washing, when	~	-
0021	performed (separate procedure)	х	_
GEOT	Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or multiple	× ×	-
	Esophagogastroduodenoscopy, flexible, transnasal; with biopsy, single or multiple Esophagogastroduodenoscopy, flexible, transnasal; with insertion of intraluminal tube or catheter	<u> </u>	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun rected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications ar
0655T	Transperineal focal laser ablation of malignant prostate tissue, including transrectal imaging guidance, with mr-fused images or other enhanced ultrasound imaging	Х	_
0656T	Vertebral body tethering, anterior; up to 7 vertebral segments	X	-
	Vertebral body tethering, anterior; 8 or more vertebral segments	Х	-
	Electrical impedance spectroscopy of 1 or more skin lesions for automated melanoma risk score	Х	-
	Transcatheter intracoronary infusion of supersaturated oxygen in conjunction with percutaneous coronary revascularization during acute myocardial infarction, including catheter placement, imaging guidance (eg, fluoroscopy), angiography, and radiologic supervision and interpretation	Х	-
0660T	Implantation of anterior segment intraocular nonbiodegradable drug-eluting system, internal approach	Х	-
	Removal and reimplantation of anterior segment intraocular nonbiodegradable drug-eluting implant	Х	-
	Scalp cooling, mechanical; initial measurement and calibration of cap	Х	-
0663T	Scalp cooling, mechanical; placement of device, monitoring, and removal of device (list separately in addition to code for primary procedure)	Х	-
0664T	Donor hysterectomy (including cold preservation); open, from cadaver donor	Х	-
)665T	Donor hysterectomy (including cold preservation); open, from living donor	Х	-
)666T	Donor hysterectomy (including cold preservation); laparoscopic or robotic, from living donor	Х	-
)667T	Donor hysterectomy (including cold preservation); recipient uterus allograft transplantation from cadaver or living donor	Х	-
0668T	Backbench standard preparation of cadaver or living donor uterine allograft prior to transplantation, including dissection and removal of surrounding soft tissues and preparation of uterine vein(s) and uterine artery(ies), as necessary	Х	-
0669T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; venous anastomosis, each	Х	-
)670T	Backbench reconstruction of cadaver or living donor uterus allograft prior to transplantation; arterial anastomosis, each	Х	-
	Ndovag cryg rf remdl tiss	Х	-
	Abltj b9 thyr ndul perq lasr	Х	-
	Laps insj nw/rpcmt prm isdss	Х	-
	Laps insj nw/rpcmt isdss 1ld	X	-
	Laps insj nw/rpcmt isdss ea	Х	-
	Laps repos lead isdss 1st ld	X	-
	Laps repos lead isdss ea add	<u>X</u>	-
	Laps rmvl lead isdss	<u>X</u>	-
	Insj/rplcmt pg only isdss	<u>X</u>	-
	Ricj pulse gen only isdss	X X	-
	Removal pulse gen only isdss Prgrmg dev eval isdss ip	× X	-
	Prijing dev eval isoss ip Peri-px dev eval isoss ip	× X	-
		× ×	-
	Interrog dev eval isdss ip Histotripsy mal hepatcel tis	× X	
	Tx amblyopia dev setup 1st	<u> </u>	
	Tx amblyopia assmt w/report	× ×	
	Quan us tis charac w/o dx us	× ×	-
	Quan us tis charac w/dx us	X X	-
	Auto alys xst ct std vrt fx	X	-
	Therapeutic ultrafiltration	X X	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications an
	Compre ful bdy 3d mtn alys	Х	-
	3d vol img&rcnstj brst/ax	Х	-
	Bdy srf mpg pm/cvdfb tm impl	Х	-
	Bdy surf mapg pm/cvdfb f/up	Х	-
	Quan mr tis wo mri mlt orgn	Х	-
0698T	Quan mr tiss w/mri mlt orgn	Х	-
0700T	Molec fluor img sus nev 1st	Х	-
	Molec fluor img sus nev ea	Х	-
	Rem tx amblyopia setup&edu	Х	-
	Rem tx amblyopia tech sprt	Х	-
	Rem tx amblyopia i&r phy/qhp	Х	-
	Nix b1 sub mtrl sbchdrl dfct	Х	-
	Id ca immntx prep & 1st njx	Х	-
	Id ca immntx each addl nix	Х	-
	N-invas artl plag alys	Х	-
	N-nvs artl plag alys dat prp	Х	-
	N-nvs artl plag alys guan	Х	-
	N-nvs arti plag alys rvw i&r	Х	-
	Tprnl Isr ablt b9 prst8 hypr	Х	-
	Car acous wavfrm rec cad rsk	Х	-
	Adrc ther prtl rc tear	X	-
	Adrc ther prtl rc tear nix	X	-
	Pst vrt jt rplcmt lmbr 1 sgm	X	-
	Projectory stim on wo impli	X	-
	Quan ct tiss charac w/o ct	X	-
	Quan et tiss charac w/ct	X	-
	Qmrcp w/o dx mri sm anat ses	X	-
	Qmrcp w/dx mri same anatomy	X	-
	Vestibular dev impltj uni	X	-
	Rmvl implt vstibular dev uni	X	-
	Rmvl&rplcmt implt vstblir dev	X	-
	Dx alys vstblr implt uni 1st	X	-
	Dx alys vstblr implt uni sbq	X	-
	Trabeculotomy Isr w/oct gdn	X	-
	Augmnt ai-based fcl phnt a/r	X	-
	Immntx admn electroporatn im	X	-
	Rem bdy&Imb knmtc ther sply	X	-
	Rem bdy&inib knintc thei spiy	X	-
	Colonic lavage 35+I water	X	-
	Xenograft impltj artclr surf	X	-
0738T		^	-
01301	reasonance imaging (mri) examination	х	-



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
should be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	nizations, injectable drugs,	•
0739T	Ablation of malignant prostate tissue by magnetic field induction, including all intraprocedural, transperineal needle/catheter placement		
	for nanoparticle installation and intraprocedural temperature monitoring, thermal dosimetry, bladder irrigation, and magnetic field		
	nanoparticle activation	Х	-
0740T	Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; initial set-up and patient		
	education	Х	-
0741T	Remote autonomous algorithm-based recommendation system for insulin dose calculation and titration; provision of software, data		
	collection, transmission, and storage, each 30 days	Х	-
0742T	Absolute quantitation of myocardial blood flow (aqmbf), single-photon emission computed tomography (spect), with exercise or	N/	
	pharmacologic stress, and at rest, when performed (list separately in addition to code for primary procedure)	Х	-
0743T	Bone strength and fracture risk using finite element analysis of functional data and bone-mineral density, with concurrent vertebral		
	fracture assessment, utilizing data from a computed tomography scan, retrieval and transmission of the scan data, measurement of		
	bone strength and bone mineral density and classification of any		
	vertebral fractures, with overall fracture risk assessment, interpretation and report		
		Х	-
)744T	Insertion of bioprosthetic valve, open, femoral vein, including duplex ultrasound imaging guidance, when performed, including	Ň	
	autogenous or nonautogenous patch graft (eg, polyester, eptfe, bovine pericardium), when performed	Х	-
)748T	Injections of stem cell product into perianal perifistular soft tissue, including fistula preparation (eg, removal of setons, fistula curettage,	Ň	
	closure of internal openings)	Х	-
)749T	Bone strength and fracture-risk assessment using digital x-ray radiogrammetrybone mineral density (dxr-bmd) analysis of bone mineral		
	density (bmd) utilizing data from a digital x ray, retrieval and transmission of digital x ray data, assessment of bone strength and fracture-		
	risk and bmd, interpretation and report;	Х	-
)750T	Bone strength and fracture-risk assessment using digital x-ray radiogrammetrybone mineral density (dxr-bmd) analysis of bone mineral		
	density (bmd) utilizing data from a digital x ray, retrieval and transmission of digital x ray data, assessment of bone strength and fracture-		
	risk and bmd, interpretation and report; with single-view digital x-ray examination of the hand taken for the		
	purpose of dxr-bmd		
		Х	-
)751T	Digitization of glass microscope slides for level ii, surgical pathology, gross and microscopic examination (list separately in addition to		
	code for primary procedure)	Х	-
)752T	Digitization of glass microscope slides for level iii, surgical pathology, gross and microscopic examination (list separately in addition to		
	code for primary procedure)	Х	-
)753T	Digitization of glass microscope slides for level iv, surgical pathology, gross and microscopic examination (list separately in addition to		
	code for primary procedure)	Х	-
)754T	Digitization of glass microscope slides for level v, surgical pathology, gross and microscopic examination (list separately in addition to		
	code for primary procedure)	Х	-
)755T	Digitization of glass microscope slide for level vi, surgical pathology, gross and microscopic examination (list separately in addition to		
	code for primary procedure)	Х	-
0756T	Digitization of glass microscope slides for special stain, including interpretation and report, group i, for microorganisms (eg, acid fast,		
	methenamine silver) (list separately in addition to code for primary procedure)	Х	-
)757T	Digitization of glass microscope slides for special stain, including interpretation and report, group ii, all other (eg, iron, trichrome), except		
	stain for microorganisms, stains for enzyme constituents, or immunocytochemistry and immunohistochemistry (list separately in addition		
	to code for primary procedure)	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
should be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
	Digitization of glass microscope slides for special stain, including interpretation and report, histochemical stain on frozen tissue block (list separately in addition to code for primary procedure)	Х	-
	Digitization of glass microscope slides for special stain, including interpretation and report, group iii, for enzyme constituents (list separately in addition to code for primary procedure)	Х	-
0760T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, initial single antibody stain procedure (list separately in addition to code for primary procedure)	Х	-
0761T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, each additional single antibody stain procedure (list separately in addition to code for primary procedure)	Х	-
0762T	Digitization of glass microscope slides for immunohistochemistry or immunocytochemistry, per specimen, each multiplex antibody stain procedure (list separately in addition to code for primary procedure)	Х	-
0763T	Digitization of glass microscope slides for morphometric analysis, tumor immunohistochemistry (eg, her-2/neu, estrogen receptor/progesterone receptor), quantitative or semiquantitative, per specimen, each single antibody stain procedure, manual (list separately in addition to code for primary procedure)	x	_
0764T	Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to concurrently performed electrocardiogram (list separately in addition to code for		
0765T	primary procedure) Assistive algorithmic electrocardiogram risk-based assessment for cardiac dysfunction (eg, low-ejection fraction, pulmonary hypertension, hypertrophic cardiomyopathy); related to previously performed electrocardiogram	x	
0766T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including noninvasive electroneurographic localization (nerve conduction localization), when performed; first nerve	x	_
0767T	Transcutaneous magnetic stimulation by focused low-frequency electromagnetic pulse, peripheral nerve, initial treatment, with identification and marking of the treatment location, including noninvasive electroneurographic localization (nerve conduction localization), when performed; each additional nerve (list separately in addition to code for primary		
0770T	procedure)	X	-
	Virtual reality technology to assist therapy (list separately in addition to code for primary procedure) Virtual reality (vr) procedural dissociation services provided by the same physician or other qualified health care professional performing the diagnostic or therapeutic service that the vr procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; initial 15 minutes of		-
0772T	intraservice time, patient age 5 years or older Virtual reality (vr) procedural dissociation services provided by the same physician or other qualified health care professional performing	Х	-
01121	the diagnostic or therapeutic service that the vr procedural dissociation supports, requiring the presence of an independent, trained observer to assist in the monitoring of the patient's level of dissociation or consciousness and physiological status; each additional 15 minutes intraservice time (list separately in		
	addition to code for primary service)	Х	-
0773T	Virtual reality (vr) procedural dissociation services provided by a physician or other qualified health care professional other than the physician or other qualified health care professional performing the diagnostic or therapeutic service that the vr procedural dissociation	v	
	supports; initial 15 minutes of intraservice time, patient age 5 years or older	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	
)774T	Virtual reality (vr) procedural dissociation services provided by a physician or other qualified health care professional other than the		
	physician or other qualified health care professional performing the diagnostic or therapeutic service that the vr procedural dissociation		
	supports; initial 15 minutes of intraservice time, patient age 5 years or older each additional 15 minutes intraservice time (list separately		
	in addition to code for primary service	х	-
)776T	Therapeutic induction of intra-brain hypothermia, including placement of a mechanical temperature-controlled cooling device to the		
	neck over carotids and head, including monitoring (eg, vital signs and sport concussion assessment tool 5 [scat5]), 30 minutes of		
	treatment	Х	-
)777T	Real-time pressure-sensing epidural guidance system (list separately in addition to code for primary procedure)	Х	-
0778T	Surface mechanomyography (smmg) with concurrent application of inertial measurement unit (imu) sensors for measurement of multi-		
	joint range of motion, posture, gait, and muscle function	Х	-
0779T	Gastrointestinal myoelectrical activity study, stomach through colon, with interpretation and report	Х	-
0780T	Instillation of fecal microbiota suspension via rectal enema into lower gastrointestinal tract	Х	-
	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency destruction of the		
	pulmonary nerves, including fluoroscopic guidance when performed; bilateral mainstem bronchi	Х	-
0782T	Bronchoscopy, rigid or flexible, with insertion of esophageal protection device and circumferential radiofrequency destruction of the		
	pulmonary nerves, including fluoroscopic guidance when performed; unilateral mainstem bronchus	Х	-
0783T	Transcutaneous auricular neurostimulation, set-up, calibration, and patient education on use of equipment	Х	-
0784T	Insertion or replacement of percutaneous electrode array, spinal, with integrated neurostimulator, including imaging guidance, when		
	performed	Х	-
0785T	Revision or removal of neurostimulator electrode array, spinal, with integrated neurostimulator	Х	-
	Insertion or replacement of percutaneous electrode array, sacral, with integrated neurostimulator, including imaging guidance, when		
	performed	Х	-
0787T	Revision or removal of neurostimulator electrode array, sacral, with integrated neurostimulator	Х	-
	Revision (eg, augmentation, division of tether), replacement, or removal of thoracolumbar or lumbar vertebral body tethering, including		
	thoracoscopy, when performed	Х	-
0791T	Motor-cognitive, semi-immersive virtual reality-facilitated gait training, each 15 minutes (list separately in addition to code for primary		
	procedure)	-	Х
0794T	Patient-specific, assistive, rules-based algorithm for ranking pharmaco-oncologic treatment options based on the patient's tumor-		
	specific cancer marker information obtained from prior molecular pathology, immunohistochemical, or other pathology results which		
	have been previously interpreted and reported separately	Х	-
0809T	Arthrodesis, sacroiliac joint, percutaneous or minimally invasive (indirect visualization), with image guidance, placement of transfixing		
	device(s) and intraarticular implant(s), including allograft or synthetic device(s)	-	Х
0859T	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation),		
	other than for screening for peripheral arterial disease, image acquisition, interpretation, and report; each additional anatomic site (List		
	separately in addition to code for primary procedure)	Х	-
0860T	Noncontact near-infrared spectroscopy (eg, for measurement of deoxyhemoglobin, oxyhemoglobin, and ratio of tissue oxygenation), for		
	screening for peripheral arterial disease, including provocative maneuvers, image acquisition, interpretation, and report, one or both		
	lower extremities	Х	-
0867T			
	Transperineal laser ablation of benign prostatic hyperplasia, including imaging guidance prostate volume greater or equal to 50 mL	Х	-
0868T	High-resolution gastric electrophysiology mapping with simultaneous patient symptom profiling, with interpretation and report	X	-



As of: 12/19/24

ould be directed 877T Augr inter imag 878T Augr inter 879T Augr inter 880T Augr inter 880T Augr inter 880T Augr inter 883T Intra remo 883T Intra remo 883T Pers deriv thres 890T Acce man 892T Acce man 898T	Description se note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immule do to the Pharmacy link option within the website. gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained without concurrent CT examination of any structure contained in previously acquired diagnostic aging gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained with concurrent CT examination of the same structure gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; each additional nerve (List separately in addition to code for primary procedure)	Not Covered nizations, injectable drugs, o X X X X X X X	Preauthorization Required or specialty medications ar - - - - -
ould be directed 877T Augr inter imag 878T Augr inter 879T Augr inter 880T Augr inter 880T Augr inter 880T Augr inter 883T Intra remo 883T Intra remo 883T Pers deriv thres 890T Acce man 892T Acce man 898T	ed to the Pharmacy link option within the website. gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained without concurrent CT examination of any structure contained in previously acquired diagnostic aging gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained with concurrent CT examination of the same structure gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained with concurrent CT examination of the same structure gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve to promote nerve regeneration, including lead placement and noval therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	x x x x	-
inter imag 878T Augr inter 8879T Augr inter 880T Augr inter 888T Intra 883T Intra 883T Intra 883T Histo 888T Histo 888T Hers deriv thres 890T Acce 889T Acce man 892T Acce man	erstitial lung disease; obtained without concurrent CT examination of any structure contained in previously acquired diagnostic aging gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained with concurrent CT examination of the same structure gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve to promote nerve regeneration, including lead placement and noval.	x x x	
imag 878T Augr 1879T Augr 1879T Augr 1880T Augr 10107 10007 10000	aging gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained with concurrent CT examination of the same structure gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	x x x	
878T Augr inter 879T Augr inter 880T Augr inter 882T Intra 882T Intra 883T Intra 883T Histo 888T Histo 889T Acce 1890T Acce 1891T Acce 1892T Acce 1892T Acce 1893T	gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; obtained with concurrent CT examination of the same structure gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	x x x	- - -
879T Augr inter 880T Augr inter 882T Intra 882T Intra 883T Intra 883T Intra 883T Histo 889T Pers deriv thres 890T Acce 889T Acce man 892T Acce man	erstitial lung disease; obtained with concurrent CT examination of the same structure gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	x x	- - -
879T Augr inter 880T Augr inter 882T Intra 883T Intra 883T Intra 883T Histo 889T Pers deriv thres 890T Acce 890T Acce 891T Acce man 892T Acce man	gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	x x	-
inter 880T Augr inter 882T Intra 883T Intra 883T Intra 888T Histo 889T Pers deriv thres 890T Acce 891T Acce man 892T Acce man	erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	x x	- - -
inter 880T Augr inter 882T Intra 883T Intra 883T Intra 888T Histo 889T Pers deriv thres 890T Acce 891T Acce man 892T Acce man	erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	х	-
inter 880T Augr inter 882T Intra 883T Intra 883T Intra 888T Histo 889T Pers deriv thres 890T Acce 891T Acce man 892T Acce man	erstitial lung disease; radiological data preparation and transmission gmentative analysis of chest computed tomography (CT) imaging data to provide categorical diagnostic subtype classification of erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	х	-
inter inter 882T Intra remo 883T Intra remo 888T Histo 889T Pers deriv thres 890T Acce man 892T Acce man 898T	erstitial lung disease; physician or other qualified health care professional interpretation and report raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and		-
882T Intra remo 883T Intra remo 888T Histo 889T Pers deriv thres 890T Acce man 892T Acce man 892T Acce	raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and		-
882T Intra remo 883T Intra remo 888T Histo 889T Pers deriv thres 890T Acce man 892T Acce man 892T Acce	raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	х	
Rest removes the second	noval, upper extremity, minimum of 10 minutes; initial nerve (List separately in addition to code for primary procedure) raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and	Х	
883T Intra remo 888T Histo 889T Pers deriv thres 890T Acce man 892T Acce man 892T Acce	raoperative therapeutic electrical stimulation of peripheral nerve to promote nerve regeneration, including lead placement and		-
Intra remo 888T Histo 889T Pers deriv thres 890T Acce man 892T Acce man 892T Acce			
remo 888T Histo 889T Pers deriv thres 890T Acce 891T Acce man 892T Acce man 892T Acce			
888T Histo 889T Pers deriv thres 890T Acce 891T Acce man 892T Acce man 892T Acce	DOVAL HODALAXITATION, TOTOTOTOTO OF TO TOTOTOTAS, ASCO SOCIODAL DAIXA OTIST SACISTIAN TO SOCIODO TO COOA TOLOTOTATV DIOCADITAT	х	_
889T Pers deriv thres 890T Acce 891T Acce man 892T Acce man 892T Acce	stotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant renal tissue, including imaging guidance	X	_
deriv thres 890T Acce 891T Acce man 892T Acce man 892T Acce	rsonalized target development for accelerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	
thres 890T Acce thres 891T Acce man 892T Acce man 892T Acce	rived from a structural and resting-state functional MRI, including data preparation and transmission, generation of the target, motor		
890T Acce thres 891T Acce 892T Acce 892T Acce man 898T		v	
891T Acce man 892T Acce man 898T	eshold-starting location, neuronavigation files and target report, review and interpretation	Х	-
891T Acce man 892T Acce man 898T	celerated, repetitive high-dose functional connectivity MRI-guided theta-burst stimulation, including target assessment, initial motor	X	
man 892T Acce man 898T	eshold determination, neuronavigation, delivery and management, initial treatment day	Х	-
892T Acce man 898T	celerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, including neuronavigation, delivery and	N/	
man 898T	anagement, subsequent treatment day	Х	-
898T	celerated, repetitive high-dose functional connectivity MRI–guided theta-burst stimulation, including neuronavigation, delivery and		
	anagement, subsequent motor threshold redetermination with delivery and management, per treatment day	Х	-
	ninvasive prostate cancer estimation map, derived from augmentative analysis of image-guided fusion biopsy and pathology,		
	luding visualization of margin volume and location, with margin determination and physician interpretation and report	Х	-
	c interval derived by augmentative algorithmic analysis of input from an external, patient-activated mobile ECG device	Х	-
903T Elec	ectrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; with interpretation and report	Х	-
	ectrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; tracing only	Х	-
905T Elec	ectrocardiogram, algorithmically generated 12-lead ECG from a reduced-lead ECG; interpretation and report only	Х	-
906T Cond	ncurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; first application, total wound(s)	V	
surfa		Х	-
	rface area less than or equal to 50 sq cm		
	rface area less than or equal to 50 sq cm incurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total	Х	-
	ncurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total		
915T Inse			
	ncurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total bund(s) surface area less than or equal to 50 sq cm (List separately in addition to code for primary procedure)		-
	ncurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total bund(s) surface area less than or equal to 50 sq cm (List separately in addition to code for primary procedure) sertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and	x	1
	ncurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total bund(s) surface area less than or equal to 50 sq cm (List separately in addition to code for primary procedure) sertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and aluation and programming of sensing and therapeutic parameters; pulse generator and dual transvenous electrodes/leads (pacing	Х	1
eval	ncurrent optical and magnetic stimulation (COMS) therapy, wound assessment and dressing care; each additional application, total bund(s) surface area less than or equal to 50 sq cm (List separately in addition to code for primary procedure) sertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and	х	



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
ould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	nizations, injectable drugs,	•
)917T	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; single transvenous lead (pacing or defibrillation) only	х	-
	Insertion of permanent cardiac contractility modulation-defibrillation system component(s), including fluoroscopic guidance, and evaluation and programming of sensing and therapeutic parameters; dual transvenous leads (pacing and defibrillation) only	х	-
)919T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); pulse generator only	Х	-
	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous pacing lead only	Х	-
)921T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); single transvenous defibrillation lead only	Х	-
922T	Removal of a permanent cardiac contractility modulation-defibrillation system component(s); dual (pacing and defibrillation) transvenous leads only	Х	-
923T	Removal and replacement of permanent cardiac contractility modulation-defibrillation pulse generator only	Х	-
)924T	Repositioning of previously implanted cardiac contractility modulation-defibrillation transvenous electrode(s)/lead(s), including fluoroscopic guidance and programming of sensing and therapeutic parameters	Х	-
	Relocation of skin pocket for implanted cardiac contractility modulation-defibrillation pulse generator	Х	-
)926T	Programming device evaluation (in person) with iterative adjustment of the implantable device to test the function of the device and select optimal permanent programmed values with analysis, including review and report, implantable cardiac contractility modulation- defibrillation system	х	-
)927T	Interrogation device evaluation (in person) with analysis, review, and report, including connection, recording, and disconnection, per patient encounter, implantable cardiac contractility modulation-defibrillation system	Х	-
)928T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system with interim analysis and report(s) by a physician or other qualified health care professional	Х	-
)929T	Interrogation device evaluation (remote), up to 90 days, cardiac contractility modulation-defibrillation system, remote data acquisition(s), receipt of transmissions, technician review, technical support, and distribution of results	Х	-
	Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads, including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), at time of initial implantation or replacement with testing of cardiac contractility modulation-defibrillator pulse generator	Х	-
931T	Electrophysiologic evaluation of cardiac contractility modulation-defibrillator leads, including defibrillation-threshold evaluation (induction of arrhythmia, evaluation of sensing and therapy for arrhythmia termination), separate from initial implantation or replacement with testing of cardiac contractility modulation-defibrillator pulse generator	Х	-
	Noninvasive detection of heart failure derived from augmentative analysis of an echocardiogram that demonstrated preserved ejection fraction, with interpretation and report by a physician or other qualified health care professional	Х	-
933T	Transcatheter implantation of wireless left atrial pressure sensor for long-term left atrial pressure monitoring, including sensor calibration and deployment, right heart catheterization, transseptal puncture, imaging guidance, and radiological supervision and interpretation	х	-
934T	Remote monitoring of a wireless left atrial pressure sensor for up to 30 days, including data from daily uploads of left atrial pressure recordings, interpretation(s) and trend analysis, with adjustments to the diuretics plan, treatment paradigm thresholds, medications or lifestyle modifications, when performed, and report(s) by a physician or other qualified health care professional	х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
nould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications ar
	Cystourethroscopy with renal pelvic sympathetic denervation, radiofrequency ablation, retrograde ureteral approach, including insertion of guide wire, selective placement of ureteral sheath(s) and multiple conformable electrodes, contrast injection(s), and fluoroscopy, bilateral	х	-
)936T	Photobiomodulation therapy of retina, single session	Х	-
)941T	Cystourethroscopy, flexible; with insertion and expansion of prostatic urethral scaffold using integrated cystoscopic visualization	Х	-
)942T	Cystourethroscopy, flexible; with removal and replacement of prostatic urethral scaffold	Х	-
	Cystourethroscopy, flexible; with removal of prostatic urethral scaffold	Х	-
)944T	3D contour simulation of target liver lesion(s) and margin(s) for image-guided percutaneous microwave ablation	Х	-
0946T	Orthopedic implant movement analysis using paired computed tomography (CT) examination of the target structure, including data acquisition, data preparation and transmission, interpretation and report (including CT scan of the joint or extremity performed with paired views)	Х	-
)947T	Magnetic resonance image guided low intensity focused ultrasound (MRgFUS), stereotactic blood-brain barrier disruption using microbubble resonators to increase the concentration of blood-based biomarkers of target, intracranial, including stereotactic navigation and frame placement, when performed	Х	-
001U	Rbc dna hea 35 ag 11 bld grp whl bld cmn allel	-	Х
	Onc clrct quan 3 ur metabolites alg adnmts plp	-	Х
	Onc ovarian assay 5 proteins serum alg scor	-	Х
005U	Onco prst8 3 gene ur alg	-	Х
007U	Drug test(s), presumptive, with definitive confirmation of positive results, any number of drug classes, urine, includes specimen verification including dna authentication in	Х	-
	Helicobacter pylori detection and antibiotic resistance, dna, 16s and 23s rrna, gyra, pbp1, rdxa and rpob, next generation sequencing, formalin-fixed paraffin-embedded or fres	Х	-
	Oncology (breast cancer), erbb2 (her2) copy number by fish, tumor cells from formalin-fixed paraffin-embedded tissue isolated using image-based dielectrophoresis (dep) sorting	-	х
010U	Infectious disease (bacterial), strain typing by whole genome sequencing, phylogenetic-based report of strain relatedness, per submitted isolate	Х	-
011U	Prescription drug monitoring, evaluation of drugs present by lc-ms/ms, using oral fluid, reported as a comparison to an estimated steady- state range, per date of service inclu	х	-
012U	Germline disorders, gene rearrangement detection by whole genome next-generation sequencing, dna, whole blood, report of specific gene rearrangement(s)	-	х
013U	Oncology (solid organ neoplasia), gene rearrangement detection by whole genome next-generation sequencing, dna, fresh or frozen tissue or cells, report of specific gene rearra	-	х
014U	Hematology (hematolymphoid neoplasia), gene rearrangement detection by whole genome next-generation sequencing, dna, whole blood or bone marrow, report of specific gene rearra	-	х
018U	Oncology (thyroid), microrna profiling by rt-pcr of 10 microrna sequences, utilizing fine needle aspirate, algorithm reported as a positive or negative result for moderate to	-	х
	Oncology, rna, gene expression by whole transcriptome sequencing, formalin-fixed paraffin embedded tissue or fresh frozen tissue, predictive algorithm reported as potential	-	x
021U	Oncology (prostate), detection of 8 autoantibodies (arf 6, nkx3-1, 5¿-utr-bmi1, cep 164, 3¿-utr-ropporin, desmocollin, aurkaip-1, csnk2a2), multiplexed immunoassay and flow	-	х



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
isclaimer: nould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications a
)022U	Targeted genomic sequence analysis panel, non-small cell lung neoplasia, dna and rna analysis, 23 genes, interrogation for sequence		х
02411	variants and rearrangements, reported as pr Glyca nuc mr spectroscopy quantitative	- X	^
	Tenofovir liq chrom tandem mass spect ur quan	X	
	Onc thyr dna&mrna 112 genes fna ndul alg alys	-	Х
	Rx metab advrs rx rxn & rspse trgt seq alys	-	X
	Rx metab warfarin rx response trgt seq alys	-	Х
	Comt gene analysis c.472g>a variant	-	Х
033U	Htr2a htr2c gene analysis common variants	-	Х
)035U	Neurology (prion disease), cerebrospinal fluid, detection of prion protein by quaking-induced conformational conversion, qualitative	Х	-
036U	Exome (i.e., somatic mutations), paired formalin-fixed paraffin-embedded tumor tissue and normal specimen, sequence analyses	-	х
	Trgt gen seq alys sld orgn neo dna 324 genes	-	Х
038U	Vitamin d, 25 hydroxy d2 and d3, by lc-ms/ms, serum microsample, quantitative	Х	-
	Deoxyribonucleic acid (dna) antibody, double stranded, high avidity	Х	-
	Bcr/abl1 (t (9;22)) (e.g., chronic myelogenous leukemia) translocation analysis, major breakpoint, quantitative	-	Х
	Onc brst dux carc is mrna 12 genes alg rsk scor	-	Х
046U	Flt3 (fms-related tyrosine kinase 3) (eg, acute myeloid leukemia) internal tandem duplication (itd) variants, quantitative	-	Х
	Onc prst8 mrna gen xprs prfl 17 gen alg rsk scor	-	X
	Onc sld org neo dna 468 cancer associated genes	-	Х
)050U	Targeted genomic sequence analysis panel, acute myelogenous leukemia, dna analysis, 194 genes, interrogation for sequence		V
05011	variants, copy number variants or rearrangements	- V	Х
	Lpoprtn bld w/5 maj class auto prfl ucentrfugtn	Х	-
10530	Oncology (prostate cancer), fish analysis of 4 genes (asap1, hdac9, chd1 and pten), needle biopsy specimen, algorithm reported as probability of higher tumor grade	v	
05411	Rx mntr 14+ class drugs & sbsts capillary blood	X	-
	Cardiology (heart transplant), cell-free dna, pcr assay of 96 dna target sequences (94 single nucleotide polymorphism targets and two	Λ	-
0550	control targets), plasma	-	x
056U	Hem aml dna gene rearrangement blood/bone marrow	-	X
	Oncology (merkel cell carcinoma), detection of antibodies to the merkel cell polyoma virus oncoprotein (small t antigen), serum, quantitative		X
059U	Oncology (merkel cell carcinoma), detection of antibodies to the merkel cell polyoma virus capsid protein (vp1), serum, reported as positive or negative		x
06011	Twin zygosity, genomic targeted sequence analysis of chromosome 2, using circulating cell-free fetal dna in maternal blood	Х	-
	Tc meas 5 biomarkers w/sfdi multi-spectral alys	X	-
	Cyp2d6 gen com&slct rar vrnt	-	Х
	Cyp2d6 full gene sequence	-	Х
	Cyp2d6 gen cyp2d6-2d7 hybrid	-	Х
073U	Cyp2d6 gen cyp2d7-2d6 hybrid	-	Х
074U	Cyp2d6 nonduplicated gene	-	Х
075U	Cyp2d6 5' gene dup/mlt	-	Х



As of: 12/19/24

_			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuni directed to the Pharmacy link option within the website.	zations, injectable drugs,	or specialty medications a	
	Cyp2d6 3' gene dup/mlt	-	Х	
	Pain mgt opi use gnotyp pnl	Х	-	
)079U	Comparative dna analysis using multiple selected single-nucleotide polymorphisms (snps), urine and buccal dna, for specimen identity verification	-	x	
080U	Onc Ing 5 clin rsk factr alg	-	Х	
082U	Rx test def 90+ rx/sbsts ur	Х	-	
083U	Onc rspse chemo cntrst tomog	-	Х	
084U	Red blood cell antigen typing, dna, genotyping of 10 blood groups with phenotype prediction of 37 red blood cell antigens	Х	-	
086U	Infectious disease (bacterial and fungal), organism identification, blood culture, using rrna fish, 6 or more organism targets, reported as positive or negative with phenotypi	Х	-	
087U	Cardiology (heart transplant), mrna gene expression profiling by microarray of 1283 genes, transplant biopsy tissue, allograft rejection and injury algorithm reported as a pro	-	х	
088U	Transplantation medicine (kidney allograft rejection), microarray gene expression profiling of 1494 genes, utilizing transplant biopsy tissue, algorithm reported as a probabil	-	х	
089U	Oncology (melanoma), gene expression profiling by rtqpcr, prame and linc00518, superficial collection using adhesive patch(es)	-	х	
090U	Oncology (cutaneous melanoma), mrna gene expression profiling by rt-pcr of 23 genes (14 content and 9 housekeeping), utilizing formalin-fixed paraffin-embedded tissue, algorit	-	x	
091U	Oncology (colorectal) screening, cell enumeration of circulating tumor cells, utilizing whole blood, algorithm, for the presence of adenoma or cancer, reported as a positive o	-	х	
)092U	Oncology (lung), three protein biomarkers, immunoassay using magnetic nanosensor technology, plasma, algorithm reported as risk score for likelihood of malignancy	-	х	
093U	Prescription drug monitoring, evaluation of 65 common drugs by lc-ms/ms, urine, each drug reported detected or not detected	Х	-	
094U	Genome (eg, unexplained constitutional or heritable disorder or syndrome), rapid sequence analysis	-	Х	
095U	Inflammation (eosinophilic esophagitis), elisa analysis of eotaxin-3 (ccl26 [c-c motif chemokine ligand 26]) and major basic protein (prg2 [proteoglycan 2, pro eosinophil majo	Х	-	
097U	Gastrointestinal pathogen, multiplex reverse transcription and multiplex amplified probe technique, multiple types or subtypes, 22 targets (campylobacter [c. jejuni/c. coli/c.	Х	-	
101U	Hereditary colon cancer disorders (eg, lynch syndrome, pten hamartoma syndrome, cowden syndrome, familial adenomatosis polyposis), genomic sequence analysis panel utilizing a	-	х	
102U	Hereditary breast cancer-related disorders (eg, hereditary breast cancer, hereditary ovarian cancer, hereditary endometrial cancer), genomic sequence analysis panel utilizing	-	х	
103U	Hereditary ovarian cancer (eg, hereditary ovarian cancer, hereditary endometrial cancer), genomic sequence analysis panel utilizing a combination of ngs, sanger, mlpa, and arr	-	х	
105U	Neph ckd mult eclia tum nec	Х	-	
	C diff tox ag detcj ia stool	X	-	
	Gi barrett esoph 9 prtn bmrk	-	Х	
	Id aspergillus dna 4 species	Х	-	
	Rx mntr 1+oral onc rx&sbsts	Х	-	
	ladi 16s&18s rrna genes	Х	-	
	Onc prst8 pca3&tmprss2- erg	-	Х	



As of: 12/19/24

	Small Employer			
Codes Description	Not Covere	d Preauthorization Required		
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quar should be directed to the Pharmacy link option within the website.	rterly. Additionally, these coding lists do not reflect information regarding immunizations, injectable of	lrugs, or specialty medications and		
0114U Gi barretts esoph vim&ccna1		Х		
0115U Respir jadna 18 viral&2 bact	Х	-		
0116U Rx mntr nzm ia 35+oral flu	Х	-		
0117U Pain mgmt 11 endogenous anal	Х	-		
0118U Trnsplj don-drv cll-fr dna	-	Х		
0119U Crd ceramides liq chrom plsm	X	-		
0120U Onc b cll lymphm mrna 58 gen	-	Х		
0121U Sc dis vcam-1 whole blood	X	-		
0122U Sc dis p-selectin whl blood	X	-		
0123U Mchnl fragility rbc prflg	X	-		
0129U Hered brst ca rltd do panel	-	X		
0130U Hered colon ca do mrna pnl	-	X		
0131U Hered brst ca rltd do pnl 13	-	X		
0132U Hered ova ca ritd do pnl 17 0133U Hered prst8 ca ritd do 11		X X		
01330 Hered pisto ca nito do 11 0134U Hered pan ca mrna pnl 18 gen		× ×		
0135U Hered gyn ca mrna pril 12 gen		X		
01350 Atm mrna seg alys		X X		
0137U Palb2 mrna seq alys		X		
0138U Brca1 brca2 mrna seq alys		X		
0140U Nfct ds fungi dna 15 trgt	X	-		
0141U Nfct ds bact&fng gram pos	X	-		
0142U Nfct ds bact&fng gram neg	X	-		
0143U Drug assay 120+ rx/metablt	X	-		
0144U Drug assay 160+ rx/metablt	Х	-		
0145U Drug assay 65+ rx/metablt	Х	-		
0146U Drug assay 80+ rx/metablt	Х	-		
0147U Drug assay 85+ rx/metablt	Х	-		
0148U Drug assay 100+ rx/metablt	Х	-		
0149U Drug assay 60+ rx/metablt	Х	-		
0150U Drug assay 120+ rx/metablt	Х	-		
0152U Nfct bct fng prst dna >1000	X	-		
0153U Onc breast mrna 101 genes	-	Х		
0154U Fgfr3 gene analysis	-	Х		
0155U Pik3ca gene analysis	-	Х		
0156U Copy number sequence alys	X	-		
0157U Apc mrna seq alys	-	X		
0158U Mlh1 mrna seq alys	-	X		
0159U Msh2 mrna seq alys	-	X		
0160U Msh6 mrna seq alys	-	X		
0161U Pms2 mrna seq alys		X		
0162U Hered colon ca trgt mrna pnl	-	Х		



As of: 12/19/24

	Small Employer		
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding li should be directed to the Pharmacy link option within the website.	lists do not reflect information regarding immunizations, injectable drugs,		
0163U Onc circt scr 3 prtn alg	-	Х	
0164U Gi ibs ja anticdtb&vinculin	Х	-	
0165U Peanut allg spec asmt 64 epi	Х	-	
0166U Liver ds 10 biochem asy srm	Х	-	
0168U Ftl aneuploidy dna seq alys	-	Х	
0170U Neuro asd rna next gen seq	Х	-	
0171U Trgt gen seq alys pnl dna 23	-	Х	
0172U Onc sld tum alys brca1 brca2	-	Х	
0173U Psyc gen alys panel 14 genes	Х	-	
0174U Onc solid tumor 30 prtn trgt	-	X	
0175U Psyc gen alys panel 15 genes	- X	X	
0176U Cdtb&vinculin igg antb ia 0177U Onc brst ca dna pik3ca 11	<u>^</u>	X	
01770 Peanut allg asmt epi clin rx	X	-	
0179U Onc nonsm cll Ing ca alys 23	-	Х	
0180U Abo gnotyp abo 7 exons	X	-	
0181U Co gnotyp agp1 exon 1	X	-	
0182U Crom gnotyp cd55 exons 1-10	Х	-	
0183U Di gnotyp slc4a1 exon 19	Х	-	
0184U Do gnotyp art4 exon 2	Х	-	
0185U Fut1 gnotyp fut1 exon 4	Х	-	
0186U Fut2 gnotyp fut2 exon 2	Х	-	
0187U Fy gnotyp ackr1 exons 1-2	Х Х	-	
0188U Ge gnotyp gypc exons 1-4	Х	-	
0189U Gypa gnotyp ntrns 1 5 exon 2	X	-	
0190U Gypb gnotyp ntrns 1 5 seux 3	X	-	
0191U In gnotyp cd44 exons 2 3 6	X	-	
0192U Jk gnotyp slc14a1 exon 9	X	-	
0193U Jr gnotyp abcg2 exons 2-26	X X	-	
0194U Kel gnotyp kel exon 8 0195U Klf1 targeted sequencing	^ X	-	
01950 Kii raigeted sequencing 01960 Lu gnotyp bcam exon 3	^ X	-	
01900 Lu gnotyp icam4 exon 1	X	-	
01980 Rhd&rhce gntyp rhd1-10&rhce5	X	-	
0199U Sc gnotyp ermap exons 4 12	X	-	
0200U Xk gnotyp xk exons 1-3	X	-	
0201U Yt gnotyp ache exon 2	X	-	
0203U Ai ibd mrna xprsn prfl 17	Х	-	
0204U Onc thyr mrna xprsn alys 593	-	Х	
0205U Oph amd alys 3 gene variants	Х	-	
0206U Neuro alzheimer cell aggregj	Х	-	
0207U Neuro alzheimer quan imaging	Х	-	



As of: 12/19/24

-			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	inizations, injectable drugs,	or specialty medications a	
	Cytog const alys interrog	-	X	
	Syphilis tst antb ia quan	Х	-	
	Onc pan-tum dna&rna gnrj seg	-	Х	
	Rare ds gen dna alys proband	-	Х	
	Rare ds gen dna alys ea comp	-	Х	
	Rare ds xom dna alys proband	-	Х	
	Rare ds xom dna alys ea comp	-	Х	
	Neuro inh ataxia dna 12 com	-	Х	
	Neuro inh ataxia dna 51 gene	-	Х	
	Neuro musc dys dmd seq alys	-	Х	
	Nfct agt hiv gnrj seq alys	Х	-	
	Onc brst ca ai assmt 12 feat	-	Х	
	Abo gnotyp next gnrj seq abo	X	-	
	Rhd&rhce gntyp next gnrj seq	X	-	
	Rx asy prsmv 30+rx/metablt	X -	- X	
	Onc prst8 ma molec prfl alg Bcat1 promoter mthyltn alys	-	X	
	Ar full sequence analysis	-	X	
	Cacna1a full gene analysis		X	
	Cstb full gene analysis	-	X	
	Fxn gene analysis	-	X	
	Pten full gene analysis	-	X	
	Car ion chnlpthy gen seq pnl	-	X	
238U	Onc Inch syn gen dna seq aly	-	X	
	Trgt gen seq alys pnl 311+	-	Х	
	Targeted genomic sequence analysis panel, solid organ neoplasm, cell-free circulating dna analysis of 55-74 genes, interrogation for			
	sequence variants, gene copy number amplifications, and gene rearrangements	-	Х	
243U	Obstetrics (preeclampsia), biochemical assay of placental-growth factor, time-resolved fluorescence immunoassay, maternal serum,			
	predictive algorithm reported as a risk score for preeclampsia	Х	-	
244U	Oncology (solid organ), dna, comprehensive genomic profiling, 257 genes, interrogation for single-nucleotide variants,			
	insertions/deletions, copy number alterations, gene rearrangements, tumor-mutational burden and microsatellite instability, utilizing			
	formalin-fixed paraffinembedded tumor tissue	-	Х	
245U	Oncology (thyroid), mutation analysis of 10 genes and 37 rna fusions and expression of 4 mrna markers using next-generation			
	sequencing, fine needle aspirate, report includes associated risk of malignancy expressed as a percentage	-	Х	
246U	Red blood cell antigen typing, dna, genotyping of at least 16 blood groups with phenotype prediction of at least 51 red blood cell			
0.4=1.1		Х	-	
247U	Obstetrics (preterm birth), insulin-like growth factor-binding protein 4 (ibp4), sex hormone- binding globulin (shbg), quantitative			
	measurement by Ic-ms/ms, utilizing maternal serum, combined with clinical data, reported as predictive-risk stratification for	V		
04011	spontaneous preterm birth	Х	- V	
	Onc brn sphrd cll 12 rx pnl	-	X	
	Onc brst alys 32 phsprtn alg Onc sld org neo dna 505 gene	-	X X	



As of: 12/19/24

		Small Employ	yer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may va should be directed to the Pharmacy link option	ary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information	n regarding immunizations, injectable drugs,	or specialty medications an	
0251U Hepcidin-25 elisa serun		Х	-	
0252U Ftl aneuploidy str alys c		-	Х	
0253U Rprdtve med rna gen p		-	Х	
0254U Reprdtve med alys 24 c	chrmsm	-	Х	
0255U Andrology infertility ass		Х	-	
0256U Tma/tmao prfl ms/ms u		X	-	
0257U Vlcad leuk nzm actv wh		X	-	
0258U Ai psor mrna 50-100 ge		X	-	
0259U Neph ckd nuc mrs mea		Х	-	
0260U Rare ds id opt genome		-	X	
0261U Onc clrct ca img alys w		-	X	
0262U Onc sld tum rtpcr 7 gen			X	
0263U Neuro asd meas 16 c n		-	- X	
0264U Rare ds id opt genome 0265U Rar do whl gn&mtcdrl d			X	
0266U Unxpl cnst hrtbl do gn x			X	
0267U Rare do id opt gen map			X	
0269U Hem aut dm cgen trmb			X	
0270U Hem cgen coagj do 20			X	
0271U Hem cgen neutropenia			X	
0272U Hem genetic bld do 51			X	
0273U Hem gen hyprfibrnlysis		-	X	
0274U Hem gen pltlt do 43 ger		-	Х	
0275U Hem heprn nduc trmbc		Х	-	
0276U Hem inh thrombocytope		-	Х	
0277U Hem gen pltlt funcj do 3	31	-	Х	
0278U Hem gen thrombosis 12	2 genes	-	Х	
0279U Hem vw factor&clgn iii l	ondg	Х	-	
0280U Hem vw factor&clgn iv l		Х	-	
0281U Hem vwd propeptide ag		Х	-	
0282U Rbc dna gntyp 12 bld g		Х	-	
0283U Vw factor type 2b eval		Х	-	
0284U Vw factor type 2n eval		Х	-	
0285U Onc rsps radj cll fr dna		-	Х	
0287U Onc thyr dna&mrna 112		-	Х	
0288U Onc lung mrna quan po		-	Х	
0289U Neuro alzheimer mrna 2		X	-	
0290U Pain mgmt mrna gen xp		X	-	
0291U Psyc mood do mrna 14		X	-	
0292U Psyc strs do mrna 72 g		X	-	
0293U Psyc suicidal idea mrna		X	-	
294U Lngvty&mrtlty rsk mrna	18gen	Х	-	



As of: 12/19/24

	Small Employee	
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect info should be directed to the Pharmacy link option within the website.	ormation regarding immunizations, injectable drugs,	
0295U Onc brst dux carc 7 proteins	-	X
0296U Onc orl&/orop ca 20 mlc feat	-	X
0297U Onc pan tum whi gen seg dna	-	Х
0298U Onc pan tum whi trns seq rna	-	Х
0299U Onc pan tum whl gen opt mapg	-	Х
0300U Onc pan tum whl gen seq&opt	-	Х
0301U Adna bartonella ddpcr	X	-
0302U Adna brtnla ddpcr flwg liq	X	-
0303U Hem rbc ads whi bld hypoxic	X	-
0304U Hem rbc ads whi bld normoxic	X X	-
0305U Hem rbc fnclty&dfrm shr strs 0306U Onc mrd nxt-gnrj alys 1st	A	X
0307U Onc mrd nxt-gnrj alys fst		X
0308U Crd cad alys 3 prtn plsm alg	X	-
0309U Crd cv ds aly 4 prtn plm alg	X	-
0310U Ped vsclts kd alys 3 bmrks	X	-
0311U Nfct ds bct quan antmcrb sc	X	-
0312U Ai ds sle alys 8 igg autoant	Х	-
0313U Onc pncrs dna&mrna seq 74	-	Х
0314U Onc cutan mInma mrna 35 gene	-	Х
0315U Onc cutan sq cll ca mrna 40	-	Х
0316U B brgdrferi lyme ds ospa evl	Х	-
0317U Onc lung ca 4-prb fish assay	-	Х
0318U Ped whl gen mthyltn alys 50+	-	Х
0319U Neph rna pretrnspl perph bld	-	X
0320U Neph rna psttrnspl perph bld	-	Х
0321U ladna gu pthgn 20bct&fng org	X	-
0322U Neuro asd meas 14 acyl carn	X X	-
0323U ladna cns pthgn next gen seq 0324U Onc ovar sphrd cell 4 rx pnl	^	-
0325U Onc ovar sphrd cell parp	^	-
03260 Trgt gen seq alys pnl 83+	~	X
0328U Drug assay 120+ rx&metablt	X	-
0329U Onc neo xome&trns seg alvs		Х
0330U ladna vag pthgn panel 27 org	Х	-
0331U Onc hl neo opt gen mapping	-	Х
0332U Onc pan tum gen prflg 8 dna	-	Х
0333U Onc lvr surveilanc hcc cfdna	-	Х
0334U Onc sld orgn tgsa dna 84/+	-	Х
0335U Rare ds whilgen seq fetal	-	Х
0336U Rare ds whl gen seq bld/slv	-	Х
0337U Onc plsm cell do & myeloma id	-	Х



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
	Onc sld tum crcg tum cl slct	-	Х
	Onc prst8 mrna hoxc6 & dlx1	-	X
	Onc pan ca alys mrd plasma	-	X
	Ftl aneup dna seq cmpr alys	-	X
	Onc pncrtc ca mult ia eclia	-	X
	Onc prst8 xom aly 442 sncrna	-	X
	Hep nafld semiq evi 28 lipid	Х	-
	Psyc genom alys pnl 15 gen	Х	-
	Beta amyl aβ40 & aβ42 lc-ms/ms	Х	-
	Rx metab/pcx dna 16 gen alys	Х	-
	Rx metab/pcx dna 25 gen alys	Х	-
	Rx metab/pcx dna 27gen rx ia	Х	-
	Rx metab/pcx dna 27 gen alys	Х	-
	Nfct ds bct/viral trail ip10	Х	-
	Hpv hi rsk qual mrna e6/e7	Х	-
	Apol1 (apolipoprotein I1) (eg, chronic kidney disease), risk variants (g1, g2)	Х	-
	Oncology (oropharyngeal), evaluation of 17 dna biomarkers using droplet digital pcr (ddpcr), cell-free dna, algorithm reported as a		
	prognostic risk score for cancer recurrence	-	Х
357U	Oncology (melanoma), artificial intelligence (ai)-enabled quantitative mass spectrometry analysis of 142 unique pairs of glycopeptide		
	and product fragments, plasma, prognostic, and predictive algorithm reported as likely, unlikely, or uncertain benefit from		
	Immunotherapy agents	Х	-
358U	Neurology (mild cognitive impairment), analysis of β -amyloid 1-42 and 1-40, chemiluminescence enzyme immunoassay, cerebral spinal		
	fluid, reported as positive, likely positive, or negative	Х	-
359U	Oncology (prostate cancer), analysis of all prostate-specific antigen (psa) structural isoforms by phase separation and immunoassay,		
	plasma, algorithm reports risk of cancer	Х	-
360U	Oncology (lung), enzyme-linked immunosorbent assay (elisa) of 7 autoantibodies (p53, ny-eso-1, cage, gbu4-5, sox2, mage a4, and		
	hud), plasma, algorithm reported as a categorical result for risk of malignancy	-	Х
361U	Neurofilament light chain, digital immunoassay, plasma, quantitative	Х	-
362U	Oncology (papillary thyroid cancer), gene-expression profiling via targeted hybrid capture-enrichment rna sequencing of 82 content		
	genes and 10 housekeeping genes, formalin-fixed paraffin embedded (ffpe) tissue, algorithm reported as one of three molecular		
	subtypes	-	Х
363U	Oncology (urothelial), mrna, geneexpression profiling by real-time quantitative pcr of 5 genes (mdk, hoxa13, cdc2 [cdk1], igfbp5, and		
	cxcr2), utilizing urine, algorithm incorporates age, sex, smoking history, and macrohematuria frequency, reported as a risk score for		
	having urothelial carcinoma	-	Х
364U	Oncology (hematolymphoid neoplasm), genomic sequence analysis using multiplex (pcr) and next-generation sequencing with		
	algorithm, quantification of dominant clonal sequence(s), reported as presence or absence of minimal residual disease (mrd) with		
	quantitation of disease burden, when appropriate	-	Х
365U	Oncology (bladder), analysis of 10 protein biomarkers (a1at, ang, apoe, ca9, il8, mmp9, mmp10, pai1, sdc1 and vegfa) by		1
	immunoassays, urine, algorithm reported as a probability of bladder cancer	-	Х
366U	Oncology (bladder), analysis of 10 protein biomarkers (a1at, ang, apoe, ca9, il8, mmp9, mmp10, pai1, sdc1 and vegfa) by		
	immunoassays, urine, algorithm reported as a probability of recurrent bladder cancer	-	Х



As of: 12/19/24

)367U C ir fc)368U C n	Description lease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunected to the Pharmacy link option within the website. Oncology (bladder), analysis of 10 protein biomarkers (a1at, ang, apoe, ca9, il8, mmp9, mmp10, pai1, sdc1 and vegfa) by mmunoassays, urine, diagnostic algorithm reported as a risk score for probability of rapid recurrence of recurrent or persistent cancer	Not Covered	Preauthorization Required or specialty medications and
)367U C ir fc)368U C n	ected to the Pharmacy link option within the website. Dncology (bladder), analysis of 10 protein biomarkers (a1at, ang, apoe, ca9, il8, mmp9, mmp10, pai1, sdc1 and vegfa) by	izations, injectable drugs, o	•
ir fc)368U C n			
fc)368U C m	mmunoassays, urine, diagnostic algorithm reported as a risk score for probability of rapid recurrence of recurrent or persistent cancer		
)368U C m			
n	ollowing transurethral resection	-	Х
	Dncology (colorectal cancer), evaluation for mutations of apc, braf, ctnnb1, kras, nras, pik3ca, smad4, and tp53, and methylation		
	narkers (myo1g, kcnq5, c9orf50, fli1, clip4, znf132 and twist1), multiplex quantitative polymerase chain reaction (qpcr), circulating cell-		
	ree dna (cfdna), plasma, report of risk score for advanced adenoma or colorectal cancer	Х	-
	nfectious agent detection by nucleic acid (dna and rna), gastrointestinal pathogens, 31 bacterial, viral, and parasitic organisms and		
	dentification of 21 associated antibiotic-resistance genes, multiplex amplified probe technique	Х	-
)370U Ir	nfectious agent detection by nucleic acid (dna and rna), surgical wound pathogens, 34 microorganisms and identification of 21		
	associated antibioticresistance genes, multiplex amplified probe technique, wound swab	Х	-
	nfectious agent detection by nucleic acid (dna or rna), genitourinary pathogen, semiquantitative identification, dna from 16 bacterial		
0	organisms and 1 fungal organism, multiplex amplified probe technique via quantitative polymerase chain reaction (qpcr), urine		
		Х	-
	nfectious disease (genitourinary pathogens), antibiotic-resistance gene detection, multiplex amplified probe technique, urine, reported		
	as an antimicrobial stewardship risk score	Х	-
	nfectious agent detection by nucleic acid (dna and rna), respiratory tract infection, 17 bacteria, 8 fungus, 13 virus, and 16 antibiotic-		
	esistance genes, multiplex amplified probe technique, upper or lower respiratory specimen	Х	-
	nfectious agent detection by nucleic acid (dna or rna), genitourinary pathogens, identification of 21 bacterial and fungal organisms and		
	dentification of 21 associated antibiotic-resistance genes, multiplex amplified probe technique, urine	Х	-
	Dncology (ovarian), biochemical assays of 7 proteins (follicle stimulating hormone, human epididymis protein 4, apolipoprotein a-1,		
	ransferrin, beta-2 macroglobulin, prealbumin [ie, transthyretin], and cancer antigen 125), algorithm reported as ovarian cancer risk		
	score	-	Х
	Dncology (prostate cancer), image analysis of at least 128 histologic features and clinical factors, prognostic algorithm determining the		
	isk of distant metastases, and prostate cancerspecific mortality, includes predictive algorithm to androgen deprivationtherapy		
	esponse, if appropriate	-	Х
	Cardiovascular disease, quantification of advanced serum or plasma lipoprotein profile, by nuclear magnetic resonance (nmr)		
	spectrometry with report of a lipoprotein profile (including	X	
	23 variables)	Х	-
	Rfc1 (replication factor c subunit 1), repeat expansion variant analysis by traditional and repeat-primed pcr, blood, saliva, or buccal	X	
	swab	Х	-
	Targeted genomic sequence analysis panel, solid organ neoplasm, dna (523 genes) and rna (55 genes) by nextgeneration sequencing,		
	nterrogation for sequence variants, gene copy number amplifications, gene rearrangements, microsatellite instability, and tumor		N N
	nutational burden	-	Х
	Drug metabolism (adverse drug reactions and drug response), targeted sequence analysis, 20 gene variants and cyp2d6 deletion or	V	
	duplication analysis with reported genotype and phenotype	Х	-
	Maple syrup urine disease monitoring by patient-collected blood card sample, quantitative measurement of alloisoleucine, leucine,	V	
	soleucine, and valine, liquid chromatography with tandem mass spectrometry (lcms/ms)	Х	-
	Hyperphenylalaninemia monitoring by patient-collected blood card sample, quantitative measurement of phenylalanine and tyrosine,	V	
	iquid chromatography with tandem mass spectrometry (Ic-ms/ms)	Х	-
	Fyrosinemia type i monitoring by patient-collected blood card sample, quantitative measurement of tyrosine, phenylalanine, methionine, succinylacetone, nitisinone, liquid chromatography with tandem mass spectrometry (lc-ms/ms)	х	



As of: 12/19/24

		Small Employer and Individua	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
0384U	Nephrology (chronic kidney disease), carboxymethyllysine, methylglyoxal hydroimidazolone, and carboxyethyl lysine by liquid chromatography with tandem mass spectrometry (lcms/ms) and hba1c and estimated glomerular filtration rate (gfr), with risk score		
	reported for predictive progression to high-stage kidney disease	Х	-
)385U	Nephrology (chronic kidney disease), apolipoprotein a4 (apoa4), cd5 antigen-like (cd5l), and insulin-like growth factor binding protein 3		
	(igfbp3) by enzyme-linked immunoassay (elisa), plasma, algorithm combining results with hdl, estimated glomerular filtration rate (gfr) and clinical data reported as a risk score for developing diabetic kidney disease	х	_
	Gastroenterology (barrett's esophagus), p16, runx3, hpp1, and fbn1 methylation analysis, prognostic and predictive algorithm reported	Χ	
	as a risk score for progression to high-grade dysplasia or esophageal cancer	Х	-
)387U	Oncology (melanoma), autophagy and beclin 1 regulator 1 (ambra1) and loricrin (amlo) by immunohistochemistry, formalinfixed paraffin-		
	embedded (ffpe) tissue, report for risk of progression	-	Х
)388U	Oncology (non-small cell lung cancer), next-generation sequencing with identification of single nucleotide variants, copy number variants, insertions and deletions, and structural variants in 37 cancer-related genes, plasma, with report for alteration detection		
	variants, insertions and deletions, and structural variants in 37 cancer-related genes, plasma, with report for alteration detection	-	х
)389U	Pediatric febrile illness (kawasaki disease [kd]), interferon alphainducible protein 27 (ifi27) and mast cell-expressed membrane protein 1		
	(mcemp1), rna, using		
	reverse transcription polymerase chain reaction (rt-qpcr), blood, reported as a risk score for kd	Х	-
390U	Obstetrics (preeclampsia), kinase insert domain receptor (kdr), endoglin (eng), and retinol-binding protein 4 (rbp4), by immunoassay,		
	serum, algorithm reported as a risk score	Х	-
)391U	Oncology (solid tumor), dna and rna by next-generation sequencing, utilizing formalin-fixed paraffin-embedded (ffpe) tissue, 437 genes,		
	interpretive report for single nucleotide variants, splicesite variants, insertions/deletions, copy number alterations, gene fusions, tumor mutational burden, and		
	microsatellite instability, with algorithm quantifying immunotherapy response score	-	x
392U	Drug metabolism (depression, anxiety, attention deficit hyperactivity disorder [adhd]), gene-drug interactions, variant analysis of 16		
	genes, including deletion/duplication analysis of cyp2d6, reported as impact of gene-drug interaction for each drug	-	Х
	Neurology (eg, parkinson disease, dementia with lewy bodies), cerebrospinal fluid (csf), detection of misfolded α-synuclein protein by		
	seed amplification assay, qualitative	Х	-
)394U	Perfluoroalkyl substances (pfas) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 16 pfas compounds by liquid	X	
00511	chromatography with tandem mass spectrometry (lc-ms/ms), plasma or serum, quantitative	Х	-
13950	Oncology (lung), multi-omics (microbial dna by shotgun nextgeneration sequencing and carcinoembryonic antigen and osteopontin by immunoassay), plasma, algorithm reported as malignancy risk for lung nodules in early-stage disease	_	х
3961	Obstetrics (pre-implantation genetic testing), evaluation of 300000 dna single-nucleotide polymorphisms (snps) by microarray,		~
	embryonic tissue, algorithm reported as a probability for single-gene germline conditions	Х	-
397U	Oncology (non-small cell lung cancer), cell-free dna from plasma, targeted sequence analysis of at least 109 genes, including		
	sequence variants, substitutions, insertions, deletions, select rearrangements, and copy number variations	Х	-
398U	Gastroenterology (barrett esophagus), p16, runx3, hpp1, and fbn1 dna methylation analysis using pcr, formalin-fixed paraffin-embedded		
0.001	(ffpe) tissue, algorithm reported as risk score for progression to high-grade dysplasia or cancer	Х	-
	Neurology (cerebral folate deficiency), serum, detection of anti-human folate receptor iggbinding antibody and blocking autoantibodies		
	by enzyme-linked immunoassay (elisa), qualitative, and blocking autoantibodies, using a functional blocking assay for igg or igm,	х	_
40011	quantitative, reported as positive or not detected Obstetrics (expanded carrier screening), 145 genes by nextgeneration sequencing, fragment analysis and multiplex ligationdependent	^	-
	probe amplification, dna, reported as carrier positive or negative	-	х



As of: 12/19/24

		Small Employer and Individ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuni irected to the Pharmacy link option within the website.	zations, injectable drugs,	
)401U	Cardiology (coronary heart disease [cad]), 9 genes (12 variants), targeted variant genotyping, blood, saliva, or buccal swab, algorithm reported as a genetic risk score for a coronary event	Х	-
)403U	Oncology (prostate), mrna, gene expression profiling of 18 genes, first-catch post-digital rectal examination urine (or processed first- catch urine), algorithm reported as percentage of likelihood of detecting clinically significant prostate cancer	-	х
404U	Oncology (breast), semiquantitative measurement of thymidine kinase activity by immunoassay, serum, results reported as risk of disease progression	-	x
405U	Oncology (pancreatic), 59 methylation haplotype block markers, next-generation sequencing, plasma, reported as cancer signal detected or not detected	_	X
406U	Oncology (lung), flow cytometry, sputum, 5 markers (meso-tetra [4- carboxyphenyl] porphyrin [tcpp], cd206, cd66b, cd3, cd19), algorithm reported as likelihood of lung cancer	_	X
	Nephrology (diabetic chronic kidney disease [ckd]), multiplex electrochemiluminescent immunoassay (eclia) of soluble tumor necrosis factor receptor 1 (stnfr1), soluble tumor necrosis receptor 2 (stnfr2), and kidney injury molecule 1 (kim-1) combined with clinical data,		
	plasma, algorithm reported as risk for progressive decline in kidney function	Х	-
	Infectious agent antigen detection by bulk acoustic wave biosensor immunoassay, severe acute respiratory syndrome coronavirus 2 (sars-cov-2) (coronavirus disease [covid-19])	Х	-
409U	Oncology (solid tumor), dna (80 genes) and rna (36 genes), by next-generation sequencing from plasma, including single nucleotide variants, insertions/deletions, copy number alterations, microsatellite instability, and fusions, report showing identified mutations with clinical actionability	_	x
)410U	Oncology (pancreatic), dna, whole genome sequencing with 5-hydroxymethylcytosine enrichment, whole blood or plasma, algorithm reported as cancer detected or not detected	-	х
	Psychiatry (eg, depression, anxiety, attention deficit hyperactivity disorder [adhd]), genomic analysis panel, variant analysis of 15 genes, including deletion/duplication analysis of cyp2d6 (for additional pla code with identical clinical descriptor, see 0345u. see appendix o to determine appropriate code assignment)	Х	-
412U	Beta amyloid, aβ42/40 ratio, immunoprecipitation with quantitation by liquid chromatography with tandem mass spectrometry (lc-ms/ms) and qualitative apoe isoformspecific proteotyping, plasma combined with age, algorithm reported as presence or absence of brain amyloid pathology	Х	-
413U	Oncology (hematolymphoid neoplasm), optical genome mapping for copy number alterations, aneuploidy, and balanced/complex structural rearrangements, dna from blood or bone marrow, report of clinically significant alterations	-	х
414U	Oncology (lung), augmentative algorithmic analysis of digitized whole slide imaging for 8 genes (alk, braf, egfr, erbb2, met, ntrk1-3, ret, ros1), and kras g12c and pd-l1, if performed, formalin-fixed paraffinembedded (ffpe) tissue, reported as positive or negative for each biomarker	_	x
415U	Cardiovascular disease (acute coronary syndrome [acs]), il-16, fas, fasligand, hgf, ctack, eotaxin, and mcp-3 by immunoassay combined with age, sex, family history, and personal history of diabetes, blood, algorithm reported as a 5-year (deleted risk) score for acs	Х	_
416U	Infectious agent detection by nucleic acid (dna), genitourinary pathogens, identification of 20 bacterial and fungal organisms, including identification of 20 associated antibiotic-resistance genes, if performed, multiplex amplified probe technique, urine	X	
	Rare diseases (constitutional/heritable disorders), whole mitochondrial genome sequence with heteroplasmy detection and deletion analysis, nuclear-encoded mitochondrial gene analysis of 335 nuclear genes, including sequence changes, deletions, insertions, and copy number variants analysis, blood or saliva, identification and categorization of mitochondrial disorder–associated genetic variants		
418U	Oncology (breast), augmentative algorithmic analysis of digitized whole slide imaging of 8 histologic and immunohistochemical features, reported as a recurrence score	X	x



As of: 12/19/24

		Small Employer and Individu	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
hould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
	Neuropsychiatry (eg, depression, anxiety), genomic sequence analysis panel, variant analysis of 13 genes, saliva or buccal swab, report of each gene phenotype	Х	-
0420U	Oncology (urothelial), mRNA expression profiling by real-time quantitative PCR of MDK, HOXA13, CDC2, IGFBP5, and CXCR2 in combination with droplet digital PCR (ddPCR) analysis of 6 single-nucleotide polymorphisms (SNPs) genes TERT and FGFR3, urine, algorithm reported as a risk score for urothelial carcinoma	-	x
)421U	Oncology (colorectal) screening, quantitative real-time target and signal amplification of 8 rna markers (gapdh, smad4, acy1, areg, cdh1, kras, tnfrsf10b, eqln2) and fecal hemoglobin, algorithm reported as a positive or negative for colorectal cancer risk	Х	_
)422U	Oncology (pan-solid tumor), analysis of DNA biomarker response to anti-cancer therapy using cell-free circulating DNA, biomarker comparison to a previous baseline pre-treatment cell-free circulating DNA analysis using next-generation sequencing, algorithm reported as a quantitative change from baseline, including specific alterations, if appropriate	X	_
)423U	Psychiatry (eg, depression, anxiety), genomic analysis panel, including variant analysis of 26 genes, buccal swab, report including metabolizer status and risk of drug toxicity by condition	x	_
)424U	Oncology (prostate), exosome-based analysis of 53 small noncoding RNAs (sncRNAs) by quantitative reverse transcription polymerase chain reaction (RT-qPCR), urine, reported as no molecular evidence, low-, moderate- or elevated-risk of prostate cancer	Х	-
	Genome (eg, unexplained constitutional or heritable disorder or syndrome), rapid sequence analysis, each comparator genome (eg, parents, siblings)	-	х
	Genome (eg, unexplained constitutional or heritable disorder or syndrome), ultra-rapid sequence analysis	-	Х
	Monocyte distribution width, whole blood (List separately in addition to code for primary procedure) Oncology (breast), targeted hybrid-capture genomic sequence analysis panel, circulating tumor DNA (ctDNA) analysis of 56 or more genes, interrogation for sequence variants, gene copy number amplifications, gene rearrangements, microsatellite instability, and tumor mutation burden	X	x
)429U	Human papillomavirus (HPV), oropharyngeal swab, 14 high-risk types (ie, 16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68)	Х	-
	Glycine receptor alpha1 IgG, serum or cerebrospinal fluid (CSF), live cell-binding assay (LCBA), qualitative	Х	-
	Kelch-like protein 11 (KLHL11) antibody, serum or cerebrospinal fluid (CSF), cell-binding assay, qualitative Oncology (prostate), 5 DNA regulatory markers by quantitative PCR, whole blood, algorithm, including prostate-specific antigen, reported as likelihood of cancer	X X	-
434U	Drug metabolism (adverse drug reactions and drug response), genomic analysis panel, variant analysis of 25 genes with reported phenotypes	x	-
435U	Oncology, chemotherapeutic drug cytotoxicity assay of cancer stem cells (CSCs), from cultured CSCs and primary tumor cells, categorical drug response reported based on cytotoxicity percentage observed, minimum of 14 drugs or drug combinations	Х	-
	Oncology (lung), plasma analysis of 388 proteins, using aptamer-based proteomics technology, predictive algorithm reported as clinical benefit from immune checkpoint inhibitor therapy	Х	-
0437U	Psychiatry (anxiety disorders), mRNA, gene expression profiling by RNA sequencing of 15 biomarkers, whole blood, algorithm reported as predictive risk score	Х	-
1430U	Drug metabolism (adverse drug reactions and drug response), buccal specimen, gene-drug interactions, variant analysis of 33 genes, including deletion/duplication analysis of CYP2D6, including reported phenotypes and impacted gene-drug interactions	х	-



As of: 12/19/24

_		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
nould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	
0439U	Cardiology (coronary heart disease [CHD]), DNA, analysis of 5 single-nucleotide polymorphisms (SNPs) (rs11716050 [LOC105376934], rs6560711 [WDR37], rs3735222 [SCIN/LOC107986769], rs6820447 [intergenic], and rs9638144 [ESYT2]) and 3 DNA methylation markers (cg00300879 [transcription start site {TSS200} of CNKSR1], cg09552548 [intergenic], and cg14789911 [body of SPATC1L]), qPCR and digital PCR, whole blood, algorithm reported as a 4-tiered risk score for a 3-year risk of symptomatic CHD	Х	-
)441U	Infectious disease (bacterial, fungal, or viral infection), semiquantitative biomechanical assessment (via deformability cytometry), whole blood, with algorithmic analysis and result reported as an index	х	-
)442U	Infectious disease (respiratory infection), Myxovirus resistance protein A (MxA) and C-reactive protein (CRP), fingerstick whole blood specimen, each biomarker reported as present or absent	Х	-
0443U	Neurofilament light chain (NfL), ultra-sensitive immunoassay, serum or cerebrospinal fluid	Х	-
0444U	Oncology (solid organ neoplasia), targeted genomic sequence analysis panel of 361 genes, interrogation for gene fusions, translocations, or other rearrangements, using DNA from formalin-fixed paraffin-embedded (FFPE) tumor tissue, report of clinically significant variant(s)	-	x
0445U	β-amyloid (Abeta42) and phospho tau (181P) (pTau181), electrochemiluminescent immunoassay (ECLIA), cerebral spinal fluid, ratio reported as positive or negative for amyloid pathology	Х	-
	Oncology (lung and colon cancer), DNA, qualitative, nextgeneration sequencing detection of single-nucleotide variants and deletions in EGFR and KRAS genes, formalin-fixed paraffinembedded (FFPE) solid tumor samples, reported as presence or absence of targeted mutation(s), with recommended therapeutic options	-	x
	Carrier screening for severe inherited conditions (eg, cystic fibrosis, spinal muscular atrophy, beta hemoglobinopathies [including sickle cell disease], alpha thalassemia), regardless of race or self-identified ancestry, genomic sequence analysis panel, must include analysis of 5 genes (CFTR, SMN1, HBB, HBA1, HBA2)	Х	-
	Oncology (multiple myeloma), liquid chromatography with tandem mass spectrometry (LCMS/MS), monoclonal paraprotein sequencing analysis, serum, results reported as baseline presence or absence of detectable clonotypic peptides	Х	-
	Oncology (multiple myeloma), LCMS/MS, peptide ion quantification, serum, results compared with baseline to determine monoclonal paraprotein abundance	Х	-
0452U	Oncology (bladder), methylated PENK DNA detection by linear target enrichment-quantitative methylation-specific real-time PCR (LTE- qMSP), urine, reported as likelihood of bladder cancer	Х	-
0453U	Oncology (colorectal cancer), cellfree DNA (cfDNA), methylationbased quantitative PCR assay (SEPTIN9, IKZF1, BCAT1, Septin9-2, VAV3, BCAN), plasma, reported as presence or absence of circulating tumor DNA (ctDNA)	Х	-
0454U	Rare diseases (constitutional/heritable disorders), identification of copy number variations, inversions, insertions, translocations, and other structural variants by optical genome mapping (For additional PLA codes with identical clinical descriptor, see 0260U, 0264U. See Appendix O or the most current listing on the AMA CPT website to determine appropriate code assignment)	-	x
	Autoimmune (rheumatoid arthritis), next-generation sequencing (NGS), gene expression testing of 19 genes, whole blood, with analysis of anticyclic citrullinated peptides (CCP) levels, combined with sex, patient global assessment, and body mass index (BMI), algorithm reported as a score that predicts nonresponse to tumor necrosis factor inhibitor (TNFi) therapy	х	-
0457U	Perfluoroalkyl substances (PFAS) (eg, perfluorooctanoic acid, perfluorooctane sulfonic acid), 9 PFAS compounds by LC-MS/MS, plasma or serum, quantitative	Х	-


As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
ould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	zations, injectable drugs,	
	Oncology (breast cancer), S100A8 and S100A9, by enzymelinked immunosorbent assay (ELISA), tear fluid with age, algorithm reported as a risk score	Х	-
	β-amyloid (Abeta42) and total tau (tTau), electrochemiluminescent immunoassay (ECLIA), cerebral spinal fluid, ratio reported as positive or negative for amyloid pathology	Х	-
460U	Oncology, whole blood or buccal, DNA single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, with variant analysis and reported phenotypes	Х	-
)461U	Oncology, pharmacogenomic analysis of single-nucleotide polymorphism (SNP) genotyping by real-time PCR of 24 genes, whole blood or buccal swab, with variant analysis, including impacted gene-drug interactions and reported phenotypes	Х	-
462U	Melatonin levels test, sleep study, 7 or 9 sample melatonin profile (cortisol optional), enzyme-linked immunosorbent assay (ELISA), saliva, screening/preliminary	Х	-
)463U	Oncology (cervix), mRNA gene expression profiling of 14 biomarkers (E6 and E7 of the highest-risk human papillomavirus [HPV] types 16, 18, 31, 33, 45, 52, 58), by real-time nucleic acid sequence-based amplification (NASBA), exo- or endocervical epithelial cells, algorithm reported as positive or negative for increased risk of cervical dysplasia or cancer for each biomarker	-	x
464U	Oncology (colorectal) screening, quantitative real-time target and signal amplification, methylated DNA markers, including LASS4, LRRC4 and PPP2R5C, a reference marker ZDHHC1, and a protein marker (fecal hemoglobin), utilizing stool, algorithm reported as a positive or negative result	Х	-
	Oncology (urothelial carcinoma), DNA, quantitative methylationspecific PCR of 2 genes (ONECUT2, VIM), algorithmic analysis reported as positive or negative	Х	-
	Cardiology (coronary artery disease [CAD]), DNA, genomewide association studies (564856 single-nucleotide polymorphisms [SNPs], targeted variant genotyping), patient lifestyle and clinical data, buccal swab, algorithm reported as polygenic risk to acquired heart disease	Х	-
467U	Oncology (bladder), DNA, nextgeneration sequencing (NGS) of 60 genes and whole genome aneuploidy, urine, algorithms reported as minimal residual disease (MRD) status positive or negative and quantitative disease burden	Х	-
468U	Hepatology (nonalcoholic steatohepatitis [NASH]), miR-34a5p, alpha 2-macroglobulin, YKL40, HbA1c, serum and whole blood, algorithm reported as a single score for NASH activity and fibrosis	Х	-
)469U	Rare diseases (constitutional/heritable disorders), whole genome sequence analysis for chromosomal abnormalities, copy number variants, duplications/deletions, inversions, unbalanced translocations, regions of homozygosity (ROH), inheritance pattern that indicate uniparental disomy (UPD), and aneuploidy, fetal sample (amniotic fluid, chorionic villus sample, or products of conception), identification and categorization of genetic variants, diagnostic report of fetal results based on phenotype with maternal sample and paternal sample, if performed, as comparators and/or maternal cell contamination	-	x
	Oncology (oropharyngeal), detection of minimal residual disease by next-generation sequencing (NGS) based quantitative evaluation of 8 DNA targets, cell-free HPV 16 and 18 DNA from plasma	х	
471U	Oncology (colorectal cancer), qualitative real-time PCR of 35 variants of KRAS and NRAS genes (exons 2, 3, 4), formalinfixed paraffin- embedded (FFPE), predictive, identification of detected mutations	-	Х
	Carbonic anhydrase VI (CA VI), parotid specific/secretory protein (PSP) and salivary protein (SP1) IgG, IgM, and IgA antibodies, enzyme-linked immunosorbent assay (ELISA), semiqualitative, blood, reported as predictive evidence of early Sjögren syndrome	Х	_
	Oncology (solid tumor), nextgeneration sequencing (NGS) of DNA from formalin-fixed paraffinembedded (FFPE) tissue with comparative sequence analysis from a matched normal specimen (blood or saliva), 648 genes, interrogation for sequence variants, insertion and deletion alterations, copy number variants, rearrangements, microsatellite instability, and tumor-mutation burden	-	х



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
nould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunitience to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications a
)474U	Hereditary pan-cancer (eg, hereditary sarcomas, hereditary endocrine tumors, hereditary neuroendocrine tumors, hereditary cutaneous melanoma), genomic sequence analysis panel of 88 genes with 20 duplications/deletions using nextgeneration sequencing (NGS), Sanger sequencing, blood or saliva, reported as positive or negative for germline variants, each gene	-	х
475U	Hereditary prostate cancerrelated disorders, genomic sequence analysis panel using next-generation sequencing (NGS), Sanger sequencing, multiplex ligation-dependent probe amplification (MLPA), and array comparative genomic hybridization (CGH), evaluation of 23 genes and duplications/deletions when indicated, pathologic mutations reported with a genetic risk score for prostate cancer	-	x
)476U	Drug metabolism, psychiatry (eg, major depressive disorder, general anxiety disorder, attention deficit hyperactivity disorder [ADHD], schizophrenia), whole blood, buccal swab, and pharmacogenomic genotyping of 14 genes and CYP2D6 copy number variant analysis and reported phenotypes	Х	-
	Drug metabolism, psychiatry (eg, major depressive disorder, general anxiety disorder, attention deficit hyperactivity disorder [ADHD], schizophrenia), whole blood, buccal swab, and pharmacogenomic genotyping of 14 genes and CYP2D6 copy number variant analysis, including impacted gene-drug interactions and reported phenotypes	х	-
478U	Oncology (non-small cell lung cancer), DNA and RNA, digital PCR analysis of 9 genes (EGFR, KRAS, BRAF, ALK, ROS1, RET, NTRK 1/2/3, ERBB2, and MET) in formalin-fixed paraffin-embedded (FFPE) tissue, interrogation for single-nucleotide variants, insertions/deletions, gene rearrangements, and reported as actionable detected variants for therapy selection	-	х
	Tau, phosphorylated, pTau217	Х	-
	Infectious disease (bacteria, viruses, fungi, and parasites), cerebrospinal fluid (CSF), metagenomic next-generation sequencing (DNA and RNA), bioinformatic analysis, with positive pathogen identification	Х	-
)481U	IDH1 (isocitrate dehydrogenase 1 [NADP+]), IDH2 (isocitrate dehydrogenase 2 [NADP+]), and TERT (telomerase reverse transcriptase) promoter (eg, central nervous system [CNS] tumors), next-generation sequencing (single-nucleotide variants [SNV], deletions, and insertions)	-	x
)482U	Obstetrics (preeclampsia), biochemical assay of soluble fmslike tyrosine kinase 1 (sFlt-1) and placental growth factor (PIGF), serum, ratio reported for sFlt1/PIGF, with risk of progression for preeclampsia with severe features within 2 weeks	Х	-
483U	Infectious disease (Neisseria gonorrhoeae), sensitivity, ciprofloxacin resistance (gyrA S91F point mutation), oral, rectal, or vaginal swab, algorithm reported as probability of fluoroquinolone resistance	Х	-
	Infectious disease (Mycoplasma genitalium), macrolide sensitivity (23S rRNA point mutation), oral, rectal, or vaginal swab, algorithm reported as probability of macrolide resistance	Х	-
485U	Oncology (solid tumor), cell-free DNA and RNA by next-generation sequencing, interpretative report for germline mutations, clonal hematopoiesis of indeterminate potential, and tumor-derived single-nucleotide variants, small insertions/deletions, copy number alterations, fusions, microsatellite instability, and tumor mutational burden	-	Х
)486U	Oncology (pan-solid tumor), nextgeneration sequencing analysis of tumor methylation markers present in cell-free circulating tumor DNA, algorithm reported as quantitative measurement of methylation as a correlate of tumor fraction	Х	-
487U	Oncology (solid tumor), cell-free circulating DNA, targeted genomic sequence analysis panel of 84 genes, interrogation for sequence variants, aneuploidycorrected gene copy number amplifications and losses, gene rearrangements, and microsatellite instability	х	-
488U	Obstetrics (fetal antigen noninvasive prenatal test), cellfree DNA sequence analysis for detection of fetal presence or absence of 1 or more of the Rh, C, c, D, E, Duffy (Fya), or Kell (K) antigen in alloimmunized pregnancies, reported as selected antigen(s) detected or not detected	-	х



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
489U	Obstetrics (single-gene noninvasive prenatal test), cellfree DNA sequence analysis of 1 or more targets (eg, CFTR, SMN1, HBB, HBA1, HBA2) to identify paternally inherited pathogenic variants, and relative mutation-dosage analysis based on molecular counts to determine fetal inheritance of maternal mutation, algorithm reported as a fetal risk score for the condition (eg, cystic fibrosis, spinal muscular atrophy, beta hemoglobinopathies [including sickle cell disease], alpha thalassemia)	-	x
490U	Oncology (cutaneous or uveal melanoma), circulating tumor cell selection, morphological characterization and enumeration based on differential CD146, high molecular–weight melanomaassociated antigen, CD34 and CD45 protein biomarkers, peripheral blood	-	x
491U	Oncology (solid tumor), circulating tumor cell selection, morphological characterization and enumeration based on differential epithelial cell adhesion molecule (EpCAM), cytokeratins 8, 18, and 19, CD45 protein biomarkers, and quantification of estrogen receptor (ER) protein biomarker–expressing cells, peripheral blood	-	x
492U	Oncology (solid tumor), circulating tumor cell selection, morphological characterization and enumeration based on differential epithelial cell adhesion molecule (EpCAM), cytokeratins 8, 18, and 19, CD45 protein biomarkers, and quantification of PD-L1 protein biomarker– expressing cells, peripheral blood	-	x
493U	Transplantation medicine, quantification of donor-derived cell-free DNA (cfDNA) using nextgeneration sequencing, plasma, reported as percentage of donorderived cell-free DNA	-	х
194U	Red blood cell antigen (fetal RhD gene analysis), next-generation sequencing of circulating cell-free DNA (cfDNA) of blood in pregnant individuals known to be RhD negative, reported as positive or negative	-	Х
495U	Oncology (prostate), analysis of circulating plasma proteins (tPSA, fPSA, KLK2, PSP94, and GDF15), germline polygenic risk score (60 variants), clinical information (age, family history of prostate cancer, prior negative prostate biopsy), algorithm reported as risk of likelihood of detecting clinically significant prostate cancer	Х	-
196U	Oncology (colorectal), cell-free DNA, 8 genes for mutations, 7 genes for methylation by real-time RT-PCR, and 4 proteins by enzyme- linked immunosorbent assay, blood, reported positive or negative for colorectal cancer or advanced adenoma risk	Х	-
197U	Oncology (prostate), mRNA geneexpression profiling by real-time RT-PCR of 6 genes (FOXM1, MCM3, MTUS1, TTC21B, ALAS1, and PPP2CA), utilizing formalinfixed paraffin-embedded (FFPE) tissue, algorithm reported as a risk score for prostate cancer	-	x
498U	Oncology (colorectal), nextgeneration sequencing for mutation detection in 43 genes and methylation pattern in 45 genes, blood, and formalin-fixed paraffin-embedded (FFPE) tissue, report of variants and methylation pattern with interpretation	-	х
199U	Oncology (colorectal and lung), DNA from formalin-fixed paraffinembedded (FFPE) tissue, nextgeneration sequencing of 8 genes (NRAS, EGFR, CTNNB1, PIK3CA, APC, BRAF, KRAS, and TP53), mutation detection	-	Х
	Autoinflammatory disease (VEXAS syndrome), DNA, UBA1 gene mutations, targeted variant analysis (M41T, M41V, M41L, c.118- 2A>C, c.118-1G>C, c.118- 9_118-2del, S56F, S621C)	Х	-
	Oncology (colorectal), blood, quantitative measurement of cellfree DNA (cfDNA)	Х	-
	Human papillomavirus (HPV), E6/E7 markers for high-risk types (16, 18, 31, 33, 35, 39, 45, 51, 52, 56, 58, 59, 66, and 68), cervical cells, branched-chain capture hybridization, reported as negative or positive for high risk for HPV	Х	-
603U	Neurology (Alzheimer disease), beta amyloid (Aβ40, Aβ42, Aβ42/40 ratio) and tau-protein (ptau217, np-tau217, ptau217/nptau217 ratio), blood, immunoprecipitation with quantitation by liquid chromatography with tandem mass spectrometry (LC-MS/MS), algorithm score reported as likelihood of positive or negativefor amyloid plaques	Х	-
504U	Infectious disease (urinary tract infection), identification of 17 pathologic organisms, urine, realtime PCR, reported as positive or negative for each organism	Х	-
	Infectious disease (vaginal infection), identification of 32 pathogenic organisms, swab, real-time PCR, reported as positive or negative for each organism	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
nould be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
)506U	Gastroenterology (Barrett's esophagus), esophageal cells, DNA methylation analysis by next-generation sequencing of at least 89 differentially methylated genomic regions, algorithm reported as likelihood for Barrett's esophagus	Х	-
)507U	Oncology (ovarian), DNA, wholegenome sequencing with 5- hydroxymethylcytosine (5hmC) enrichment, using whole blood or plasma, algorithm reported as cancer detected or not detected	Х	-
508U	Transplantation medicine, quantification of donor-derived cell-free DNA using 40 singlenucleotide polymorphisms (SNPs), plasma, and urine, initial evaluation reported as percentage of donor-derived cellfree DNA with risk for active rejection	-	Х
509U	Transplantation medicine, quantification of donor-derived cell-free DNA using up to 12 single-nucleotide polymorphisms (SNPs) previously identified, plasma, reported as percentage of donor-derived cell-free DNA with risk for active rejection	-	х
510U	Oncology (pancreatic cancer), augmentative algorithmic analysis of 16 genes from previously sequenced RNA wholetranscriptome data, reported as probability of predicted molecular subtype	Х	
511U	Oncology (solid tumor), tumor cell culture in 3D microenvironment, 36 or more drug panel, reported as tumor-response prediction for each drug	Х	-
512U	Oncology (prostate), augmentative algorithmic analysis of digitized whole-slide imaging of histologic features for microsatellite instability (MSI) status, formalin-fixed paraffinembedded (FFPE) tissue, reported as increased or decreased probability of MSI-high (MSI-H)	Х	-
513U	Oncology (prostate), augmentative algorithmic analysis of digitized whole-slide imaging of histologic features for microsatellite instability (MSI) and homologous recombination deficiency (HRD) status, formalinfixed paraffin-embedded (FFPE) tissue, reported as increased or decreased probability of each biomarker	Х	-
514U	Gastroenterology (irritable bowel disease [IBD]), immunoassay for quantitative determination of adalimumab (ADL) levels in venous serum in patients undergoing adalimumab therapy, results reported as a numerical value as micrograms per milliliter (µg/mL)	Х	-
515U	Gastroenterology (irritable bowel disease [IBD]), immunoassay for quantitative determination of infliximab (IFX) levels in venous serum in patients undergoing infliximab therapy, results reported as a numerical value as micrograms per milliliter (µg/mL)	Х	-
516U	Drug metabolism, whole blood, pharmacogenomic genotyping of 40 genes and CYP2D6 copy number variant analysis, reported as metabolizer status	Х	-
517U	Therapeutic drug monitoring, 80 or more psychoactive drugs or substances, LC-MS/MS, plasma, qualitative and quantitative therapeutic minimally and maximally effective dose of prescribed and non-prescribed medications	Х	-
518U	Therapeutic drug monitoring, 90 or more pain and mental health drugs or substances, LC-MS/MS, plasma, qualitative and quantitative therapeutic minimally effective range of prescribed and non-prescribed medications	Х	-
519U	Therapeutic drug monitoring, medications specific to pain, depression, and anxiety, LCMS/MS, plasma, 110 or more drugs or substances, qualitative and quantitative therapeutic minimally effective range of prescribed, non-prescribed, and illicit medications in circulation	Х	-
520U	Therapeutic drug monitoring, 200 or more drugs or substances, LCMS/MS, plasma, qualitative and quantitative therapeutic minimally effective range of prescribed and non-prescribed medications	Х	-
521U	Rheumatoid factor IgA and IgM, cyclic citrullinated peptide (CCP) antibodies, and scavenger receptor A (SR-A) by immunoassay, blood	Х	-
522U	Carbonic anhydrase VI, parotid specific/secretory protein and salivary protein 1 (SP1), IgG, IgM, and IgA antibodies, chemiluminescence, semiqualitative, blood	Х	-
523U	Oncology (solid tumor), DNA, qualitative, next-generation sequencing (NGS) of singlenucleotide variants (SNV) and insertion/deletions in 22 genes utilizing formalin-fixed paraffinembedded tissue, reported as presence or absence of mutation(s), location of mutation(s), nucleotide change, and amino acid change	-	х



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Reguired	
Disclaimer: should be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications and	
	Obstetrics (preeclampsia), sFlt1/PIGF ratio, immunoassay, utilizing serum or plasma, reported as a value	Х	-	
	Oncology, spheroid cell culture, 11-drug panel (carboplatin, docetaxel, doxorubicin, etoposide, gemcitabine, niraparib, olaparib,	х	_	
	paclitaxel, rucaparib, topotecan, veliparib) ovarian, fallopian, or peritoneal response prediction for each drug	~	_	
0526U	Nephrology (renal transplant), quantification of CXCL10 chemokines, flow cytometry, urine, reported as pg/mL creatinine baseline and monitoring over time	Х	-	
0527U	Herpes simplex virus (HSV) types 1 and 2 and Varicella zoster virus (VZV), amplified probe technique, each pathogen reported as detected or not detected	Х	-	
	Lower respiratory tract infectious agent detection, 18 bacteria, 8 viruses, and 7 antimicrobialresistance genes, amplified probe technique, including reverse transcription for RNA targets, each analyte reported as detected or not detected with semiquantitative results for 15 bacteria	Х	-	
0529U	Hematology (venous thromboembolism [VTE]), genome-wide single-nucleotide polymorphism variants, including F2 and F5 gene analysis, and Leiden variant, by microarray analysis, saliva, report as risk score for VTE	Х	-	
	Oncology (pan-solid tumor), ctDNA, utilizing plasma, nextgeneration sequencing (NGS) of 77 genes, 8 fusions, microsatellite instability, and tumor mutation burden, interpretative report for single-nucleotide variants, copynumber alterations, with therapy association	х	-	
A0080	Noninterest escort in non er	Х	-	
	Interest escort in non er	Х	-	
	Nonemergency transport taxi	Х	-	
	Nonemergency transport bus	Х	-	
A0120	Noner transport mini-bus	Х	-	
A0160	Noner transport case worker	Х	-	
	Noner transport parking fees	Х	-	
	Noner transport lodgng recip	Х	-	
	Noner transport meals recip	Х	-	
	Noner transport lodgng escrt	Х	-	
	Noner transport meals escort	Х	-	
	Ambulance waiting 1/2 hr	Х	-	
	Extra ambulance attendant	Х	-	
A0426		-	X	
A0428		-	Х	
	Pi volunteer ambulance co	X	-	
	Noncovered ambulance mileage	X	-	
	Mirragen adv wnd mat per sq	X	-	
	Bio-connekt wound matrix	X	-	
	Xcellistem, 1 mg	Х	-	
	Microlyte matrix, per sq cm	X	-	
	Novosorb synpath per sq cm	X	-	
	Theragenesis, per sq cm	X	-	
	Symphony, per sq cm	X	-	
	Apis, per square centimeter	X	-	
	Supra sdrm, per square cm	X	-	
A2012	Suprathel, per sq cm	Х	-	



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
A2014	Omeza collagen matrix, per 100 mg	Х	-
	Phoenix wound matrix, per square centimeter	Х	-
A2016	Permeaderm b, per square centimeter	Х	-
	Permeaderm glove, each	Х	-
	Permeaderm c, per square centimeter	Х	-
	Kerecis marigen shld sq cm	Х	-
	Ac5 wound system	X	-
	Neomatrix per sq cm	X	-
	Innovaburn or innovamatrix xI, per square centimeter	X	-
	Innovamatrix pd, 1 mg	X	-
	Resolve matrix, per square centimeter	X	-
	Miro3d, per cubic centimeter	X	-
	Matriderm, per square centimeter	X	-
	Micromatrix flex, per mg	X	-
	Mirotract wound matrix sheet, per cubic centimeter	X	-
	Skin sub fda cird as dev nos	X	-
	Supplies for maintenance of insulin infusion pump	-	X
	Adju cgm supply allowance	-	^
A4239	Supply allowance for non-adjunctive, non-implanted continuous glucose monitor (cgm), includes all supplies and accessories, 1 month		х
A 4 2 4 4	supply = 1 unit of service Alcohol or peroxide per pint	X	-
	Alcohol wipes per box	X	
	Blood glucose/reagent strips	X	_
	Replacement lens shield cartridge for use with laser skin piercing device, each	X	-
	Temporary tear duct plug	X	-
	Permanent tear duct plug	X	-
	Paraffin	X	-
	Contraceptive supply, condom, male, each	X	-
	Contraceptive supply, condom, female, each	Х	-
	Contraceptive supply, spermicide (e.g., foam, gel), each	Х	-
	Disposable endoscope sheath	Х	-
	Tubing for breast pump, replacement	Х	-
	Adapter for breast pump, replacement	Х	-
	Cap for breast pump bottle, replacement	Х	-
A4284	Breast shield and splash protector for use with breast pump, replacement	Х	-
A4285	Polycarbonate bottle for use with breast pump, replacement	Х	-
A4286	Locking ring for breast pump, replacement	Х	-
A4287	Disposable collection and storage bag for breast milk, any size, any type, each	Х	-
	Cath impl vasc access portal	Х	-
A4335	Incontinence supply	Х	-
A4457	Enema tube, with or without adapter, any type, replacement only, each	Х	-
A4458	Enema bag with tubing, reusable	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu irected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
A4465	Non-elastic extremity binder	Х	-
A4468	Exsufflation belt, includes all supplies and accessories	Х	-
A4490	Above knee surgical stocking	Х	-
A4495	Thigh length surg stocking	Х	-
A4500	Below knee surgical stocking	Х	-
A4510	Full length surg stocking	Х	-
	Incontinence garment anytype	Х	-
	Supplies and accessories for external upper limb tremor stimulator of the peripheral nerves of the wrist	Х	-
	Supplies for transcutaneous electrical nerve stimulator, for nerves in the auricular region, per month	Х	-
	Electrode for external lower extremity nerve stimulator for restless legs syndrome	Х	-
	Supplies and accessories for external tibial nerve stimulator (e.g., socks, gel pads, electrodes, etc.), needed for one month	Х	-
A4550	Surgical trays	Х	-
	Nondisp underpads, all sizes	Х	-
A4554	Disposable underpads	Х	-
	Conductive paste or gel	Х	-
A4575	Hyperbaric o2 chamber disps	Х	-
	Cast supplies (plaster)	Х	-
A4590	Special casting material	Х	-
	Cranial electrotherapy stimulation (ces) system supplies and accessories, per month	Х	-
A4601	Lithium ion battery for non-prosthetic use, replacement	Х	-
	Heavy duty battery	Х	-
	Battery cables	Х	-
	Battery charger	Х	-
	Repl bat t.e.n.s. own by pt	Х	-
A4634	Replacement bulb for therapeutic light box, tabletop model	Х	-
	Replacement battery for patient-owned ear pulse generator, each	Х	-
	Replacement pad for infrared heating pad system, each	Х	-
	Satumomab pendetide per dose	Х	-
	Esrd blood pressure device	Х	-
A4663	Esrd blood pressure cuff	Х	-
A4680	Activated carbon filters	Х	-
A4690	Dialyzers	Х	-
	Oral thermometer, reusable, any type, each	Х	-
	Rectal thermometer, reusable, any type, each	Х	-
	Percutaneous catheter anchor	Х	-
	Diabetic shoe w/roller/rockr	X	-
	Diabetic shoe with wedge	Х	-
	Diab shoe w/metatarsal bar	Х	-
	Diabetic shoe w/off set heel	Х	-
	Modification diabetic shoe	Х	-
A5508	Diabetic deluxe shoe	Х	-
A5510	For diabetics only, direct formed, compression molded to patient's foot without external heat source, multiple-density i	Х	-



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists d should be directed to the Pharmacy link option within the website.	to not reflect information regarding immunizations, injectable drugs,	or specialty medications a	
A6000 Non-contact wound warming wound cover for use with the non-contact wound warming device and warming	card X	-	
A6260 Wound cleanser any type/size	Х	-	
A6410 Eye pad, sterile, each	Х	-	
A6411 Eye pad, non-sterile, each	Х Х	-	
A6412 Eye patch, occlusive, each	X	-	
A6413 Adhesive bandage, first-aid type, any size, each	X	-	
A6520 Gradient compression garment, glove, padded, for nighttime use, each	X	-	
A6521 Gradient compression garment, glove, padded, for nighttime use, custom, each	X	-	
A6522 Gradient compression garment, arm, padded, for nighttime use, each	X	-	
A6523 Gradient compression garment, arm, padded, for nighttime use, custom, each	X	-	
A6524 Gradient compression garment, lower leg and foot, padded, for nighttime use, each	X	-	
A6525 Gradient compression garment, lower leg and foot, padded, for nighttime use, custom, each	X X	-	
A6526 Gradient compression garment, full leg and foot, padded, for nighttime use, each A6527 Gradient compression garment, full leg and foot, padded, for nighttime use, custom, each	X	-	
	^ X	-	
A6528 Gradient compression garment, bra, for nighttime use, each A6529 Gradient compression garment, bra, for nighttime use, custom, each	^ X		
6530 Gradient compression stocking, below knee, 18-30 mmhg, each	^ X		
A6531 Gradient compression stocking, below knee, 30-40 mmhg, each	X		
A6532 Gradient compression stocking, below knee, 40-50 mmhg, each	X	-	
A6533 Gradient compression stocking, thigh length, 18-30 mmhg, each	X	-	
A6534 Gradient compression stocking, thigh length, 30-40 mmhg, each	X	-	
A6535 Gradient compression stocking, thigh length, 40-50 mmhg, each	X	-	
A6536 Gradient compression stocking, full length/chap style, 18-30 mmhg, each	Х	-	
A6537 Gradient compression stocking, full length/chap style, 30-40 mmhg, each	Х	-	
A6538 Gradient compression stocking, full length/chap style, 40-50 mmhg, each	Х	-	
A6539 Gradient compression stocking, waist length, 18-30 mmhg, each	Х	-	
A6540 Gradient compression stocking, waist length, 30-40 mmhg, each	Х	-	
A6541 Gradient compression stocking, waist length, 40-50 mmhg, each	Х	-	
6544 Gradient compression stocking, garter belt	Х	-	
A6545 Gradient compression wrap, non-elastic, below knee, 30-50 mm hg, each	Х	-	
A6549 Gradient compression stocking/sleeve, not otherwise specified	Х Х	-	
A6550 Dressing set for negative pressure wound therapy electrical pump, stationary or portable, each	-	Х	
A6552 Gradient compression stocking, below knee, 30-40 mm Hg, each	X	-	
6553 Gradient compression stocking, below knee, 30-40 mm Hg, custom, each	X	-	
A6554 Gradient compression stocking, below knee, 40 mm Hg or greater, each	X	-	
A6555 Gradient compression stocking, below knee, 40 mm Hg or greater, custom, each	X	-	
A6556 Gradient compression stocking, thigh length, 18-30 mm Hg, custom, each	X	-	
A6557 Gradient compression stocking, thigh length, 30-40 mm Hg, custom, each	X X	-	
A6558 Gradient compression stocking, thigh length, 40 mm Hg or greater, custom, each A6559 Gradient compression stocking, full length/chap style, 18-30 mm Hg, custom, each	X	-	
A6560 Gradient compression stocking, full length/chap style, 18-30 mm Hg, custom, each	X		
A6561 Gradient compression stocking, full length/chap style, 30-40 mm Hg or greater, custom, each	X		



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	at coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm Pharmacy link option within the website.	nunizations, injectable drugs,	or specialty medications and
A6562 Gradient	compression stocking, waist length, 18-30 mm Hg, custom, each	Х	-
A6563 Gradient	compression stocking, waist length, 30-40 mm Hg, custom, each	Х	-
A6564 Gradient	compression stocking, waist length, 40 mm Hg or greater, custom, each	Х	-
	compression gauntlet, custom, each	Х	-
	compression garment, neck/head, each	Х	-
	compression garment, neck/head, custom, each	X	-
	compression garment, torso and shoulder, each	X	-
	compression garment, torso/shoulder, custom, each	X	-
	compression garment, genital region, each	X	-
	compression garment, genital region, custom, each	X	-
	compression garment, toe caps, each	X	-
	compression garment, toe caps, custom, each	X	-
	compression arm sleeve and glove combination, custom, each		
	compression arm sleeve and glove combination, each	X	-
	compression arm sleeve, custom, medium weight, each compression arm sleeve, custom, heavy weight, each	<u> </u>	-
	compression arm sleeve, custom, neavy weight, each	× ×	-
	compression glove, custom, medium weight, each	X	-
	compression glove, custom, heavy weight, each	X	· ·
	compression glove, each	X	· ·
	compression gauntlet, each	X	-
	compression wrap with adjustable straps, below knee, 30-50 mm Hg, each	X	-
	compression wrap with adjustable straps, not otherwise specified	Х	-
	pressure wrap with adjustable straps, above knee, each	Х	-
	pressure wrap with adjustable straps, full leg, each	Х	-
	pressure wrap with adjustable straps, foot, each	Х	-
A6588 Gradient	pressure wrap with adjustable straps, arm, each	Х	-
A6589 Gradient	pressure wrap with adjustable straps, bra, each	Х	-
A6593 Accessor	y for gradient compression garment or wrap with adjustable straps, not otherwise specified	Х	-
6594 Gradient	compression bandaging supply, bandage liner, lower extremity, any size or length, each	Х	-
A6595 Gradient	compression bandaging supply, bandage liner, upper extremity, any size or length, each	Х	-
	compression bandaging supply, conforming gauze, per linear yd, any width, each	Х	-
	compression bandage roll, elastic long stretch, linear yd, any width, each	Х	-
	compression bandage roll, elastic medium stretch, per linear yd, any width, each	Х	-
	compression bandage roll, inelastic short stretch, per linear yd, any width, each	Х	-
	compression bandaging supply, high density foam sheet, per 250 sq cm, each	X	-
	compression bandaging supply, high density foam pad, any size or shape, each	X	-
	compression bandaging supply, high density foam roll for bandage, per linear yd, any width, each	X	-
	compression bandaging supply, low density channel foam sheet, per 250 sq cm, each	X	-
	compression bandaging supply, low density flat foam sheet, per 250 sq cm, each	X	-
	compression bandaging supply, padded foam, per linear yd, any width, each	X	-
46606 Gradient	compression bandaging supply, padded textile, per linear yd, any width, each	Х	-



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information reg should be directed to the Pharmacy link option within the website.	arding immunizations, injectable drugs,		
A6607 Gradient compression bandaging supply, tubular protective absorption layer, per linear yd, any width, each	Х	-	
A6608 Gradient compression bandaging supply, tubular protective absorption padded layer, per linear yd, any width, each	Х	-	
A6609 Gradient compression bandaging supply, not otherwise specified	Х	-	
A6610 Gradient compression stocking, below knee, 18-30 mm Hg, custom, each	Х	-	
A7023 Mechanical allergen particle barrier/inhalation filter, cream, nasal, topical	Х	-	
A7049 Epap nasal valve	Х	-	
A9150 Misc/exper non-prescript dru	Х	-	
A9152 Single vitamin nos	Х	-	
A9153 Multi-vitamin nos	X	-	
A9155 Artificial saliva, 30 ml	Х	-	
A9180 Naturopaths	X	-	
A9268 Programmer for transient, orally ingested capsule	X	-	
A9269 Programable, transient, orally ingested capsule, for use with external programmer, per month	X	-	
A9270 Non-covered item or service	Х	-	
A9272 Mechanical wound suction, disposable, includes dressing, all accessories and components, each	-	Х	
A9273 Hot/cold h2obot/cap/col/wrap	Х	-	
A9274 External ambulatory insulin delivery system, disposable, each, includes all supplies and accessories	-	Х	
A9275 Home glucose disposable monitor, includes test strips	Х	-	
A9276 Sensor; invasive (e.g. subcutaneous), disposable, for use with interstitial continuous glucose monitoring system, one un	-	X	
A9277 Transmitter; external, for use with interstitial continuous glucose monitoring system	-	X	
A9278 Receiver (monitor); external, for use with interstitial continuous glucose monitoring system	-	Х	
A9279 Monitoring feature/device, stand-alone or integrated, any type, includes all accessories, components and electronics, no	X	-	
A9281 Reaching/grabbing device, any type, any length, each	X	-	
A9282 Wig, any type, each	X	-	
A9283 Foot pressure off loading/supportive device, any type, each	X	-	
A9285 Inversion eversion cor devic	X	-	
A9286 Any hygienic item, device	X	-	
A9291 Pres digital behav thera fda	X	-	
A9292 Prescription digital visual therapy, software-only, fda cleared, per course of treatment	Х	-	
A9293 Fertility cycle (contraception & conception) tracking software application, fda cleared, per month, includes accessories (e.g., thermometer)	Х	-	
A9300 Exercise equipment	Х	-	
A9501 Technetium tc-99m teboroxime, diagnostic, per study dose	Х	-	
A9504 Technetium tc 99m apcitide	Х	-	
A9507 Indium/111 capromab pendetid	Х	-	
A9508 lobenguane sulfate i-131	Х	-	
A9532 Supply of radiopharmaceutical therapeutic agent, iodinated i-125, serumm albumin, 5 microcuries	Х	-	
A9536 Technetium tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries	Х	-	
A9546 Cobalt co-57/58, cyanocobalamin, diagnostic, per study dose, up to 1 microcurie	Х	-	
A9550 Technetium tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicuries	Х	-	
A9559 Cobalt co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie	Х	-	
A9566 Technetium tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries	Х	-	



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	nizations, injectable drugs,	
A9568	Technetium tc-99m arcitumomab, diagnostic, per study dose, up to 45 millicuries	Х	-
A9574	Air poly intrauterine foam	Х	-
A9586	Florbetapir f18, diagnostic, per study dose, up to 10 millicuries	Х	-
	Strontium-89 chloride	Х	-
	Lutetium lu 177 vipivotide tetraxetan, therapeutic, 1 millicurie	-	Х
	Injection, carboxydextran-coated superparamagnetic iron oxide, per study dose	Х	-
	Delivery/set up/dispensing	Х	-
	Food thickener, administered orally, per ounce	Х	-
	In-line cartridge containing digestive enzyme(s) for enteral feeding, each	Х	-
C1605	Pacemaker, leadless, dual chamber (right atrial and right ventricular implantable components), rate-responsive, including all necessary		
	components for implantation	-	Х
	Orth/devic/drug bn/bn,tis/bn	Х	-
	Catheter(s), intravascular for renal denervation, radiofrequency, including all single use system components	Х	-
	Catheter(s), intravascular for renal denervation, ultrasound, including all single use system components	Х	-
C1737	Joint fusion and fixation device(s), sacroiliac and pelvis, including all system components (implantable	-	Х
C1747	Endoscope, single-use (i.e. disposable), urinary tract, imaging/illumination device (insertable)	Х	-
C1748	Endoscope, single, ugi	Х	-
C1749	Endoscope, retrograde imaging/illumination colonoscope device implantable)	Х	-
C1754	Catheter, intradiscal	Х	-
C1759	Catheter, intracardiac echocardiography	Х	-
C1770	Imaging coil, magnetic resonance (insertable)	Х	-
C1773	Retrieval device, insertable (used to retrieve fractured medical devices)	Х	-
C1789	Prothesis, breast (implantable)	-	Х
C1813	Prothesis, penile, inflatable	Х	-
C1815	Prothesis, urinary sphincter (implantable)	-	Х
C1819	Tissue localization excision	Х	-
C1821	Interspinous process distraction device (implantable) x-stop	Х	-
	Generator, ccm, implant	Х	-
C1825	Gen, neuro, carot sinus baro	-	Х
C1831	Personalized interbody cage	Х	-
C1832	Auto cell process sys	Х	-
	Pressure sensor system, includes all components (e.g., introducer, sensor), intramuscular (implantable), excludes mobile (wireless)		
	software application	-	Х
C1840	Lens, intraocular (telescopic)	Х	-
	Retinal prosthesis, includes all internal and external components; add-on	Х	-
	Retinal prosthesis	Х	-
	Skin substitute, synthetic	Х	-
	Dialysis access system (implantable)	Х	-
	No implantable/insertable device used with device-intensive procedures	Х	-
	Infusion pump, non-programmable, permanent (implantable)	-	Х
	Lung bx plug w/deliv sys	Х	-
	Probe, percutaneous lumbar discectomy	X	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
sclaimer ould be	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuni directed to the Pharmacy link option within the website.	zations, injectable drugs,		
2622	Prothesis, penile, non-inflatable	Х	-	
	Infusion pump, non-programmable, temporary (implantable)	-	Х	
27504	Percutaneous vertebroplasties (bone biopsies included when performed), first cervicothoracic and any additional cervicothoracic or lumbosacral vertebral bodies, unilateral or bilateral injection, inclusive of all imaging guidance	-	х	
7505	Percutaneous vertebroplasties (bone biopsies included when performed), first lumbosacral and any additional cervicothoracic or lumbosacral vertebral bodies, unilateral or bilateral injection, inclusive of all imaging guidance	-	х	
27507	Percutaneous vertebral augmentations, first thoracic and any additional thoracic or lumbar vertebral bodies, including cavity creations (fracture reductions and bone biopsies included when performed) using mechanical device (eg, kyphoplasty), unilateral or bilateral cannulations, inclusive of all imaging guidance	_	x	
28001	3d anatomical segmentation imaging for preoperative planning, data preparation and transmission, obtained from previous diagnostic computed tomographic or magnetic resonance examination of the same anatomy	Х	-	
8002	Preparation of skin cell suspension autograft, automated, including all enzymatic processing and device components (do not report with manual suspension preparation)	х	-	
28003	Implantation of medial knee extraarticular implantable shock absorber spanning the knee joint from distal femur to proximal tibia, open, includes measurements, positioning and adjustments, with imaging guidance (eg, fluoroscopy)	Х	-	
9293	Injection, glucarpidase, 10 units	Х	-	
9363	Skin substitute, integra meshed bilayer wound matrix, per square centimeter	Х	-	
9725	Placement of endorectal intracavitary applicator for high intensity brachytherapy	Х	-	
9726	Placement and removal (if performed) of applicator into therapy	Х	-	
	Insertion of implants into the soft palate; minimum of three implants	Х	-	
	Intraoperative near-infrared fluorescence lymphatic mapping of lymph node(s) (sentinel or tumor draining) with administration of indocyanine green (icg) (list separately in addition to code for primary procedure)	х	-	
9757	Spine/lumbar disk surgery	Х	-	
9776	Intraoperative near-infrared fluorescence imaging of major extra-hepatic bile duct(s) (e.g., cystic duct, common bile duct and common hepatic duct) with intravenous administration of indocyanine green (icg) (list separately in addition to code for primary procedure)	X	-	
	Arthro/shoul surg; w/spacer	-	Х	
9782	Blind myocar trpl bon marrow	Х	-	
	Blind cor sinus reducer impl	Х	-	
	Gastric restrictive procedure, endoscopic sleeve gastroplasty, with esophagogastroduodenoscopy and intraluminal tube insertion, if performed, including all system and tissue anchoring components	Х	-	
	Endoscopic outlet reduction, gastric pouch application, with endoscopy and intraluminal tube insertion, if performed, including all system and tissue anchoring components	-	х	
	Histotripsy (ie, non-thermal ablation via acoustic energy delivery) of malignant renal tissue, including image guidance	Х	-	
	Magnetic resonance imaging with inhaled hyperpolarized xenon-129 contrast agent, chest, including preparation and administration of agent	Х	-	
:9 <u>79</u> 2	Blinded or nonblinded procedure for symptomatic new york heart association (nyha) class ii, iii, iva heart failure; transcatheter implantation of left atrial to coronary sinus shunt using jugular vein access, including all imaging necessary to intra procedurally map the coronary sinus for optimal shunt placement (e.g., tee or ice ultrasound, fluoroscopy), performed under general anesthesia in an			
9793	approved investigational device exemption (ide) study) 3D predictive model generation for preplanning of a cardiac procedure, using data from cardiac computed tomographic angiography	Х	-	
	with report	Х	-	



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	nizations, injectable drugs,	
	Nerve stimulator, percutaneous, peripheral (e.g., sprint peripheral nerve stimulation system), including electrode and all disposable		
	system components, non-opioid medical device (must be a qualifying medicare non-opioid medical device for post-surgical pain relief in		
	accordance with section 4135 of the caa, 2023)	-	Х
C9899	Implanted prosthetic device, payable only for inpatients who do not have inpatient coverage	Х	-
	Periodic oral examination	Х	-
	Limited oral evaluation - problem-focused	Х	-
	Oral evaluation for a patient under three years of age and counseling with primary caregiver	Х	-
	Comprehensive oral evaluation	Х	-
D0160	Detailed and extensive oral evaluation - problem-focused, by report	Х	-
	Re-evaluation - limited problem focused (established patient; not post-operative visit)	Х	-
	Re-evaluation- post operative office visit	Х	-
	Comprehensive periodontal evaluation - new or established patient	Х	-
	A screening, including state or federally mandated screening, to determine an individual's need to be seen by a dentist	Х	-
D0191	A limited clinical inspection that is performed to identify possible signs of oral or systemic disease, malformation, or injury, and the potential need for referral for diagno	х	_
D0210	Intraoral- complete series of radiographic images	X	-
	Intraoral- periapical first radiographic image	X	-
	Intraoral- periapical mot radiographic image	X	-
	Intraoral- occlusal radiographic image	X	-
	Extra-oral 2d projection radiographic image created using a stationary radiation source, and detector	X	-
	Extra-oral posterior dental radiographic image	X	-
	Bitewing- single radiographic image	X	-
	Bitewings- two radiographic images	X	
	Bitewings- three radiographic images	X	-
	Bitewings- four radiographic images	X	-
	Vertical bitewings- 7 to 8 radiographic images	X	
	Sialography	X	
	Tomographic survey	X	
	Panoramic radiographic image	X	-
	2d cephalometric radiographic image-acquisition, measurement and analysis	X	-
	2d oral/facial photographic image obtained intra-orally or extra-orally	X	
	3d photographic image	X	
	Cone beam ct capture and interpretation with limited field of view-less than one whole jaw	X	_
	Cone beam ct capture and interpretation with field of view of one dental arch-mandible	X	-
	Cone beam ct capture and interpretation with field of view of one full dental arch-maxilla, with or without cranium	X	
	Cone beam ct capture and interpretation with field of view of both jaws, with or without cranium	X	
	Cone beam ct capture and interpretation with held of view of both jaws, with of without cranium Cone beam ct capture and interpretation for tmj series including two or more exposures	X	
	Maxillofacial mri capture and interpretation	X	-
	Maxillofacial ultrasound capture and interpretation Maxillofacial ultrasound capture and interpretation	× X	-
		× X	-
	Sialoendoscopy capture and interpretation	<u>х</u>	
	Intraoral tomosynthesis - comprehensive seris of rediographic images	X	-
00373	Intraoral tomosynthesis - bitewing radiographic image	Å	-



As of: 12/19/24

	Small Employ	yer and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding should be directed to the Pharmacy link option within the website.	immunizations, injectable drugs,	or specialty medications and
D0374 Intraoral tomosynthesis - periapical radiographic image	Х	-
D0380 Cone beam ct image capture with limited field of view- less than one whole jaw	Х	-
D0381 Cone beam ct image capture with field of view of one full dental arch-mandilbe	Х	-
D0382 Cone beam ct image capture with field of view of one full dental arch-maxilla, with or without cranium	Х	-
D0383 Cone beam ct image capture with field of view of both jaws, with or without cranium	Х	-
D0384 Cone beam ct image capture for tmj series including two or more exposures	Х	-
D0385 Maxillofacial mri image capture	Х	-
D0386 Maxillofacial ultrasound image capture	Х	-
D0387 Intraoral tomosynthesis - comprehensive seris of rediographic images - image capture only	Х	-
D0388 Intraoral tomosynthesis - bitewing radiographic image - image capture only	Х	-
D0389 Intraoral tomosynthesis - periapical radiographic image- image capture only	Х	-
D0391 Interpretation of diagnostic image by a practitioner not associated with capture of the image, including report	Х	-
D0393 Treatment simulation using 3d image volume	Х	-
D0394 Digital subtraction of two or more images or image volumes of the same modality	Х	-
D0395 Fusion of two or more 3d image volumes of one or more modalities	Х	-
D0396 3D printing of a 3D dental surface scan	Х	-
D0411 Hba1c in-office point of service testing	Х	-
D0412 Blood glucose level test-in-office using a glucose meter	Х	-
D0414 Laboratory processing of microbial specimen to include culture and sensitivity studies, preparation and transmission of written report	t X	-
D0415 Bacteriologic studies for determination of pathologic agents	Х	-
D0416 Viral culture	Х	-
D0417 Collection and preparation of saliva sample for laboratory diagnostic testing	Х	-
D0418 Analysis of saliva sample	Х	-
D0419 Assessment of salivary flow by measurement	Х	-
D0422 Collection and preparation of genetic sample material for laboratory analysis and report	Х	-
D0423 Genetic test for susceptibility to diseases- specimen analysis	Х	-
D0425 Caries susceptibility tests	Х	-
D0431 Diag tst detect mucos abnorm	Х	-
D0460 Pulp vitality tests	Х	-
D0470 Diagnostic casts	Х	-
D0472 Accession of tissue gross examination prep/transmission of written report	Х	-
D0473 Accession of tissue gross and microscopic examination prep/trans of report	Х	-
D0474 Accession of tissue gross/micro exam assess of surg margins for presence of disease prep/trans of report	Х	-
D0475 Decalcification procedure	Х	-
D0476 Spec stains for microorganis	Х	-
D0477 Spec stains not for microorg	Х	-
D0478 Immunohistochemical stains	Х	-
D0479 Tissue in-situ hybridization	Х	-
D0480 Processing and interpretation of cytologic smears incl the prep/trans of written report	Х	-
D0481 Electron microscopy	Х	-
D0482 Direct immunofluorescence	Х	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immundirected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and	
D0483	Indirect immunofluorescence	Х	-	
D0484	Consult slides prep elsewher	Х	-	
D0485	Consult inc prep of slides	Х	-	
D0486	Laboratory accession of transepithelial cytologic sample, microscopic examination preparation and transmission of written report	Х	-	
D0502	Other oral pathology procedures, by report	Х	-	
	Non-ionizing diagnostic procedure capable of quantifying, monitoring, and recording changes in structure of enamel, dentin, and cementum	Х	-	
D0601	Caries risk assessment and documentation, with a finding of low risk	Х	-	
	Caries risk assessment and documentation, with a finding of moderate risk	Х	-	
D0603	Caries risk assessment and documentation, with a finding of high risk	Х	-	
D0701	Panoramic radiographic image – image capture only	Х	-	
D0702	2-d cephalometric radiographic image – image capture only	Х	-	
D0703	2-d oral/facial photographic image obtained intra-orally or extra-orally - image capture only	Х	-	
	3-d photographic image – image capture only	Х	-	
	Extra-oral posterior dental radiographic image – image capture only	Х	-	
	Intraoral – occlusal radiographic image – image capture only	Х	-	
	Intraoral – periapical radiographic image – image capture only	Х	-	
	Intraoral – bitewing radiographic image – image capture only	Х	-	
	Intraoral – complete series of radiographic images – image capture only	Х	-	
	3d dental scan direct	Х	-	
D0802	3d dental scan indirect	Х	-	
D0803	3d facial scan direct	Х	-	
D0804	3d facial scan indirect	Х	-	
D0999	Unspecified diagnostic procedure, by report	Х	-	
D1110	Prophylaxis-adult	Х	-	
D1120	Prophylaxis-child	Х	-	
D1206	Topical application of fluoride varnish	Х	-	
D1208	Topical application of fluoride- excluding varnish	Х	-	
D1301	Immunization counseling	Х	-	
D1310	Nutritional counseling for the control of dental disease	Х	-	
D1320	Tobacco counseling for the control and prevention of oral disease	Х	-	
D1321	Counseling for the control and prevention of adverse oral, behavioral, and systemic health effects associated with high-risk substance use	Х	-	
D1330	Oral hygiene instruction	Х	-	
	Sealant-per tooth	Х	-	
	Prev resin rest, perm tooth	Х	-	
	Sealant repair- per tooth	Х	-	
	Interim caries arresting medicament application-per tooth	Х	-	
	Caries preventive medicament application – per tooth	Х	-	
	Space maintainer-fixed unilateral	Х	-	
D1516	Space maintainer-fixed-bilateral, maxillary	Х	-	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunicated to the Pharmacy link option within the website.	nizations, injectable drugs,		
D1517 Sp	pace maintainer-fixed-bilateral, mandibular	Х	-	
D1520 Sp	pace maintainer-removable unilateral	Х	-	
D1526 Sp	pace maintainer -removable-bilateral, maxillary	Х	-	
	pace maintainer -removable-bilateral, mandibular	Х	-	
D1551 Re	e-cement or re-bond bilateral space maintainer-maxillary	Х	-	
D1552 Re	e-cement or re-bond bilateral space maintainer-mandibular	Х	-	
D1553 Re	e-cement or re-bond unilateral space maintainer-per quadrant	Х	-	
D1556 Re	emoval of fixed unilateral space maintainer- per quadrant	Х	-	
D1557 Re	emoval of fixed bilateral space maintainer- maxillary	Х	-	
D1558 Re	emoval of fixed bilateral space maintainer- mandibular	Х	-	
	istal shoe space maintainer-fixed-unilateral	Х	-	
	accine administration - human papillomavisrus - dose 1	Х	-	
	accine administration - human papillomavisrus - dose 2	Х	-	
	accine administration - human papillomavisrus - dose 3	Х	-	
	nspecified preventive procedure, by report	Х	-	
	malgam-one surface, permanent	Х	-	
	malgam-two surfaces, permanent	Х	-	
	malgam-three surfaces, permanent	Х	-	
	malgam-fouror more surfaces, permanent	Х	-	
	esin-one surface, anterior	Х	-	
	esin-two surfaces, anterior	Х	-	
	esin-three surfaces, anterior	Х	-	
	esin-fouror more surfacesor involving incisal angle (anterior)	Х	-	
	esin-based composite crown, anterior	Х	-	
	esin-based composite - one surface, posterior	Х	-	
	esin-based composite - two surfaces, posterior	X	-	
	esin-based composite - three surfaces, posterior	X	-	
	esin-based composite - four or more surfaces, posterior	X	-	
	old foil-one surface	X	-	
	old foil-two surfaces	X	-	
	old foil-three surfaces	X	-	
	lay-metallic-one surface	X	-	
	lay-metallic-two surfaces	X	-	
	lay-metallic-three surfaces	X	-	
	nlay - metallic - two surfaces	X	-	
	nlay - metallic - three surfaces	X	-	
	nlay - metallic - four or more surfaces	Х	-	
	lay-porcelain/ceramic-one surface	X	-	
	lay-porcelain/ceramic-two surfaces	X	-	
	lay-porcelain/ceramic-three surfaces	X	-	
	nlay - porcelain/ceramic - two surfaces	X	-	
D2643 OI	nlay - porcelain/ceramic - three surfaces	Х	-	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and n should be directed to the Pharmacy link option within the website.	nay not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information of the service of the ser	ation regarding immunizations, injectable drugs,		
D2644 Onlay - porcelain/ceramic - four or mo	re surfaces	Х	-	
D2650 Inlay-composite/resin-one surface (lab	poratory processed)	Х	-	
D2651 Inlay-composite/resin-two surfaces (la	boratory processed)	Х	-	
D2652 Inlay-composite/resin-three surfaces (laboratory processed)	Х	-	
D2662 Onlay - composite/resin - two surfaces		Х	-	
D2663 Onlay - composite/resin - three surface		Х	-	
D2664 Onlay - composite/resin - four or more	surfaces (laboratory processed)	Х	-	
D2710 Crown resin (laboratory)		X	-	
D2712 Crown 3/4 resin-based compos		X	-	
D2720 Crown-resin with high noble metal		X	-	
D2721 Crown-resin with predominantly base	metal	X	-	
D2722 Crown-resin with noble metal		X	-	
D2740 Crown-porcelain/ceramic		X	-	
D2750 Crown-porcelain fused to high noble n		X	-	
D2751 Crown-procelain fused to predominan		X	-	
D2752 Crown-porcelain fused to noble metal		X	-	
D2753 Crown-porcelain fused to titanium and	titanium alloys	X	-	
D2780 Crown - 3/4 cast high noble metal		X	-	
D2781 Crown - 3/4 cast predominately base r	netal	X	-	
D2782 Crown - 3/4 cast noble metal		X	-	
D2783 Crown - 3/4 porcelain/ceramic		X	-	
D2790 Crown-full cast high noble metal		X	-	
D2791 Crown-full cast predominantly base m	etal	X	-	
D2792 Crown-full cast noble metal		X	-	
D2794 Crown-titanium		X	-	
	r completion of diagnosis necessary prior to final impression	X	-	
D2910 Re-cement or re-bond inlay, onlay, ver		X	-	
D2915 Re-cement or re-bond indirectly fabric	ated or prefabricated post and core	X	-	
D2920 Re-cement or re-bond crown		X	-	
D2921 Reattachment of tooth fragment, incise		X	-	
D2928 Prefabricated porcelain/ceramic crowr		X	-	
D2929 Prefabricated porcelain/ceramic crowr		X	-	
D2930 Prefabricated stainless steel crown-pr		X	-	
D2931 Prefabricated stainless steel crown-pe	rmanent tooth	X	-	
D2932 Prefabricated resin crown	the second second second	X	-	
D2933 Prefabricated stainless steel crown wi	in resin window	X	-	
D2934 Prefab steel crown primary			-	
D2940 Protective restoration		X	-	
D2941 Interim therapeutic restoration- primar		X	-	
D2949 Restorative foundation for an indirect		X X	-	
D2950 Core buildup, including any pins when			-	
D2951 Pin retention-per tooth, in addition to r	estoration	Х	-	



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imr lirected to the Pharmacy link option within the website.	nunizations, injectable drugs,	or specialty medications a
02952	Cast post and core in addition to crown	Х	-
)2953	Each additional cast post - same tooth	Х	-
)2954	Prefabricated post and core in addition to crown	Х	-
2955	Post removal	Х	-
2956	Removal of an indirect restoration on a natural tooth	Х	-
2957	Each additional prefabricated post - same tooth	Х	-
2960	Labial veneer (laminate)-chairside	Х	-
	Labial veneer (resin laminate)-laboratory	Х	-
2962	Labial veneer (porcelain laminate)-laboratory	Х	-
	Add proc construct new crown	Х	-
	Coping	Х	-
	band stabilization – per tooth	Х	-
	Crown repair necessitated by restorative material failure	Х	-
	Inlay repair necessitated by restorative material failure	Х	-
	Onlay repair necessitated by restorative material failure	Х	-
	Veneer repair necessitated by restorative material failure	Х	-
	excavation of a tooth resulting in the determination of non-restorability	Х	-
2990	Placement of an infiltration resin restoration for strengthening, stabilizing, and/or limiting the progression of the lesion	Х	-
	application of hydroxyapatite regeneration medicament – per tooth	Х	-
	Unspecified restorative procedure, by report	Х	-
	Pulp cap-direct (excluding final restoration)	Х	-
	Pulp cap-indirect (excluding final restoration)	Х	-
	Therapeutic pulpotomy (excluding final restoration)	Х	-
	Gross pulpal debridement primary and permanent teeth	Х	-
	Partial pulpotomy for apexogenesis - permanent tooth with incomplete root development	Х	-
	Pulpal therapy (resorbable filling) - anterior, primary tooth (exclud	Х	-
	Pulpal therapy (resorbable filling) - posterior, primary tooth (exclu	Х	-
	Anterior (excluding final restoration)	Х	-
	Endodontic therapy, premolar tooth (excluding final restoration)	Х	-
	Endodontic therapy, molar tooth (excluding final restoration)	Х	-
	Treatment of root canal obstruction; non-surgical access	Х	-
	Incomplete endodontic therapy; inoperable or fractured tooth	Х	-
	Internal root repair of perforation defects	Х	-
	Retreatment-anterior, by report	X	-
	Retreatment of previous root canal therapy-premolar	X	-
	Retreatment-molar, by report	X	-
	Apexification/recalcification- initial visit (apical closure/calcific repair of perforations, root resorption, etc.)	Х	-
3352	Apexification/recalcification initial visit (apical closure/calcific repair of perforations, root resorption, pulp space disinfection, etc.)	х	-
)3353	Apexification/recalcification-final visit (includes completed root can	Х	-
	Pulpal regeneration- initial visit	Х	-
	Pulpal regeneration- interim medication replacement	Х	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu directed to the Pharmacy link option within the website.	nizations, injectable drugs,	· ·	
D3357	Pulpal regeneration- completion of treatment	Х	-	
D3410	Apicoectomy-anterior	Х	-	
	Apicoectomy-premolar (first root)	Х	-	
	Apicoectomy - molar (first root)	Х	-	
	Apicoectomy - (each additional root)	Х	-	
	Bone graft in conjunction with periradicular surgery- per tooth, single site	X	-	
	Bone graft in conjunction with periradicular surgery- each additional contiguous tooth in the same surgical site	Х	-	
	Retrograde filling-per root	X	-	
	Biologic materials to aid in soft and osseous tissue regeneration in conjunction with periradicular surgery	Х	-	
	Guided tissue regeneration, resorbable barrier, per site, in conjunction with periradicular surgery	X	-	
	Root amputation-per root	X	-	
	Endodontic endosseous implant	X	-	
	Intentional replantation (including necessary splinting)	X	-	
	Surgical repair of root resorption - anterior	X	-	
	Surgical repair of root resorption – premolar	X	-	
	Surgical repair of root resorption – molar	X	-	
	Surgical exposure of root surface without apicoectomy or repair of root resorption – anterior	X	-	
	Surgical exposure of root surface without apicoectomy or repair of root resorption – premolar	X	-	
	Surgical exposure of root surface without apicoectomy or repair of root resorption – molar	X	-	
	Surgical procedure for isolation of tooth with rubber dam	X	-	
	Intraorifice barrier	X	-	
	Hemisection (including any root removal), not including root canal the	X	-	
	Decoronation or submergence of an erupted tooth	X	-	
	Canal preparation and fitting of preformed dowelor post	X	-	
	Unspecified endodontic procedure, by report	X	-	
	Gingivectomyor gingivoplasty-per quadrant	X	-	
	Gingivectomyor gingivoplasty-per tooth	X	-	
	Gingivectomy or gingivoplasty to allow access for restorative procedure, per tooth	X	-	
	Anatomical crown exposure - four or more contiguous teeth or tooth bounded spaces per quadrant	X	-	
	Anatomical crown exposure - one to three teeth or tooth bounded spaces per quadrant	X	-	
	Gingival flap procedure, including root planing-per quadrant	X	-	
	Gingival flap procedure, including root planing - one to three teeth, perquadrant	X	-	
-	Apically positioned flap	X	-	
	Crown lengthening-hard and soft tissue, by report	Х	-	
	Osseous surgery (including elevation of a full thickness flap and closure)- four or more contiguous teeth or tooth bounded spaces per quadrant	х	-	
D4261	Osseous surgery (including elevation of a full thickness flap and closure)- one to three contiguous teeth or tooth bounded spaces per quadrant	х	-	
D4263	Bone replacement graft - retained natural tooth - first site in quadrant	X	-	
	Bone replacement graft - retained natural tooth - each additional site in quadrant	X	-	
	Biologic materials to aid in soft and osseous tissue regeneration	X	-	
	Guided tissue regeneration - resorbable barrier, per site, per tooth	X	-	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	· ·	
D4267	Guided tissue regeneration - non-resorbable barrier, per site, per too	Х	-	
D4268	Surgical revision procedure per tooth	Х	-	
	Pedicle soft tissue graft procedure	Х	-	
	Autogenous connective tissue graft procedure (including donor and recipient surgical sites) first tooth, implant, or edentulous tooth position in graft	х	-	
D4274	Mesial/distal wedge procedure, single tooth (when not performed in conjunction with surgical procedures in the same anatomical area)	Х	-	
D4275	Non-autogenous connective tissue graft (including recipient site and donor material) first tooth, implant, or edentulous tooth position in graft	х	-	
	Combined connective tissue and double pedicle graft	Х	-	
D4277	Free soft tissue graft procedure (including recipient and donor surgical sites) first tooth, implant, or edentulous tooth position in graft	Х	-	
D4278	Free soft tissue graft procedure (including recipient and donor surgical sites), each additional contiguous tooth, implant or edentulous tooth position in same graft site	Х	-	
D4283	Autogenous connective tissue graft procedure (including donor and recipient surgical sites)- each additional contiguous tooth, implant or edentulous tooth position in same gra	х	-	
D4285	Non-autogenous connective tissue graft procedure (including recipient surgical site and donor material)- each additional contiguous tooth, implant or edentulous tooth position	х	-	
D4286	Removal of non-resorbable barrier	Х	-	
D4320	Provisional splinting-intracoronal	Х	-	
D4321	Provisional splinting-extracoronal	Х	-	
	Splint - intra-coronal; natural teeth or prosthetic crowns	Х	-	
	Splint - extra-coronal; natural teeth or prosthetic crowns	Х	-	
	Periodontal scaling and root planing-per quadrant	Х	-	
	Periodontal scaling and root planing - one to three teeth, per quadrant	Х	-	
	Scaling in presence of generalized moderate or severe gingival inflammation- full mouth, after oral evaluation	X	-	
	Full mouth debridement to enable comprehensive oral evaluation and diagnosis on a subsequent visit	X	-	
	Localized delivery of antimicrobial agents via a controlled release vehicle into diseased crevicular tissue, per tooth	X	-	
	Periodontal maintenance procedures (following active therapy)	X	-	
	Unscheduled dressing change (by someone other than treating dentist)	X	-	
	Gingival irrigation- per quadrant	X	-	
	Unspecified periodontal procedure, by report	X	-	
	Complete upper	X	-	
	Complete lower	X	-	
	Immediate upper	X	-	
	Immediate lower	X	-	
	Maxillary partial denture - resin base (including retentive/clasping materilas, rest, and teeth)	X	-	
	Mandibular partial denture - resin base (including retentive/clasping materials, rest, and teeth)	X	-	
	Upper partial-cast metal base with resin saddles (including any conven	X	-	
	Lower partial-cast metal base with resin saddles (including any conven	X	-	
	Immediate maxillary partial denture- resin base (including any conventional clasps, rests and teeth)	X	-	
D5222	Immediate mandibular partial denture- resin base (including any conventional clasps, rests and teeth)	Х	-	



As of: 12/19/24

		Small Employ	er and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur irected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and	
D5223	Immediate maxillary partial denture- cast metal framework with resin denture bases (including any conventional clasps, rests and teeth	х	-	
	Immediate mandibular partial denture- cast metal framework with resin denture bases (including any conventional clasps, rests and teeth	Х	_	
	Maxillary part denture flex	X	-	
	Mandibular part denture flex	X	-	
	Immediate maxillary partial denture - flexible base (including any clasps, rests and teeth)	Х	-	
	Immediate mandibular partial denture - flexible base (including any clasps, rests and teeth)	Х	-	
	Removable unilateral partial denture-one piece cast metal (including clasps and teeth), maxillary	Х	-	
	Removable unilateral partial denture-one piece cast metal (including clasps and teeth), mandibular	Х	-	
	Removable unilateral partial denture-one piece flexible base (including clasps and teeth) – per quadrant	Х	-	
	Removable unilateral partial denture-one piece resin (including clasps and teeth) – per quadrant	Х	-	
D5410	Adjust complete denture-upper	Х	-	
D5411	Adjust complete denture-lower	Х	-	
D5421	Adjust partial denture-upper	Х	-	
D5422	Adjust partial denture-lower	Х	-	
D5511	Repair broken complete denture base, mandibular	Х	-	
D5512	Repair broken complete denture base, maxillary	Х	-	
D5520	Replace missingor broken teeth-complete denture (each tooth)	Х	-	
D5611	Repair resin partial denture base, mandibular	Х	-	
D5612	Repair resin partial denture base, maxillary	Х	-	
D5621	Repair cast partial framework, mandibular	Х	-	
D5622	Repair cast partial framework, maxillary	Х	-	
D5630	Repair or replace broken retentive/clasping materials per tooth	Х	-	
D5640	Replace broken teeth-per tooth	Х	-	
D5650	Add tooth to existing partial denture	Х	-	
D5660	Add clasp to existing partial denture- per tooth	Х	-	
D5670	Replace all teeth and acrylic on cast metal framework (maxillary)	Х	-	
	Replace all teeth and acrylic on cast metal framework (mandibular)	Х	-	
D5710	Rebase complete upper denture	Х	-	
D5711	Rebase complete lower denture	Х	-	
D5720	Rebase upper partial denture	Х	-	
-	Rebase lower partial denture	Х	-	
D5725	Rebase hybrid prosthesis	Х	-	
	Reline upper complete denture (chairside)	Х	-	
	Reline lower complete denture (chairside)	Х	-	
	Reline upper partial denture (chairside)	Х	-	
	Reline lower partial denture (chairside)	Х	-	
	Reline upper complete denture (laboratory)	Х	-	
	Reline lower complete denture (laboratory)	Х	-	
	Reline upper partial denture (laboratory)	Х	-	
D5761	Reline lower partial denture (laboratory)	Х	-	



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	se note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu d to the Pharmacy link option within the website.	nizations, injectable drugs,	
D5765 Sof	t liner for complete or partial removable denture - indirect	Х	-
D5810 Inte	erim complete denture (upper)	Х	-
	erim complete denture (lower)	Х	-
D5820 Inte	erim partial denture (upper)	Х	-
	erim partial denture (lower)	Х	-
	sue conditioning, upper-per denture unit	Х	-
	sue conditioning, lower-per denture unit	Х	-
	cision attachment, by report	X	-
	erdenture- complete maxillary	X	-
	erdenture- partial maxillary	X	-
	erdenture- complete mandibular	X	-
	erdenture- partial mandibular	X	-
	placement of replaceable part of semi-precision/attachment (m/f component)	X	-
	dification of removable prosthesis following implant surgery	X	-
	d metal substructure to acrylic full denture (per arch)	X	-
	specified removable prosthodontic procedure, by report	X	-
	cial moulage (sectional)	X	-
	cial moulage (complete)	X	-
	sal prosthesis	X	-
	ricular prosthesis	X	-
	pital prosthesis	X	-
	ular prosthesis	X	-
	cial prosthesis	X	-
	sal septal prosthesis	X	-
	ular prosthesis, interim	X	-
	anial prosthesis	X	-
	cial augmentation implant prosthesis	X	-
	sal prosthesis, replacement	X	-
	ricular prosthesis, replacement	X	-
	bital prosthesis, replacement	X	-
	cial prosthesis, replacement	X	-
	turator prosthesis, surgical	X	-
	turator prosthesis, definitive	X	-
	turator prosthesis, modification	X	-
	ndibular resection prosthesis with guide flange	X	-
	ndibular resection prosthesis without guide flange	X	-
	turator/prosthesis, interim	X	-
	smus appliance (not for tm treatment)	X	-
D5951 Fee		X	-
	eech aid prosthesis, pediatric	X	-
	eech aid prosthesis, adult	X	-
D5954 Pala	atal augmentation prosthesis	Х	-



As of: 12/19/24

	Small Employ	ver and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists de should be directed to the Pharmacy link option within the website.	to not reflect information regarding immunizations, injectable drugs,	or specialty medications and
D5955 Palatal lift prosthesis, definitive	Х	-
D5958 Palatal lift prosthesis, interim	Х	-
D5959 Palatal lift prosthesis, modification	Х	-
D5960 Speech aid prosthesis, modification	Х	-
D5982 Surgical stent	Х	-
D5983 Radiation carrier	X	-
D5984 Radiation shield	X	-
D5985 Radiation cone locator	X	-
D5986 Fluoride gel carrier	X	-
D5987 Commissure splint	X	-
D5988 Surgical splint	X	-
D5991 Vesiculobullous disease medicament carrier	X	-
D5992 Adjust max prost appliance	X	-
D5993 Main/clean max prosthesis	X	-
D5995 Periodontal medicament carrier with peripheral seal – laboratory processed – maxillary	X	-
D5996 Periodontal medicament carrier with peripheral seal – laboratory processed – mandibular	X X	-
D5999 Unspecified maxillofacial prosthesis, by report	^	-
D6010 Surgical placement of implant body: endosteal implant. see also 21248 D6011 Second stage implant surgery	^	-
D6011 Second stage implant surgery D6012 Surgical placement of interim implant body for transitional prosthesis: endosteal implant	^	-
Doors Surgical placement of mini implant body for transitional prostnesis, endosteal implant D6013 Surgical placement of mini implant	^	-
D6040 Subperiosteal implant	X	-
D6050 Transosseous implant	X	-
D6050 Includes placement and removal. a healing cap is not an interim abutment	X	-
Decer Includes placement and removal, a nearing cap is not an interim abatment.	X	-
D6056 Prefabricated abutment- includes modification and placement	X	-
D6057 Custom fabricated abutment- includes placement	X	-
D6058 Abutment supported porcelain/ceramic crown	Х	-
D6059 Abutment supported porcelain fused to metal crown (high noble metal)	Х	-
D6060 Abutment supported porcelain fused to metal crown (predominantly base metal)	Х	-
D6061 Abutment supported porcelain fused to metal crown (noble metal)	Х	-
D6062 Abutment supported cast metal crown (high noble metal)	Х	-
D6063 Abutment supported cast metal crown (predominantly base metal)	Х	-
D6064 Abutment supported cast metal crown (noble metal)	Х	-
D6065 Implant supported porcelain/ceramic crown	Х	-
D6066 Implant supported porcelain fused to metal crown (titanium/alloy high noble metal)	Х	-
D6067 Implant supported metal crown (titanium/alloy high noble metal)	Х	-
D6068 Abutment supported retainer for porcelain/ceramic fpd	Х	-
D6069 Abutment supported retainer for porcelain fused to metal fpd (high noble metal)	Х	-
D6070 Abutment supported retainer for porcelain fused to metal fpd (predominately base metal)	Х	-
D6071 Abutment supported retainer for porcelain fused to metal fpd (noble metal)	Х	-
D6072 Abutment supported retainer for cast metal fpd (high noble metal)	Х	-



As of: 12/19/24

_		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications ar	
D6073	Abutment supported retainer for cast metal fpd (predominately base metal)	Х	-	
D6074	Abutment supported retainer for cast metal fpd (noble metal)	Х	-	
	Implant supported retainer for ceramic fpd	Х	-	
	Implant supported retainer for porcelain fused to metal fpd (titanium/alloy or high noble metal)	Х	-	
	Implant supported retainer for cast metal fpd (titanium/alloy or high noble metal)	Х	-	
D6080	Implant maintenance procedures, when prostheses are removed and reinserted, including cleansing of prostheses and abutments	х	-	
D6081	Scaling and debridement in the presence of inflammation of mucositis of a single implant, including cleaning of the implant surfaces, without flap entry and closure	х	-	
D6082	Implant supported crown-porcelain fused to predominantly base alloys	Х	-	
	Implant supported crown-porcelain fused to noble alloys	Х	-	
	Implant supported crown-porcelain fused to titanium and titanium alloys	Х	-	
D6085	Provisional implant crown	Х	-	
D6086	Implant supported crown-predominantly base alloys	Х	-	
D6087	Implant supported crown-noble alloys	Х	-	
	Implant supported crown-titanium and titanium alloys	Х	-	
06089	Accessing and retorquing loose implant screw - per screw	Х	-	
	Repair implant, by report	Х	-	
D6091	Replacement of semi-precision or precision attachment (male or female component) of implant/abutment supported prosthesi	х	-	
D6092	Re-cement or re-bond implant/abutment supported crown	Х	-	
D6093	Re-cement or re-bond implant/abutment supported fixed partial denture	Х	-	
	Abut support crown titanium	Х	-	
	Repair implant abutment, by report. see also code 21299	Х	-	
	Remove broken implant retaining screw	Х	-	
	Abutment supported crown-porcelain fused to titanium and titanium alloys	Х	-	
	Implant supported retainer-porcelain fused to predominantly base alloys	Х	-	
	Implant supported retainer for fpd-porcelain fused to noble alloys	Х	-	
	Implant removal, by report	Х	-	
D6101	Debridement of a peri-implant defect or defects surrounding a single implant, and surface cleaning of the exposed implant surfaces,			
	including flap entry and closure	Х	-	
06102	Debridement and osseous contouring of a peri-implant defect- or defects surrounding a single implant and includes surface cleaning of the exposed implant surfaces	х	-	
06103	Bone graft for repair of peri-implant defect- does not include flap entry and closure.	X	-	
	Placement of a barrier membrane, or biologic materials to aid in osseous regeneration are reported separately	X	-	
	Removal of implant body not requiring bone removal nor flap elevation	X	-	
	Guided tissue regeneration - resorbable barrier, per implant	X	-	
	Guided tissue regeneration - non-resorbable barrier, per implant	X	-	
	Implant/abutment supported removable denture for edentulous arch-maxillary	X	-	
	Implant/ abutment supported removable denture for edentulous arch- mandibular	Х	-	
	Implant/ abutment supported removable denture for partially edentulous arch- maxillary	Х	-	
	Implant/ abutment supported removable denture for partially edentulous arch- mandibular	Х	-	



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu tirected to the Pharmacy link option within the website.	inizations, injectable drugs,	
D6114	Implant/ abutment supported fixed denture for edentulous arch- maxillary	Х	-
D6115	Implant/ abutment supported fixed denture for edentulous arch- mandibular	Х	-
D6116	Implant/ abutment supported fixed denture for partially edentulous arch- maxillary	Х	-
	Implant/ abutment supported fixed denture for partially edentulous arch- mandibular	Х	-
	Implant/abutment supported interim fixed denture for edentulous arch ¿ mandibular	Х	-
	Implant/abutment supported interim fixed denture for edentulous arch ¿ maxillary	Х	-
	Implant supported retainer -porcelain fused to titanium and titanium alloys	Х	-
	Implant supported retainer for metal fpd -predominantly base alloys	Х	-
	Implant supported retainer for metal fpd -noble alloys	Х	-
	Implant supported retainer for metal fpd -titanium and titanium alloys	Х	-
D6180	Implant maintenance procedures when a full arch fixed hybrid prosthesis is not removed, including cleansing of prosthesis and abutments	Х	-
D6190	Radio/surgical implant index	Х	-
	Semi-precision abutment – placement	Х	-
D6192	Semi-precision attachment – placement	Х	-
D6193	Replacement of an implant screw	Х	-
D6194	Abut support retainer titani	Х	-
D6195	Abutment supported retainer-porcelain fused to titanium and titanium alloys	Х	-
	Replacement of restorative material used to close an access opening of a screw-retained implant supported prosthesis, per implant	х	-
D6198	Remove interim implant component	X	-
	Unspecified implant procedure, by report	X	-
	Pontic-indirect resin based	Х	-
	Pontic-cast high noble metal	Х	-
	Pontic-cast predominantly base metal	Х	-
	Pontic-cast noble metal	Х	-
D6214	Pontic titanium	Х	-
D6240	Pontic-porcelain fused to high noble metal	Х	-
	Pontic-porcelain fused to predominantly base metal	Х	-
	Pontic-porcelain fused to noble metal	Х	-
D6243	Pontic-porcelain fused to titanium and titanium alloys	Х	-
	Pontic - porcelain/ceramic	Х	-
	Pontic-resin with high noble metal	Х	-
	Pontic-resin with predominantly base metal	Х	-
	Pontic-resin with noble metal	Х	-
	Provisional pontic- further treatment or completion of diagnosis necessary prior to final impression	Х	-
	Retainer-cast metal for acid etched fixed prosthesis	Х	-
	Retainer - porcelain/ceramic for resin bonded fixed prosthesis	Х	-
	Resin retainer- for resin bonded fixed prosthesis	Х	-
	Retainer inlay-porcelain/ceramic, two surfaces	Х	-
	Retainer inlay - porcelain/ceramic, three or more surfaces	Х	-
	Retainer inlay - cast high noble metal, two surfaces	Х	-



As of: 12/19/24

		Small Employer and Indi	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunicated to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
D6603 R	tetainer inlay - cast high noble metal, three or more surfaces	Х	-
D6604 R	tetainer inlay - cast predominantly base metal, two surfaces	Х	-
D6605 R	tetainer inlay - cast predominantly base metal, three or more surfaces	Х	-
D6606 R	tetainer inlay - cast noble metal, two surfaces	Х	-
D6607 R	tetainer inlay - cast noble metal, three or more surfaces	Х	-
	tetainer onlay - porcelain/ceramic, two surfaces	Х	-
	Retainer onlay - porcelain/ceramic, three or more surfaces	Х	-
	Retainer onlay - cast high noble metal, two surfaces	Х	-
	tetainer onlay - cast high noble metal, three or more surfaces	X	-
	tetainer onlay - cast predominantly base metal, two surfaces	X	-
	tetainer onlay - cast predominantly base metal, three or more surfaces	Х	-
	Retainer onlay - cast noble metal, two surfaces	X	-
	Retainer onlay - cast noble metal, three or more surfaces	X	-
	Retainer inlay titanium	X	-
	Retainer onlay titanium	X	-
	tetainer crown-indirect resin based composite	X	-
	tetainer crown-resin with high noble metal	X	-
	tetainer crown-resin with predominantly base metal	X	-
-	Retainer crown-resin with noble metal	X	-
	tetainer crown - porcelain/ceramic	X	-
	tetainer crown-porcelain fused to high noble metal	X	-
	tetainer crown-porcelain fused to predominantly base metal	X	-
	tetainer crown-porcelain fused to noble metal	X	-
	Retainer crown-porcelain fused to titanium and titanium alloys	X	-
	Retainer crown-3/4 cast high noble metal	X	-
	tetainer crown - 3/4 cast predominately based metal	X	-
	Retainer crown - 3/4 cast noble metal	X	-
	Retainer crown - 3/4 porcelain/ceramic	X	-
	Retainer crown 3/4-titanium and titanium alloys	X	-
	Retainer crown-full cast high noble metal	X	-
	Retainer crown-full cast predominantly base metal	X	-
	tetainer crown-full cast noble metal	X	-
	Provisional retainer crown- further treatment or completion of diagnosis necessary prior to final impression	X	-
	Retainer crown titanium	X	-
	Connector bar	X	-
	Re-cement or re-bond fixed partial denture	X	-
	itress breaker	X	-
	Precision attachment	X	-
	ixed partial denture repair, necessitated by restorative material failure	X	-
	Vediatric partial denture, fixed	X	-
	Inspecified fixed prosthodontic procedure, by report	X	-
E 111U	Extraction, coronal remnants - primary tooth	Х	-



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
D7140	Extraction, erupted tooth or exposed root (elevation and/or forceps removal)	Х	-
D7210	Extraction, erupted tooth requiring removal of bone and/or sectioning of tooth, and including elevation of mucoperiopsteal flap if		
	indicated.	Х	-
D7220	Removal of impacted tooth-soft tissue	Х	-
	Removal of impacted tooth-partially bony	Х	-
	Removal of impacted tooth-completely bony	Х	-
	Removal of impacted tooth-completely bony, with unusual surgical compl	Х	-
	Removal of residual tooth roots (cutting procedure)	Х	-
	Coronectomy	Х	-
	Partial extraction for immediate implant placement	Х	-
	Nerve dissection	Х	-
	Oral antral fistula closure	X	-
	Primary closure of a sinus perforation	X	-
	Tooth re-implantation and/or stabilization of accidentally evulsedor d	X	-
	Tooth transplantation	X	-
	Exposure of an unerupted tooth	X	-
	Mobilization of erupted or malpositioned tooth to aid eruption	X	-
	Place device impacted tooth	X	-
	Excisional biopsy of minor salivary glands	X	-
	Incisional biopsy of oral tissue-hard (bone, tooth)	X	-
	Incisional biopsy of oral tissue-soft	Х	-
	Cytology sample collection	X	-
	Brush biopsy	X	-
	Surgical repositioning of teeth	X	-
	Transseptal fiberotomy	X	-
	Placement of temporary anchorage device (screw retained plate) requiring flap; includes device removal	X	-
	Placement of temporary anchorage device requiring flap; includes device removal	X	-
	Placement of temporary anchorage device without flap; includes device removal	X	-
	Bone harvest, auto graft proc	X	-
	Corticotomy ¿ one to three teeth or tooth spaces, per quadrant	X	-
	Corticotomy ¿ four or more teeth or tooth spaces, per quadrant	X	-
	Removal of temporary anchorage device (screw retained plate), requiring flap	X	-
	Removal of temporary anchorage device, requiring flap	X	-
	Removal of temporary anchorage device without flap		-
	Alveoloplasty in conjunction with extractions - per quadrant	X	-
	Alveoloplasty w/extract 1-3	X	-
	Alveoloplasty not in conjunction with extractions - per quadrant	X X	-
	Alveoloplasty not w/extracts	X	-
	Vestibuloplasty-ridge extension (second epithelialization)	X	-
	Vestibuloplasty-ridge extension (including soft tissue grafts, muscle	X	-
	Radical excision-lesion diameter up to 1.25 cm	X	-
D7411	Excision of benign lesion greater than 1.25 cm	Λ	-



As of: 12/19/24

		Small Employ	yer and Individual
Codes	Description	Not Covered	Preauthorization Required
	coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immarmacy link option within the website.	nunizations, injectable drugs	or specialty medications and
D7412 Excision of	benign lesion, complicated	Х	-
D7413 Excision of	malignant lesion up to 1.25 cm	Х	-
D7414 Excision of	malignant lesion greater than 1.25 cm	Х	-
D7415 Excision of	malignant lesion, complicated	Х	-
D7440 Excision of	malignant tumor-lesion diameter up to 1.25 cm	Х	-
D7441 Excision of	malignant tumor-lesion diameter greater than 1.25 cm	Х	-
D7450 Removal o	f odontogenic cystor tumor-lesion diameter up t0 1.25 cm	Х	-
D7451 Removal o	f odontogenic cystor tumor-lesion diameter greater than 1.25	Х	-
	f nonodontogenic cystor tumor-lesion diameter up to 1.25 cm	Х	-
	f nonodontogenic cystor tumor-lesion diameter greater than 1.	Х	-
	n of lesion(s) by physicalor chemical methods, by report	Х	-
	f exostosis - per site	Х	-
D7472 Removal o		Х	-
	f torus mandibularis	Х	-
	of osseous tuberosity	Х	-
	section of mandible with bone graft	Х	-
	zation of odontogenic cyst	Х	-
D7510 Incision an	d drainage of abscess-intraoral soft tissue	Х	-
D7511 Incision/dra		Х	-
D7520 Incision an	d drainage of abscess-extraoral soft tissue	Х	-
D7521 Incision/dra	ain abscess extra	Х	-
	f foreign body, skin,or subcutaneous areolar tissue	Х	-
D7540 Removal o	f reaction-producing foreign bodies-musculoskeletal system	Х	-
	ctomy for osteomyelitis	Х	-
D7560 Maxillary s	inusotomy for removal of tooth fragmentor foreign body	Х	-
D7610 Maxilla-ope	en reduction (teeth immobilized if present)	Х	-
D7620 Maxilla-clo	sed reduction (teeth immobilized if present)	Х	-
D7630 Mandible-c	open reduction (teeth immobilized if present)	Х	-
	closed reduction (teeth immobilized if present)	Х	-
	or zygomatic arch-open reduction	Х	-
D7660 Malar and/	or zygomatic arch-closed reduction	Х	-
D7670 Alveolus-st	tabilization of teeth, open reduction splinting	Х	-
D7671 Alveolus -	open reduction, may include stabilization of teeth	Х	-
	es-complicated reduction with fixation and mul- tiple surgic	Х	-
D7710 Maxilla-ope	en reduction	Х	-
D7730 Mandible-o	ppen reduction	Х	-
	or zygomatic arch-open reduction	Х	-
D7760 Malar and/	or zygomatic arch-closed reduction	Х	-
D7770 Alveolus-st	tabilization of teeth, open reduction splinting	Х	-
D7771 Alveolus, c	losed reduction stabilization of teeth	Х	-
D7780 Facial bon	es - complicated reduction with fixation and multiple approaches	Х	-
D7810 Open redu	ction of dislocation	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
D7881	Oclussal orthotic device adjustment	Х	-
D7910	Suture of recent small wounds up to 5 cm	Х	-
D7911	Complicated suture-up to 5 cm	Х	-
	Complicated suture-greater than 5 cm	Х	-
	Skin grafts (identify defect covered, location, and type of graft)	Х	-
	Collection and application of autologous blood concentrate product	Х	-
	Placement of intra-socket biological dressing to aid in hemostasis or clot stabilization, per site	Х	-
	A guide is stabilized to the teeth and/or the bone to allow for virtual guidance of osteotomy.	Х	-
	Osteoplasty-for orthognathic deformities	Х	-
	Lefort i (maxilla-total)	Х	-
	Lefort i (maxilla-segmented)	Х	-
	Lefort iior lefort iii (osteoplasty of facial bones for midface hypopl	Х	-
	Lefort iior lefort iii-with bone graft	Х	-
	Osseous, osteoperiosteal, periosteal, or cartilage graft of the mandibl	Х	-
	Sinus augmentation with bone or bone substitutes via a lateral open approach	Х	-
D7952	The augmentation of the sinus to increase alveolar height by vertical access through the ridge crest by raising the floor of the sinus and		
	grafting as necessary. this include	Х	-
D7953	Bone replacement graft	Х	-
	Repair of maxillofacial soft and hard tissue defects	Х	-
	Guided tissue regeneration, edentulous area - resorbable barrier, per site	Х	-
D7957	Guided tissue regeneration, edentulous area - non-resorbable barrier, per site	Х	-
D7961	Buccal / labial frenectomy (frenulectomy)	Х	-
D7962	Lingual frenectomy (frenulectomy)	Х	-
	Frenuloplasty	Х	-
D7970	Excision of hyperplastic tissue-per arch	Х	-
D7971	Excision of pericoronal gingiva	Х	-
D7972	Surgical reduction of fibrous tuberosity	Х	-
	Non ¿ surgical sialolithotomy	Х	-
D7980	Surgical sialolithotomy	Х	-
D7981	Excision of salivary gland	Х	-
D7982	Sialodochoplasty	Х	-
D7983	Closure of salivary fistula	Х	-
D7990	Emergency tracheotomy	Х	-
D7991	Coronoidectomy	Х	-
D7993	Surgical placement of craniofacial implant – extra oral	Х	-
	Surgical placement: zygomatic implant	Х	-
D7995	Synthetic graft - mandible or facial bones, by report. see also 21299	Х	-
D7996	Implant - mandible for augmentation purposes see also code 21299	Х	-
D7997	Appliance removal (not by dentist who placed appliance) incl removal of archbar	Х	-
	Intraoral placement of a fixation device not in conjunction with a fracture	Х	-
D7999	Unspecified oral surgery procedure, by report	Х	-
D8010	Limited orthodontic treatment of the primary dentition	Х	-



As of: 12/19/24

	Small Employ	Small Employer and Individual		
Codes Description	Not Covered	Preauthorization Required		
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect in should be directed to the Pharmacy link option within the website.	nformation regarding immunizations, injectable drugs,	or specialty medications and		
D8020 Limited orthodontic treatment of the transitional dentition	Х	-		
D8030 Limited orthodontic treatment of the adolescent dentition	Х	-		
D8040 Limited orthodontic treatment of the adult dentition	Х	-		
D8050 Interceptive orthodontic treatment of the primary dentition	Х	-		
D8060 Interceptive orthodontic treatment of the transitional dentition	Х	-		
D8070 Comprehensive orthodontic treatment of the transitional dentition	Х	-		
D8080 Comprehensive orthodontic treatment of the adolescent dentition	Х	-		
D8090 Comprehensive orthodontic treatment of the adult dentition	Х	-		
D8091 Comprehensive orthodontic treatment with orthognathic surgery	Х	-		
D8210 Removable appliance therapy	Х	-		
D8220 Fixed appliance therapy	Х	-		
D8660 Pre-orthodintic treatment examination to monitor growth and development	Х	-		
D8670 Periodic orthodontic treatment visit (as part of contract)	Х	-		
D8671 Periodic orthodontic treatment visit associated with orthognathic surgery	Х	-		
D8680 Orthodontic retention (removal of appliances, construction and placem	Х	-		
D8681 Removable orthodontic retainer adjustment	Х	-		
D8690 Orthodontic treatment (alternative billing to a contract fee)	Х	-		
D8695 Removal of fixed orthodontic appliances for reasons other than completion of treatment	Х	-		
D8696 Repair of orthodontic appliance-maxillary	Х	-		
D8697 Repair of orthodontic appliance-mandibular	Х	-		
D8698 Re-cement or re-bond fixed retainer-maxillary	Х	-		
D8699 Re-cement or re-bond fixed retainer-mandibular	Х	-		
D8701 Repair of fixed retainer, includes reattachment-maxillary	Х	-		
D8702 Repair of fixed retainer, includes reattachment-mandibular	Х	-		
D8703 Replacement of lost or broken retainer-maxillary	Х	-		
D8704 Replacement of lost or broken retainer-mandibular	Х	-		
D8999 Unspecified orthodontic procedure, by report	Х	-		
D9110 Palliative (emergency) treatment of dental pain-minor procedures	Х	-		
D9120 Fixed partial denture sectioning	Х	-		
D9130 Temporomandibular joint dysfunction-non-invasive physical therapies	Х	-		
D9210 Local anesthesia not in conjunction with operativeor surgical procedu	Х	-		
D9211 Regional block anesthesia	Х	-		
D9212 Trigeminal division block anesthesia	Х	-		
D9215 Lcl ansthsa w oprtv or srgcl prcdrs	Х	-		
D9219 Evaluation for moderate sedation, deep sedation or general anesthesia	Х	-		
D9222 Deep sedation/general anesthesia ¿ first 15 minutes	Х	-		
D9223 Deep sedation/general anesthesia-each subsequent 15 minute increment	Х	-		
D9230 Inhitn ntrs oxd/anlgsa, anxlyss	Х	-		
D9239 Intravenous moderate (conscious) sedation/analgesia ¿ first 15 minutes	Х	-		
D9243 Intravenous moderate (conscious) sedation/analgesia-each subsequent 15 minute increment	Х	-		
D9248 Non-intravenous conscious sedation	Х	-		
D9310 Consultation (diagnostic service provided by dentistor physician other	Х	-		



As of: 12/19/24

		Small Employer a	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please should be directed	note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuto the Pharmacy link option within the website.	nizations, injectable drugs,	
D9311 Cons	sultation with a medical health care professional	Х	-
D9410 Hous	se call	Х	-
D9420 Hspt		Х	-
	ce visit for observation (during regularly scheduled hours) no oth	Х	-
	ce visit-after regularly scheduled hours	Х	-
	e presentation, detailed and extensive treatment planning	X	-
	rapeutic drug injection, by report	X	-
	rapeutic parenteral drugs, two or more administrations, different medications	X	-
	ration of sustained release therapeutic drug-single or multiple sites	X	-
	gs or medicaments dispensed in the office for home use	X	-
	lication of desensitizing medicaments	X	-
	lication of desensitizing resin for cervical and/or root surface per tooth	X	-
	visit patient screening ninistration of neuromodulators		-
	inistration of heuromodulators	X	-
	avior management, by report	X	-
	attent of complications (postsurgical) - unusual circumstances, by	X	-
	aning and inspection of removable complete denture, maxillary	X	_
	aning and inspection of removable complete denture, mandibular	X	_
	aning and inspection of removable complete dentate, manabular	X	_
	aning and inspection of removable partial denture, mandibular	X	-
	rication of a custom removable clear plastic temporary aesthetic appliance	X	-
	ement of a custom removable clear plastic temporary aesthetic appliance	Х	-
	rication of athletic mouthquards	Х	-
	air/reline occlusal guard	Х	-
	lusal guard adjustment	Х	-
	lusal guard-hard appliance, full arch	Х	-
	lusal guard-soft appliance, full arch	Х	-
	lusal guard-hard appliance, partial arch	Х	-
09947 Cust	tom sleep apnea appliance fabrication and placement	Х	-
09948 Adju	istment of custom sleep apnea appliance	Х	-
	air of custom sleep apnea appliance	Х	-
	lusion analysis-mounted case	Х	-
	ne custom sleep apnea appliance (indirect)	Х	-
	inistration of home sleep apnea test	Х	-
	ening for sleep related breathing disorders	Х	-
	pecified sleep apnea services procedure, by report	X	-
	licate/copy patient's records	X	-
	mel microabrasion	X	-
	ntoplasty 1-2 teeth; includes removal of enamel projections	X	-
	rnal bleaching- per arch- perfmored in offic	X	-
09973 Exte	rnal bleaching - per tooth	Х	-



As of: 12/19/24

		Small Employer an	er and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer should be (Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu tirected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
D9974	Internal bleaching - per tooth	Х	-
D9975	External bleaching for home application, per arch; includes materials and fabrication of custom trays	Х	-
	Sales tax	Х	-
	Missed appointment	Х	-
	Cancelled appointment	Х	-
	Certified translation or sign-certified translation or sign-language services per visit	Х	-
D9991	Dental case management- addressing appointment compliance barriers	Х	-
	Dental case management- care coordination	Х	-
	Dental case management- motivational interviewing	Х	-
	Dental case management- patient education to improve oral health literacy	Х	-
	Teledentistry ¿ synchronous; real-time encounter	Х	-
D9996	Teledentistry asynchronous; information stored and forwarded to dentist for subsequent review	Х	-
	Dental case management-patients with special health care needs	Х	-
	Unspecified adjunctive procedure, by report	Х	-
	Crutch, underarm, articulating, spring assisted, each	Х	-
	Walker, battery powered, wheeled, folding, adjustable or fixed height	Х	-
E0160	Sitz type bath or equipment	Х	-
E0161	Sitz bath/equipment w/faucet	Х	-
	Sitz bath chair	Х	-
E0163	Commode chair stationry fxd	Х	-
	Commode chair stationry det	Х	-
E0167	Commode chair pail or pan	Х	-
	Heavyduty/wide commode chair	Х	-
	Commode chair with integrated seat lift mechanism, electric, any type	Х	-
	Commode chair with integrated seat lift mechanism, non-electric, any type	Х	-
	Seat lift mechanism placed over or on top of toilet, any type	Х	-
	Commode chair foot rest	Х	-
	Press pad alternating w/ pum	-	Х
	Pressure pad alternating pum	-	Х
E0183	Powered pressure reducing underlay/pad, alternating, with pump, includes heavy duty	-	Х
E0190	Positioning cushion/pillow/wedge, any shape or size	Х	-
E0193	Powered air flotation bed	-	Х
E0194	Air fluidized bed	-	Х
	Heat lamp without stand	Х	-
	Therapeutic lightbox, minimum 10,000 lux, table top model	Х	-
	Heat lamp with stand	Х	-
	Electric heat pad standard	Х	-
E0215	Electric heat pad moist	Х	-
-	Water circ heat pad w pump	Х	-
	Water circ cold pad w pump	Х	-
	Infrared heating pad system	Х	-
E0225	Hydrocollator unit	Х	-



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding should be directed to the Pharmacy link option within the website.	ing immunizations, injectable drugs,		
E0231 Non-contact wound warming device (temperature control unit, ac adapter and power cord) for use with warming card and wou	Х	-	
E0232 Warming card for use with the non-contact wound warming device and non-contact wound warming wound cover	Х	-	
E0235 Paraffin bath unit portable	Х	-	
E0236 Pump for water circulating p	Х	-	
E0239 Hydrocollator unit portable	Х	-	
E0241 Bath tub wall rail	Х	-	
E0242 Bath tub rail floor	Х	-	
E0243 Toilet rail	Х	-	
E0244 Toilet seat raised	Х	-	
E0245 Tub stool or bench	Х	-	
E0246 Transfer tub rail attachment	Х	-	
E0247 Transfer bench for tub or toilet with or without commode opening	Х	-	
E0248 Transfer bench, heavy duty, for tub or toilet with or without commode opening	Х	-	
E0249 Pad for water circulating heat unit, for replacement only	Х	-	
E0250 Hosp bed fixed ht w/ mattres	-	Х	
E0251 Hosp bed fixd ht w/o mattres	-	Х	
E0255 Hospital bed var ht w/ mattr	-	Х	
E0256 Hospital bed var ht w/o matt	-	Х	
E0260 Hosp bed semi-electr w/ matt	-	Х	
E0261 Hosp bed semi-electr w/o mat	-	Х	
E0265 Hosp bed total electr w/ mat	-	Х	
E0266 Hosp bed total elec w/o matt	-	Х	
E0271 Mattress innerspring	Х	-	
E0273 Bed board	Х	-	
E0274 Over-bed table	Х	-	
E0275 Bed pan standard	Х	-	
E0276 Bed pan fracture	Х	-	
E0277 Powered pres-redu air mattrs	-	Х	
E0280 Bed cradle	Х	-	
E0290 Hosp bed fx ht w/o rails w/m	-	Х	
E0291 Hosp bed fx ht w/o rail w/o	-	Х	
E0292 Hosp bed var ht w/o rail w/o	-	Х	
E0293 Hosp bed var ht w/o rail w/	-	Х	
E0294 Hosp bed semi-elect w/ mattr	-	Х	
E0295 Hosp bed semi-elect w/o matt	-	Х	
E0296 Hosp bed total elect w/ matt	-	Х	
E0297 Hosp bed total elect w/o mat	-	Х	
E0300 Pediatric crib, hospital grade, fully enclosed	-	Х	
E0301 Hospital bed, heavy duty, extra wide, with weight capacity 350-600 lbs w/rails w/o mattress	-	Х	
E0302 Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 lbs w/rails w/o mattress	-	Х	
E0304 Hospital bed, extra heavy duty, extra wide, with weight capacity greater than 600 lbs w/rails w/mattress	-	Х	
E0305 Rails bed side half length	-	Х	



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding im-	munizations, injectable drugs,		
E0310 Rails bed side full length	-	Х	
E0315 Bed accessory brd/tbl/supprt	Х	-	
E0316 Safety enclosure frame/canopy for use with hospital bed, any type	Х	-	
E0325 Urinal male jug-type	Х	-	
E0326 Urinal female jug-type	Х	-	
E0328 Hospital bed, pediatric, manual, 360 degree side enclosures, top of headboard, footboard and side rails up to 24 inches	-	X	
E0329 Hospital bed, pediatric, electric or semi-electric, 360 degree side enclosures, top of headboard, footboard and side rai	-	Х	
E0350 Control unit bowel system	X	-	
E0352 Disposable pack w/bowel syst	X	-	
E0370 Air elevator for heel	Х	-	
E0371 Nonpower mattress overlay	-	X	
E0372 Powered air mattress overlay	-	X	
E0373 Nonpowered pressure mattress	-	Х	
E0425 Gas system stationary compre	X	-	
E0435 Oxygen system liquid portabl	X	-	
0440 Oxygen system liquid station 0446 Topical ox deliver sys, nos	X X	-	
		X	
E0462 Rocking bed w/ or w/o side r	-	X	
E0465 Home ventilator, any type, used with invasive interface, (e.g., tracheostomy tube) E0466 Home ventilator, any type, used with non-invasive interface, (e.g., mask, chest shell)		X	
E0467 Home vent multi-function	-	X	
E0469 Lung expansion airway clearance, continuous high frequency oscillation, and nebulization device	-	X	
E0409 Lung expansion alway clearance, continuous high nequency oscillation, and neoulization device		X	
E0470 Respiratory assist device, bi-level pressure capability, with back-up rate	_	X	
E0472 Respiratory assist device, bi-level pressure capability, with backup rate	_	X	
E0481 Intrapulmonary percussive ventilation system and related accessories	Х	-	
E0482 Cough stimulating device, alternating positive and negative airway pressure	-	Х	
E0483 High frequency chest wall oscillation air-pulse generator system, (includeshoses and vest), each	-	X	
E0485 Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, prefabricated, includes	-	X	
E0486 Oral device/appliance used to reduce upper airway collapsibility, adjustable or non-adjustable, custom fabricated, inclu	-	X	
E0490 Power source and control electronics unit for oral device/appliance for neuromuscular electrical stimulation of the tongue muscle,			
controlled by hardware remote	Х	-	
E0491 Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in conjunction with the power source and			
control electronics unit, controlled by hardware remote, 90-day supply	Х	-	
E0492 Power source and control electronics unit for oral device/appliance for neuromuscular electrical stimulation of the tongue muscle,			
controlled by phone application	Х	-	
E0493 Oral device/appliance for neuromuscular electrical stimulation of the tongue muscle, used in conjunction with the power source and			
control electronics unit, controlled by phone application, 90-day supply	Х	-	
E0530 Electronic positional obstructive sleep apnea treatment, with sensor, includes all components and accessories, any type	Х	-	
E0561 Humidifier, non-heated, used with positive airway pressure device	-	Х	
E0562 Humidifier, heated, used with positive airway pressure device	-	Х	
E0574 Ultrasonic generator w svneb	Х	-	



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer should be	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu tirected to the Pharmacy link option within the website.	unizations, injectable drugs,	or specialty medications ar
E0601	Cont airway pressure device	-	Х
E0602	Breast pump	Х	-
E0604	Breast pump, heavy duty, hospital grade, piston operated, pulsatile vacuum suction/release cycles, vacuum regulator, sup	Х	-
	Vaporizer room type	Х	-
	Patient lift sling or seat	Х	-
	Patient lift bathroom or toi	Х	-
	Seat lift incorp lift-chair	Х	-
	Seat lift for pt furn-non-el	Х	-
	Patient lift hydraulic	Х	-
	Patient lift electric	Х	-
	Multipositional patient support system, with integrated lift, patientaccessible controls	Х	-
	Combination sit to stand frame/table system, any size including pediatric, with seat lift feature, with or without wheels	Х	-
E0638	Standing frame/table system, one position (e.g. upright, supine or prone stander), any size including pediatric, with or without wheels	х	-
20639	Moveable patient lift system	Х	-
	Fixed patient lift system	Х	-
	Pneum compressor segmental	-	Х
0652	Pneum compres w/cal pressure	-	Х
0655	Pneumatic appliance half arm	-	Х
	Seg pneumatic appl full leg	-	Х
	Seg pneumatic appl full arm	-	Х
20669	Seg pneumatic appli half leg	-	Х
E0670	Segmental pneumatic appliance for use with pneumatic compressor, half	-	Х
E0671	Pressure pneum appl full leg	-	Х
0672	Pressure pneum appl full arm	-	Х
20673	Pressure pneum appl half leg	-	Х
0675	Pneumatic compression device, high pressure, rapid inflation/deflation cycle	-	Х
	Non pneum seq comp trunk	-	Х
	Nonpneumatic sequential compression garment, full leg	Х	-
	Nonpneumatic sequential compression garment, half leg	Х	-
	Nonpneumatic compression controller without calibrated gradient pressure	Х	-
0693	Ultraviolet light therapy system panel, includes bulbs/lamps, timer and eyeprotection, 6 foot panel	-	Х
	Safety equipment, device or accessory, any type	Х	-
	Transfer board or device, any type, each	Х	-
	Restraints any type	Х	-
	Ue enclosure restr rom	Х	-
	Intravaginal device intended to strengthen pelvic floor muscles during kegel exercises	-	Х
	Supplies and accessories for intravaginal device intended to strengthen pelvic floor muscles during kegel exercises	-	Х
	Transcutaneous electrical nerve stimulatory, stimulates nerves in the auricular region	Х	-
	Cranial electrotherapy stimulation (CES) system, any type	Х	-
	External upper limb tremor stimulator of the peripheral nerves of the wrist	X	-
E0735	Noninvasive vagus nerve stimulator	Х	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur lirected to the Pharmacy link option within the website.	nizations, injectable drugs,		
E0737	Transcutaneous tibial nerve stimulator, controlled by phone application	Х	-	
E0738	Upper extremity rehabilitation system providing active assistance to facilitate muscle re-education, include microprocessor, all	V		
	components and accessories	Х	-	
E0739	Rehab system with interactive interface providing active assistance in rehabilitation therapy, includes all components and accessories,	х		
	motors, microprocessors, sensors	^	-	
	Incontinence treatment systm	-	Х	
	External lower extremity nerve stimulator for restless legs syndrome, each	Х	-	
-	Neuromuscular stim for scoli	-	Х	
	Neuromuscular stim for shock	-	Х	
	Electromyograph biofeedback	Х	-	
	Elec osteogen stim not spine	-	X	
	Elec osteogen stim spinal	-	X	
	Elec osteogen stim implanted	-	X	
	Osteogen ultrasound stimitor	-	Х	
	Non-thermal pulsed high frequency radiowaves, high peak power electromagneticenergy treatment device	Х	-	
	Transcutaneous electrical joint stimulation device system, includes all accessories	-	Х	
	Functional neuromuscular stimulator, transcutaneous stimulation of muscles of ambulation with computer control, used for	Х	-	
	Nerve stimulator for tx n&v	-	X	
	Elec stim cancer treatment	-	Х	
E0767	Intrabuccal, systemic delivery of amplitude-modulated, radiofrequency electromagnetic field device, for cancer treatment, includes all accessories	х	-	
E0770	Functional electrical stimulator, transcutaneous stimulation of nerve and/or muscle groups, any type, complete system, n	Х	-	
E0779	Amb infusion pump mechanical	-	Х	
	Mech amb infusion pump <8hrs	-	Х	
E0781	External ambulatory infus pu	-	Х	
	Non-programble infusion pump	-	Х	
	Programmable infusion pump	-	Х	
	Ext amb infusn pump insulin	-	Х	
	Replacement impl pump cathet	-	Х	
	Implantable pump replacement	-	Х	
	Cgs dose adj insulin inf pmp	Х	-	
	Parenteral infusion pump sta	-	Х	
	Cervical pneum trac equip	X	-	
	Traction stand free standing	X	-	
	Cervical traction equipment	X	-	
	Cervical traction device, cervical collar with inflatable air bladder	X	-	
	Tract equip cervical tract	X	-	
	Trac stand free stand extrem	X	-	
	Trac stand free stand pelvic	Х	-	
	Fracture frame attached to b	-	Х	
	Gravity assisted traction de	X	-	
E0968	Wheelchair commode seat	Х	-	


As of: 12/19/24

	Small Employ	
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding I should be directed to the Pharmacy link option within the website.	ists do not reflect information regarding immunizations, injectable drugs	, or specialty medications and
E0983 Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized	-	Х
E0984 Manual wheelchair accessory, power add-on to convert manual wheelchair to motorized	-	Х
E0985 Wheelchair accessory, seat lift mechanism	-	Х
E0988 Manual wheelchair accessory, lever-activated, wheel drive, pair	-	Х
E1003 Wheelchair accessory, power seating system, recline only, without shear	-	Х
E1004 Wheelchair accessory, power seating system, recline only, with mechanical shear	-	Х
E1005 Wheelchair accessory, power seatng system, recline only, with power shear	-	Х
E1006 Wheelchair accessory, power seating system, combination tilt and recline, w/o shear reduction	-	Х
E1009 Wheelchair accessory, addition to power seating system, mechanically linked leg	-	Х
E1011 Modification to pediatric wheelchair, width adjustment package (not to bedispensed with initial chair)	-	Х
E1017 Heavy duty shock absorber for heavy duty or extra heavy duty manual wheelchair, each	-	Х
E1018 Heavy duty shock absorber for heavy duty or extra heavy duty power wheelchair, each	-	Х
E1031 Rollabout chair with casters	X	-
E1035 Multi-positional patient transfer system, with integrated seat, operated by care giver, patient weight capacity		-
E1036 Multi-positional patient transfer system, extra-wide, with integrated seat, operated by caregiver, patient w		-
E1039 Transport chair pt wt>300lb	Х	-
E1220 Whichr special size/constrc	-	Х
E1230 Power operated vehicle	Х	-
E1300 Whirlpool portable	X	-
E1310 Whirlpool non-portable	Х	-
E1356 Oxygen accessory, battery pack/cartridge for portable concentrator, any type, replacement only, each	Х	-
E1520 Heparin infusion pump for di	-	Х
E1570 Adjustable chair for esrd pt	Х	-
E1625 Water softening system	Х	-
E1639 Scale, for dialysis, each	Х	-
E1700 Jaw motion rehab system	Х	-
E1701 Repl cushions for jaw motion	X	-
E1702 Repl measr scales jaw motion	X	-
E1802 Dynamic adjustable forearm pronation/supination device, includes soft interfacematerial	-	Х
E1840 Dynamic adjustable shoulder flexion/abduction/rotation device, includes soft interface material	-	Х
E1841 Static str shldr dev rom adj	-	Х
E1905 Vr cbt therapy	X	-
E2100 Blood glucose monitor with integrated voice synthesizer	Х Х	-
E2102 Adjunctive continuous glucose monitor or receiver	-	X
E2103 Non-adjunctive, non-implanted continuous glucose monitor or receiver	-	X
E2120 Pulse generator system for tympanic treatment of inner ear endolymphatic fluid	-	Х
E2300 Power wheelchair accessory, power seat elevation system	X	-
E2301 Power wheelchair accessory, power standing system	X	-
E2310 Power wheelchair accessory, electronic connection between wheelchair controller	Х Х	-
E2322 Power wheelchair accessory, hand control interface, multiple mechanical switches	-	X
E2324 Power wheelchair accessory, chin cup for chin control interface	-	X
E2325 Power wheelchair accessory, sip and puff interface, nonproportional	-	Х



As of: 12/19/24

			ver and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: should be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu directed to the Pharmacy link option within the website.	inizations, injectable drugs,	or specialty medications and	
E2329	Power wheelchair accessory, head control interface, contact switch mechanism, nonproportional	-	Х	
E2330	Power wheelchair accessory, head control interface, proximity switch mechanism, nonproportional	-	Х	
	Power wheelchair accessory, attendant control, proportional, including all electronics and hardware	-	Х	
E2340	Power wheelchair accessory, nonstandard seat frame width, 20-23 inches	-	Х	
E2341	Power wheelchair accessory, nonstandard seat frame width, 24-27 inches	-	Х	
	Power wheelchair accessory, nonstandard seat frame depth, 20 or 21 inches	-	Х	
E2343	Power wheelchair accessory, nonstandard seat frame depth, 22-25 inches	-	Х	
E2351	Power wheelchair accessory, electronic interface to operate speech generating device	Х	-	
E2371	Power wheelchair accessory, group 27 sealed lead acid battery, (e.g. gel cell, absorbed glassmat), each	-	Х	
E2381	Power wheelchair accessory, pneumatic drive wheel tire, any size, replacement only, each	-	Х	
E2382	Power wheelchair accessory, tube for pneumatic drive wheel tire, any size, replacement only, each	-	Х	
E2383	Power wheelchair accessory, insert for pneumatic drive wheel tire (removable), any type, any size, replacement only, eac	-	Х	
E2384	Power wheelchair accessory, pneumatic caster tire, any size, replacement only, each	-	Х	
E2402	Negative pressure wound therapy electrical pump, stationary or portable	-	Х	
E2500	Speech generating device, digitized speech, using pre-recorded messages, 8 min. or less	Х	-	
E2502	Speech generating device, digitized speech, using pre-recorded messages, 8-20 min.	Х	-	
E2504	Speech generating device, digitized speech, using pre-recorded messages, 20-40 min.	Х	-	
	Speech generating device, digitized speech, using pre-recorded messages, over 40 min.	Х	-	
E2508	Speech generating device, synthesized speech, requiring message formulation by spelling	Х	-	
E2510	Speech generating device, synthesized speech, permitting multiple methods	-	Х	
E2511	Speech generating software program, for personal computer or personal digital assistant	Х	-	
E2512	Accessory for speech generating device, mounting system	Х	-	
E2513	Accessory for speech generating device, electromyographic sensor	Х	-	
E3000	Speech volume modulation system, any type, including all components and accessories	Х	-	
E3200	Gait modulation system, rhythmic auditory stimulation, including restricted therapy software, all components and accessories, prescription only	х		
<u>C0022</u>	Principal illness navigation services by certified or trained auxiliary personnel under the direction of a physician or other practitioner,	~	-	
G0023	including a patient navigator, 60 minutes per calendar month, in the following activities:	x		
<u>C0024</u>	Principal illness navigation services, additional 30 minutes per calendar month (list separately in addition to G0023)	X		
	Semen analysis	X	-	
	Doc med rsn no scr tob	X		
	No tob scr/cess int	X	-	
	Pt scr tob & cess int	X		
	Pall serv during meas	X		
	2+ antipsy schiz	X	-	
	2+ benzo seiz	X	-	
	Pall serv during meas	X	-	
		X	-	
	Pt ed pos 23	X	-	
	Pt/ptn decln assess	X	-	
	Pt not able to participate	X	-	
	Clin pt no ref	X	-	
60038	Pt no ref, rn spec	Ā	-	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu ected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications ar	
	Pt phys/occ therapy	Х	-	
	Pt/ptn decln referral	X	-	
	Ref to therapy	Х	-	
G0043	Pt mech pros ht valv	Х	-	
G0044	Pt mitral stenosis	Х	-	
	Mrs 90 days post stk	Х	-	
	No mrs 90 days post stk	Х	-	
	Ped blunt hd traum	Х	-	
	Pall serv during meas	X	-	
	Main hemo in-cntr	X	-	
	Pt w/ Imted life expec	X	-	
	Pt hospice mnth	X	-	
	Pt peri dialysis dur mo	X	-	
	Adv rheum pt care mvp	X	-	
	Strk cr prev pos outcme mvp	X	-	
	Adv care heart dx mvp	X	-	
	Best pct pt safety em mvp	X	-	
	Imprv care le jnt repr mvp Pt sfty pos exp w aneth mvp	X	-	
	Allergy/immunology ss	X	-	
	Anesthesiology ss	X	-	
	Audiology ss	X	-	
	Cardiology ss	X	-	
	Cert nurse midwife ss	X	-	
	Chiropractic ss	X	-	
	Clinical social work ss	Х	-	
	Dentistry ss	Х	-	
	Adm of infusion drug in home	-	Х	
G0069	Professional services for the administration of subcutaneous immunotherapy for each infusion drug administration calendar day in the			
	ndividual's home, each 15 minutes	-	Х	
60070	Professional services for the administration of chemotherapy for each infusion drug administration calendar day in the individual's			
	home, each 15 minutes	-	Х	
	Comm svcs by rhc/fqhc 5 min	Х	-	
	Care manag h vst new pt 20 m	Х	-	
	Care manag h vst new pt 30 m	Х	-	
	Care manag h vst new pt 45 m	X	-	
	Care manag h vst new pt 60 m	X	-	
	Care manag h vst new pt 75 m	X	-	
	Care man h v ext pt 20 mi	X	-	
	Care man h v ext pt 30 m	X	-	
	Care man h v ext pt 45 m	X	-	
50084	Care man h v ext pt 60 m	Х	-	



As of: 12/19/24

		ver and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding in should be directed to the Pharmacy link option within the website.	nmunizations, injectable drugs,	
G0085 Care man h v ext pt 75 m	Х	-
G0086 Care man home care plan 30 m	Х	-
G0087 Care man home care plan 60 m	Х	-
G0088 Adm iv drug 1st home visit	-	Х
G0089 Adm subq drug 1st home visit	-	Х
G0127 Trim nail(s)	Х	-
G0128 Corf skilled nursing service	Х	-
G0129 Partial hosp prog service	-	X*
G0130 Single energy x-ray study	Х	-
G0136 Administration of a standardized, evidence-based social determinants of health risk assessment tool, 5 to 15 minutes	Х	-
G0137 Intensive outpatient services, weekly bundle, minimum of 9 services over a 7 contiguous day period, which can include:	-	Х
G0140 Principal illness navigation-peer support by certified or trained auxiliary personnel under the direction of a physician or other	Х	-
practitioner, including a certified peer specialist, 60 minutes per calendar month, in the following activities:		
G0146 Principal illness navigation-peer support, additional 30 minutes per calendar month (list separately in addition to G0140)	Х	-
G0151 Hhcp-serv of pt,ea 15 min	-	X*
G0152 Hhcp-serv of ot,ea 15 min	-	X*
G0153 Hhcp-svs of s/l path,ea 15mn	-	X*
G0155 Services of clinical social worker in home health or hospice settings, each 15 minutes	-	X*
G0156 Services of home health/hospice aide in home health or hospice settings, each 15 minutes	-	Х
G0157 Hhc pt assistant ea 15	Х	-
G0158 Hhc ot assistant ea 15	Х	-
G0159 Hhc pt maint ea 15 min	-	X*
G0160 Hhc occup therapy ea 15	-	X*
G0161 Services performed by a qualified speech-language pathologist, in the home health setting, in the establishment or delivery of a safe and effective speech-language pathology m	-	X*
G0162 Hhc rn e&m plan svs, 15 min	-	Х*
G0175 Opps service, sched team conf	Х	-
G0176 Opps/php;activity therapy	Х	-
G0177 Opps/php; train & educ serv	Х	-
G0179 Md recertification hha patient	Х	-
G0180 Md certification hha patient	Х	-
G0219 Pet img wholebody melanoma nonco	Х	-
G0247 Routine foot care by a physician of a diabetic patient with diabetic sensoryneuropathy resulting in a loss of protective	Х	-
G0248 Demonstration, at initial use, of home inr monitoring for patient withmechanical heart valve(s) who meets medicare cover	-	Х
G0249 Provision of test materials and equipment for home inr monitoring to patientwith mechanical heart valve(s) who meets med	-	Х
G0255 Current perception threshold/sensory nerve conduction test, (snct) per limb,any nerve	Х	-
G0269 Placement of occlusive device into either a venous or arterial access site, post surgical or interventional procedure (e.	Х	-
G0276 Pild/placebo control clin tr	Х	-
G0281 Electrical stimulation, (unattended), to one or more areas, for chronic stageiii and stage iv pressure ulcers, arterial	-	X*
G0282 Electrical stimulation, (unattended), to one or more areas, for wound careother than described in g0281	Х	-
G0283 Electrical stimulation (unattended), to one or more areas for indication(s)other than wound care, as part of a therapy p	-	X*
G0293 Noncovered surgical procedure(s) using conscious sedation, regional, general orspinal anesthesia in a medicare qualifyin	Х	-



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications ar
G0294	Noncovered procedure(s) using either no anesthesia or local anesthesia only, ina medicare qualifying clinical trial, per	Х	-
	Electromagnetic stimulation, to one or more areas	Х	-
	Direct skilled nursing services of a registered nurse (rn) in the home health or hospice setting, each 15 minutes	-	Х
G0300	Direct skilled nursing services of a license practical nurse (Ipn) in the home health or hospice setting, each 15 minutes	-	Х
	Pre-operative pulmonary surgery services for preparation for lvrs, complete	Х	-
	Pre-operative pulmonary surgery services for preparation for lvrs, 10 to 15	Х	-
	Pre-operative pulmonary surgery services for preparation for lvrs, 1 to 9 days	Х	-
	Post-discharge pulmonary surgery services after lvrs, minimum of 6 days	Х	-
	180 d implant glucose sensor	Х	-
	Rem/inser glu sensor dif sit	Х	-
	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service, 5 to 15 mins time (this code is used for medicaid billing purposes)	Х	-
G0311	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service, 16-30 mins time (this code is used for medicaid billing purposes)	х	-
G0312	Immunization counseling by a physician or other qualify ed health care professional when the vaccine(s) is not administered on the same date of service for ages under 21, 5 to 15 mins time (this code is used for medicaid billing purposes)	Х	-
30313	Immunization counseling by a physician or other qualified health care professional when the vaccine(s) is not administered on the same date of service for ages under 21, 16-30 mins time (this code is used for medicaid billing purposes)	Х	-
G0314	Immunization counseling by a physician or other qualified health care professional for covid-19, ages under 21, 16-30 mins time (this code is used for the medicaid early and periodic screening, diagnostic, and treatment benefit (epsdt)	Х	
G0315	Immunization counseling by a physician or other qualified health care professional for covid-19, ages under 21, 5-15 mins time (this code is used for the medicaid early and periodic screening, diagnostic, and treatment benefit (epsdt)	X	
30321	Home health services furnished using synchronous telemedicine rendered via telephone or other real-time interactive audio-only telecommunications system	x	_
20227	Colon ca scrn;bld-bsd biomrk	× ×	-
	Therapy plan of care	× X	-
	Facility services for dental rehabilitation procedure(s) performed on a patient who requires monitored anesthesia (e.g., general, intravenous sedation (monitored anesthesia care) and use of an operating room	-	x
20227	Hospice evaluation and counseling services, pre-election	_	X
	Image guided robotic linear accelerator base sterotactic radiosurgery, complete course therapy in one session, or first	-	X
	Image guided robotic linear accelerator based stereotactic radiosurgery, delivery including collimator changes and custo	-	X
	Percutaneous islet cell transplant, includes portal vein catherization and infusion	Х	-
	Laparascopy for iselt cell transplant, includes portal vein catherization and infusion	X	-
	Laparaotomy for iselt cell transplant, includes vein catherization and infusion	X	-
	Initial preventive physical examination; face-to-face visit, services limited to new beneficiary during the first 12 mon	X	-
	Social work and psychological services, directly relating to and/or furthering the patient's rehabilitation goals, each	-	Х
	Group psychotherapy other than of a multiple-family group, in a partial hospitalization setting, approximately 45 to 50	Х	-
	Interactive group psychotherapy, in a partial hospitalization setting, approximately 45 to 50 minutes	X	-
	Collagen meniscus implant procedure for filling meniscal defects (e.g., cmi, collagen scaffold, menaflex)	X	-
	Ppps, initial visit	X	-
	Ppps, subseq visit	X	-
	Development testing, with interpretation and report, per standardized instrument form	Х	-



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
nould be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications an	
G0454	Physician documentation of face-to-face visit for durable medical equipment determination performed by nurse practitioner, physician assistant or clinical nurse specialist	х	-	
G0459	Inpatient telehealth pharmacologic management, including prescription, use, and review of medication with no more than minimal medical psychotherapy	Х	_	
60460	Autolog prp not diab ulcer	Х	-	
	Autolog prp diab wound ulcer	Х	-	
	Fqhc visit, ippe or awv	Х	-	
	Home visit rn, lpn by rhc/fq	Х	-	
	Rn care ea 15 min hh/hospice	-	Х	
	Lpn care ea 15min hh/hospice	-	Х	
	Rn care train/edu in hh	-	Х	
	Lpn care train/edu in hh	-	Х	
	Prolong prev svcs, first 30m	Х	-	
	Prolong prev svcs, addl 30m	Х	-	
	Insert drug del implant, >4	Х	-	
	Remove drug implant	Х	-	
	Remove w insert drug implant	Х	-	
	Management of new patient-caregiver dyad with dementia, low complexity, for use in cmmi model	Х	-	
	Management of new patient-caregiver dyad with dementia, moderate complexity, for use in cmmi model	Х	-	
	Management of new patient-caregiver dyad with dementia, high complexity, for use in cmmi model	Х	-	
	Management of a new patient with dementia, low complexity, for use in cmmi model	Х	-	
0523	Management of a new patient with dementia, moderate to high complexity, for use in cmmi model	Х	-	
	Management of established patient-caregiver dyad with dementia, low complexity, for use in cmmi model	Х	-	
	Management of established patient-caregiver dyad with dementia, moderate complexity, for use in cmmi model	Х	-	
	Management of established patient-caregiver dyad with dementia, high complexity, for use in cmmi model	Х	-	
	Management of established patient with dementia, low complexity, for use in cmmi model	Х	-	
	Management of established patient with dementia, moderate to high complexity, for use in cmmi model	Х	-	
	In-home respite care, 4-hour unit, for use in cmmi model	Х	-	
	Adult day center, 8-hour unit, for use in cmmi model	Х	-	
	Facility-based respite, 24-hour unit, for use in cmmi model	Х	-	
	Take-home supply of nasal nalmefene hydrochloride; one carton of two, 2.7 mg per 0.1 ml nasal sprays (provision of the services by a medicare-enrolled opioid treatment program); (list separately in addition to each primary code)			
0500	Medication assisted treatment, buprenorphine (injectable) administered on a weekly basis; weekly bundle including dispensing and/or			
0533				
	administration, substance use counseling, individual and group therapy, and toxicology testing if performed (provision of the services by	х		
0524	a medicare-enrolled opioid treatment program)	^		
00034	Coordinated care and/or referral services, such as to adequate and accessible community resources to address unmet health-related			
	social needs, including harm reduction interventions and recovery support services a patient needs and wishes to pursue, which			
	significantly limit the ability to diagnose or treat an opioid use disorder; each additional 30 minutes of services (provision of the services			
	by a medicare-enrolled opioid treatment program); (list separately in addition to each primary code)	V		
		Х	-	



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun irected to the Pharmacy link option within the website.	izations, injectable drugs,	
	Patient navigational services, provided directly or by referral; including helping the patient to navigate health systems and identify care providers and supportive services, to build patient self-advocacy and communication skills with care providers, and to promote patient- driven action plans and goals; each additional 30 minutes of services (provision of the services by a medicare-enrolled opioid treatment	×	
	program); (list separately in addition to each primary code) Peer recovery support services, provided directly or by referral; including leveraging knowledge of the condition or lived experience to provide support, mentorship, or inspiration to meet oud treatment and recovery goals; conducting a person-centered interview to understand the patient's life story, strengths, needs, goals, preferences, and desired outcomes; developing and proposing strategies to help meet person-centered treatment goals; assisting the patient in locating or navigating recovery support services; each additional 30 minutes of services (provision of the services by a medicare-enrolled opioid treatment program); (list separately in addition to each	X	
	primary code)	<u>X</u>	-
	ADV PRIM CARE MGMT LVL 1	X	-
	ADV PRIM CARE MGMT LVL 2	X X	-
	ADV PRIM CARE MGMT LVL 3 Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance and real-time		-
G0564	positron emissions-based delivery adjustments to 1 or more lesions, entire course not to exceed 5 fractions Creation of subcutaneous pocket with insertion of 365 day implantable interstitial glucose sensor, including system activation and patient training	- X	
	Removal of implantable interstitial glucose sensor with creation of subcutaneous pocket at different anatomic site and insertion of new 365 day implantable sensor, including system activation	х	-
	Improvement in visual function achieved within 90 days following cataract surgery	Х	-
	patient care survey was not completed by patient	Х	-
	Improvement in visual function not achieved within 90 days following cataract surgery	X	-
	Satisfaction with care achieved within 90 days following cataract surgery	<u>X</u>	-
	Patient satisfaction survey was not completed by patient	<u>X</u>	-
	Satisfaction with care not achieved within 90 days following cataract surgery	X X	-
	Cdsm evicore Cdsm medcurrent	× ×	-
	Cdsm medicalis	× X	-
	Cdsm ndsc	× ×	-
	Cdsm aim	X	-
	Cdsm cranberry pk	X	-
	Cdsm stanson	X	-
	Cdsm qualified nos	Х	-
	Cdsm agilemd	Х	-
	Cdsm evidencecare	Х	-
	Cdsm inveniqa	Х	-
	Cdsm reliant	Х	-
	Cdsm speed of care	Х	-
	Cdsm healthhelp	Х	-
	Cdsm infinx	Х	-
	Cdsm logicnets	Х	-
G1020	Cdsm curbside	Х	-



As of: 12/19/24

	Small Employe	
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information re should be directed to the Pharmacy link option within the website.	garding immunizations, injectable drugs,	or specialty medications and
G1021 Cdsm ehealthline	Х	-
G1022 Cdsm intermountain	X	-
G1023 Cdsm persivia	Х	-
G1024 Cdsm radrite	Х	-
G1025 Pt mnth 1 mcp prov	Х	-
G1026 Pt hemo > 3mo	Х	-
G1027 Pt hemo < 3mo	Х	-
G1028 Take home supply 8mg per 0.1	Х	-
G2001 Post d/c h vst new pt 20 m	Х	-
G2002 Post-d/c h vst new pt 30 m	Х	-
G2003 Post-d/c h vst new pt 45 m	Х	-
G2004 Post-d/c h vst new pt 60 m	Х	-
G2005 Post-d/c h vst new pt 75 m	Х	-
G2006 Post-d/c h vst ext pt 20 m	Х	-
G2007 Post-d/c h vst ext pt 30 m	X	-
G2008 Post-d/c h vst ext pt 45 m	Х	-
G2009 Post-d/c h vst ext pt 60 m	Х	-
G2013 Post-d/c h vst ext pt 75 m	Х	-
G2014 Post-d/c care plan overs 30m	Х	-
G2015 Post-d/c care plan overs 60m	Х	-
G2020 Services for high intensity clinical services associated with the initial engagement and outreach of beneficiaries assigned to the	e sip	
component of the pcf model (do not bill with chronic care management codes)	Х	-
G2021 Hea care pract tx in place	X	-
G2022 Benef refuses service, mod	X	-
G2025 Dis site tele svcs rhc/fqhc	Х	-
G2081 Pt 66+ snp or ltc pos > 90d	X	-
G2082 Visit esketamine 56m or less	X	-
G2083 Visit esketamine, > 56m	Х	-
G2090 Pt 66+ frailty and med dem	Х	-
G2091 Pt 66+ frailty and adv ill	X	-
G2092 Ace arb arni	X	-
G2093 Med doc rsn no ace arn arni	X	-
G2094 Pt rsn no ace arn arni	X	-
G2095 Sys rsn no ace arn arni	X	-
G2096 No rsn ace arb arni	X	-
G2097 Child dx uri 3d of other dx	Х	-
G2098 Pt 66+ frailty and med dem	X	-
G2099 Pt 66+ frailty and adv ill	X	-
G2100 Pt 66+ frailty and med dem	X	-
G2101 Pt 66+ frailty and adv ill	X	-
G2105 Pt 66+ It ints > 90	X	-
G2106 Pt 66+ It ints > 90	Х	-



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
isclaimer: Please note that coverage may vary by plan nould be directed to the Pharmacy link option within the	type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun	nizations, injectable drugs,	or specialty medications a	
62107 Pt 66+ frailty and adv ill	website.	Х	-	
32107 Pred<=5 mg ra glu <6m		X	-	
S2112 Pred>5 mg >6m, no chg da		X	-	
S2115 Pt 66+ frailty and med dem		X	-	
62116 Pt 66+ frailty and adv ill		X	-	
62118 Pt 81+ frailty		X	-	
G2121 Psy dep anx ap and icd asse		Х	-	
62122 Psy/dep/anx/apandicd noasse		Х	-	
S2125 Pt 81+ frailty		Х	-	
2126 Pt 66+ frailty adv ill		Х	-	
62127 Pt 66+ frailty med dem		Х	-	
2128 No aspirin med rsn		Х	-	
S2129 No bp outpt		Х	-	
62136 Bk pain vas 6-20wk = 3		Х	-	
62137 Bk pain vas 6-20wk > 3		Х	-	
2138 Bk pain vas 9-15mo = 3		Х	-	
2139 Bk pain vas 9-20mo > 3		Х	-	
2140 Leg pain vas 6-20wk = 3		Х	-	
2141 Leg pain vas 6-20wk > 3		Х	-	
2142 Fs odi 9-15mo postop<= 22		Х	-	
2143 Fs odi 9-15mo > 22		Х	-	
2144 Fs odi 6-20wk postop > 22		X	-	
2145 Fsodi 6-20wk >22 or chg 30pt		X	-	
2146 Leg pain vas 9-15mo <= 3		X	-	
2147 Leg pain vas 9-15mo > 3		X	-	
2148 Mpm used		X	-	
2149 No mpm med rsn		X	-	
2150 No mpm		X	-	
2151 Dx degen neuro		X	-	
2152 Res change sc =0		X	-	
2167 Res change sc < 0		X	-	
2168 Svs by pt in home health 2169 Svs by ot in home health		X	-	
	an related to highly appreciated and integrated anioid use disorder (and) treatment carries a furnished for	^	-	
	ces related to highly coordinated and integrated opioid use disorder (oud) treatment services furnished for	х	_	
the demonstration project 2173 Uri w comorb 12m oth dx		X	-	
2173 Uri new rx antibiotic 30d		X	-	
2175 Pt comorb dx 12m of epi		X	-	
2176 Outpt ed obs w inpt admit		X	-	
2177 Bronch w rx antibx 30d		X	-	
2178 Pt not elig low neuro ex		X	-	
2179 Med doc rsn no low ex		X	-	



As of: 12/19/24

			er and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	verage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunacy link option within the website.	unizations, injectable drugs,		
G2180 Inelig footwr		Х	-	
G2181 Bmi not doc r		X	-	
G2182 Pt 1st biolog		X	-	
G2183 Doc pt unable		X	-	
G2184 No caregiver		Х	-	
G2185 Caregiver de		Х	-	
G2186 Pt ref app rsr		Х	-	
G2187 Clin ind img h		Х	-	
G2188 Pt 50 yrs w/c		Х	-	
G2189 Img hd abnm	l neuro exam	Х	-	
G2190 Ind img hd ra		Х	-	
G2191 Ind img hd po		Х	-	
G2192 >55 yrs temp	hd ache	Х	-	
G2193 <6yr new ons		Х	-	
G2194 New hdache		Х	-	
G2195 Occip hdache		Х	-	
G2196 Screen unhlt		Х	-	
G2197 Screen hlthy		X	-	
G2198 Med rsn no u		Х	-	
G2199 Not scrn etoh		Х	-	
G2200 Unhlthy etoh		X	-	
G2201 Med rsn no b		X	-	
G2202 No rsn no bri		X	-	
G2203 Med rsn no e		X	-	
G2204 Pt 50-85 w/ s		X	-	
G2205 Preg drng ad		X	-	
G2206 Adjv trtmt che		X	-	
G2207 Rsn no trtmt		X	-	
G2208 No trtmt chen		X	-	
G2209 Refused to pa		X	-	
G2210 No neck fs pr		X	-	
G2215 Home supply		X	-	
G2216 Home supply		X	-	
G4000 Dermatology		X	-	
G4001 Diagnostic ra	<u>d ss</u>	X	-	
G4002 Ep cardio ss		X	-	
G4003 Emergency n		X	-	
G4004 Endocrinolog		X	-	
G4005 Family medic		X	-	
G4006 Gastroentero		X	-	
G4007 General surg	ery ss		-	
G4008 Geriatrics ss		Х	-	



As of: 12/19/24

		Small Employe	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer:	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm lirected to the Pharmacy link option within the website.	unizations, injectable drugs,	or specialty medications an
	Hospitalists ss	Х	-
	Infectious disease ss	X	-
	Internal medicine ss	Х	-
G4012	Interventional rad ss	Х	-
G4013	Mentl/behav health ss	Х	-
	Nephrology ss	Х	-
G4015	Neurology ss	Х	-
G4016	Neurosurgical ss	Х	-
G4017	Nutrition/dietician ss	Х	-
	Ob/gyn ss	Х	-
G4019	Oncology/hema ss	Х	-
G4020	Ophthalmology ss	Х	-
G4021	Orthopedic surgery ss	Х	-
	Otolaryngology ss	Х	-
	Pathology ss	Х	-
64024	Pediatric ss	Х	-
	Physical medicine ss	Х	-
	Phys/occ therapy ss	Х	-
	Plastic surgery ss	Х	-
	Podiatry ss	Х	-
	Preventive medicine ss	Х	-
	Pulmonology ss	Х	-
	Radiation oncology ss	Х	-
	Rheumatology ss	Х	-
	Skilled nursing facility ss	Х	-
	Speech language path ss	Х	-
	Thoracic surgery ss	Х	-
	Urgent care ss	X	-
	Urology ss	X	-
	Vascular surgery ss	X	-
	Left ventricular ejection fraction (lvef) >= 40% or documentation as normal or mildly depressed left ventricular systoli	X	-
	Left ventricular ejection fraction (lvef) not performed or documented	X	-
	Dilated macular or fundus exam performed, including documentation of the presence or absence of macular edema and level	X	-
	Patient with central dual-energy x-ray absorptiometry (dxa) results documented or ordered or pharmacologic therapy (othe	X	-
	Patient with central dual-energy x-ray absorptiometry (dxa) results not documented or not ordered or pharmacologic thera	X	-
	Lower extremity neurological exam performed and documented	X	-
	Lower extremity neurological exam not performed	X	-
	Footwear evaluation performed and documented	X	-
	Footwear evaluation was not performed	X	-
	Clinician documented that patient was not an eligible candidate for footwear evaluation measure	X	-
	Bmi >= 30 was calculated and a follow-up plan was documented in the medical record	X	-
38418	Bmi < 22 was calculated and a follow-up plan was documented in the medical record	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunitiented to the Pharmacy link option within the website.	izations, injectable drugs,	
G8419	Bmi >= 30 or < 22 was calculated, but no follow-up plan was documented in the medical record	Х	-
G8420	Bmi < 30 and >= 22 was calculated and documented	Х	-
G8421	Bmi not calculated	Х	-
	Doc cur meds by prov	Х	-
	Cur meds not document	X	-
	Documentation that patient is not eligible for medication assessment	Х	-
	Positive screen for clinical depression using an age appropriate standardized tool and a follow-up plan documented	X	-
	No documentation of clinical depression screening using an age appropriate standardized tool	X	-
	Screening for clinical depression using an age appropriate standardized tool not documented, patient not eligible/appropriate	X	-
	Beta-blocker therapy prescribed for patients with left ventricular ejection fraction (lvef) <40% or documentation as mod	<u>X</u>	-
	Clinician documented patient with left ventricular ejection fraction (lvef) <40% or documentation as moderately or sever	X	-
	Beta-blocker therapy not prescribed for patients with left ventricular ejection fraction (lvef) <40% or documentation as	X	-
	High risk of recurrence of prostate cancer	X	-
	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy prescribed	<u>X</u>	-
	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy not prescribed for reasons d	<u>X</u>	-
	Angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy not prescribed, reason not s	X	-
	Most recent blood pressure has a systolic measurement of <130 mm/hg and a diastolic measurement of <80 mm/hg	X	-
	Most recent blood pressure has a systolic measurement of >=130 mm/hg and/or a diastolic measurement of >=80 mm/hg	X	-
	Blood pressure measurement not performed or documented, reason not specified	<u>X</u>	-
38510	Negative screen for clinical depression using an age appropriate standardized tool, follow-up not required	Х	-
58511	Positive screen for clinical depression using an age appropriate standardized tool documented, follow up plan not documented, reason not specified	х	-
38535	No documentation of an elder maltreatment screen, patient not eligible	Х	-
	No documentation of an elder maltreatment screen, reason not specified	Х	-
68539	Documentation of a current functional outcome assessment using a standardized tool and documentation of a care plan based on identified deficiencies	х	_
38540	Documentation that the patient is not eligible for a functional outcome assessment using a standardized tool	X X	-
	No documentation of a current functional outcome assessment using a standardized tool, reason not specified	X X	-
	Documentation of a current functional outcome assessment using a standardized tool; no functional deficiencies identified, care plan not required	X	
285/2	Documentation of a current functional outcome assessment using a standardized tool; no documentation of a care plan, reas	X X	-
	Patient referred to a physician (preferably a physician with training in disorders of the ear) for an otologic evaluatio	X X	-
	Patient has a history of active drainage from the ear within the previous 90 days	X X	-
	Patient is not eligible for the referral for otologic evaluation for patients with a history of active drainage measure	X X	-
	Patient does not have a history of active drainage from the ear within the previous 90 days	X X	-
	Patient not referred to a physician (preferably a physician with training in disorders of the ear) for an otologic evalu	X X	-
	Patient was referred to a physician (preferably a physician with training in disorders of the ear) for an otologic evalu	X X	-
	Verification and documentation of sudden or rapidly progressive hearing loss	X X	-
	Patient is not eligible for the "referral for otologic evaluation for sudden or rapidly progressive hearing loss" measur	X X	-
	Patient does not have verification and documentation of sudden or rapidly progressive hearing loss	X X	-
	Patient was not referred to a physician (preferably a physician with training in disorders of the ear) for an otologic e	X X	-
	Prolonged intubation (>24 hrs) required	X X	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: should be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
G8570	Prolonged intubation (>24 hrs) not required	Х	-
G8575	Developed postoperative renal failure or required dialysis	Х	-
	No postoperative renal failure/dialysis not required	Х	-
G8577	Reexploration required due to mediastinal bleeding with or without tamponade, graft occlusion, valve dysfunction or other cardiac reason	Х	-
G8578	Reexploration not required due to mediastinal bleeding with or without tamponade, graft occlusion, valve dysfunction or other cardiac reason	х	-
	Aspirin or another antithrombotic therapy used	Х	-
	Aspirin or another antithrombotic therapy not used, reason not otherwise specified	Х	-
	Iv t-pa initiated within three hours (<= 180 minutes) of time last known well	Х	-
G8601	Iv t-pa not initiated within three hours (<= 180 minutes) of time last known well for reasons documented by clinician	Х	-
	Iv t-pa not initiated within three hours (<= 180 minutes) of time last known well, reason not specified	Х	-
G8633	Pharm ther osteo rx	Х	-
G8635	No pharm ther osteo rx	Х	-
G8647	Fun stat score knee >= 0	Х	-
G8648	Fun stat score knee < 0	Х	-
G8650	Rafs crs ki no scor no surv	Х	-
G8651	Fun stat score hip >= 0	Х	-
G8652	Fun stat score hip < 0	Х	-
G8654	Rafs crs hi no scor no surv	Х	-
G8655	Fun stat score le >= 0	Х	-
G8656	Fun stat score le < 0	Х	-
G8658	Fun stat score le not done	Х	-
G8659	Fun stat score ls >= 0	Х	-
G8660	Fun stat score Is < 0	Х	-
G8661	Fun stat score is pt no eig	Х	-
G8662	Rafs crs lbi no scor no surv	Х	-
G8663	Fun stat score shdl >=0	Х	-
G8664	Fun stat score shdl < 0	Х	-
G8666	Rafs crs si no scor no surv	Х	-
G8667	Fun stat score ue >=0	Х	-
G8668	Fun stat score ue < 0	Х	-
G8670	Rafs crs ewh no scor no surv	Х	-
G8694	Left ventricular ejection fraction (lvef) < 40%	Х	-
G8708	Patient not prescribed or dispensed antibiotic	Х	-
G8709	Patient prescribed or dispensed antibiotic for documented medical reason(s)	Х	-
	Patient prescribed or dispensed antibiotic	Х	-
	Prescribed or dispensed antibiotic	Х	-
	Antibiotic not prescribed or dispensed	Х	-
G8721	Pt category (primary tumor), pn category (regional lymph nodes), and histologic grade were documented in pathology report	Х	-
G8722	Medical reason(s) documented for not including pt category, pn category and histologic grade in the pathology report	Х	-
	Specimen site is other than anatomic location of primary tumor	Х	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunitienced to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications and	
G8724	Pt category, pn category and histologic grade were not documented in the pathology report, reason not otherwise specified	Х	-	
G8733	Documentation of a positive elder maltreatment screen and documented follow-up plan	Х	-	
	Elder maltreatment screen documented as negative, no follow-up required	Х	-	
	Elder maltreatment screen documented as positive, follow-up plan not documented, reason not specified	Х	-	
G8749	Absence of signs of melanoma (cough, dyspnea, tenderness, localized neurologic signs such as weakness, jaundice or any other sign suggesting systemic spread) or absence of syp	х	-	
G8752	Most recent systolic blood pressure < 140 mmhg	Х	-	
	Most recent systolic blood pressure >= 140 mmhg	Х	-	
	Most recent diastolic blood pressure < 90 mmhg	Х	-	
	Most recent diastolic blood pressure >= 90 mmhg	Х	-	
	No documentation of blood pressure measurement, reason not otherwise specified	X	-	
	Blood pressure screening performed as recommended by the defined screening interval	Х	-	
	Blood pressure screening not performed as recommended by screening interval, reason not otherwise specified	Х	-	
	Specimen site other than anatomic location of esophagus	Х	-	
	Specimen site other than anatomic location of prostate	Х	-	
	Performance of transabdominal or transvaginal ultrasound	Х	-	
	Transabdominal or transvaginal ultrasound not performed for reasons documented by clinician	Х	-	
	Performance of transabdominal or transvaginal ultrasound not ordered, reason not specified	Х	-	
	Statin therapy not prescribed for documented reasons	Х	-	
	Statin medication prescribed at discharge	Х	-	
G8817	Statin therapy not prescribed at discharge, reason not specified	Х	-	
	Patient discharge to home no later than postoperative day #2 following evar	Х	-	
	Patient not discharge to home by postoperative day #2 following evar	Х	-	
	Patient discharged to home no later than postoperative day #2 following cea	Х	-	
	Patient not discharged to home by postoperative day #2	Х	-	
	Sleep apnea symptoms assessed, including presence or absence of snoring and daytime sleepiness	Х	-	
	Documentation of reason(s) for not performing an assessment of sleep symptoms (e.g., patient didn't have initial daytime sleepiness, patient visits between initial testing and	х	-	
G8841	Sleep apnea symptoms not assessed, reason not otherwise specified	Х	-	
	Apnea hypopnea index (ahi) or respiratory disturbance index (rdi) measured at the time of initial diagnosis	Х	-	
	Documentation of reason(s) for not measuring an apnea hypopnea index (ahi) or a respiratory disturbance index (rdi) at the time of initial diagnosis	х	-	
G8844	Apnea hypopnea index (ahi) or respiratory disturbance index (rdi) not measured at the time of initial diagnosis, reason not specified	Х	-	
G8845	Positive airway pressure therapy prescribed	Х	-	
	Moderate or severe obstructive sleep apnea (apnea hypopnea index (ahi) or respiratory disturbance index (rdi) of 15 or greater)	Х	-	
G8849	Documentation of reason(s) for not prescribing positive airway pressure therapy	Х	-	
	Positive airway pressure therapy not prescribed, reason not otherwise specified	Х	-	
	Objective measurement of adherence to positive airway pressure therapy, documented	Х	-	
	Documentation of reason(s) for not objectively measuring adherence to positive airway pressure therapy	Х	-	
	Objective measurement of adherence to positive airway pressure therapy not performed, reason not otherwise specified	Х	-	



As of: 12/19/24

		Small Employer and Individua	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications a
G8856	Referral to a physician for an otologic evaluation performed	Х	-
G8857	Patient is not eligible for the referral for otologic evaluation measure (e.g., patients who are already under the care of a physician for		
	acute or chronic dizziness)	Х	-
38858	Referral to a physician for an otologic evaluation not performed, reason not specified	Х	-
8863	Patients not assessed for risk of bone loss, reason not otherwise specified	Х	-
38864	Pneumococcal vaccine administered or previously received	Х	-
G8865	Documentation of medical reason(s) for not administering or previously receiving pneumococcal vaccine (e.g., patient allergic reaction, potential adverse drug reaction)	х	-
38866	Documentation of patient reason(s) for not administering or previously receiving pneumococcal vaccine (e.g., patient refusal)	X	-
	Pneumococcal vaccine not administered or previously received, reason not otherwise specified	X	-
	Patient has documented immunity to hepatitis b and is receiving a first course of anti-tnf therapy	X	-
	Clinician diagnosed breast cancer preoperatively by a minimally invasive biopsy method	X	-
	Documentation of reason(s) for not performing minimally invasive biopsy to diagnose breast cancer preoperatively	X	-
	Clinician did not attempt to achieve the diagnosis of breast cancer preoperatively by a minimally invasive biopsy method, reason not		
	otherwise specified	Х	-
8878	Sentinel lymph node biopsy procedure performed	X	-
	Documentation of reason(s) sentinel lymph node biopsy not performed	X	-
	Stage of breast cancer is greater than t1n0m0 or t2n0m0	Х	-
	Sentinel lymph node biopsy procedure not performed	Х	-
	Patient documented not to have experienced any of the following events: a burn prior to discharge; a fall within the facility; wrong		
	site/side/patient/procedure/implant event;	Х	-
8908	Patient documented to have received a burn prior to discharge	X	-
	Patient documented not to have received a burn prior to discharge	Х	-
	Patient documented to have experienced a fall within asc	Х	-
	Patient documented not to have experienced a fall within ambulatory surgical center	Х	-
	Patient documented to have experienced a wrong site, wrong side, wrong patient, wrong procedure or wrong implant event	Х	-
	Patient documented not to have experienced a wrong site, wrong side, wrong patient, wrong procedure or wrong implant event	х	_
801/	Patient documented to have experienced a hospital transfer or hospital admission upon discharge from asc	X	-
	Patient documented not to have experienced a hospital transfer or hospital admission upon discharge from asc	X	-
	Patient with preoperative order for iv antibiotic surgical site infection (ssi) prophylaxis, antibiotic initiated on time	X	-
	Patient with properative order for iv antibiotic surgical site infection (ssi) prophylaxis, antibiotic not initiated on time	X	-
	Patient without preoperative order for iv antibiotic surgical site infection (ssi) prophylaxis	X	-
	Left ventricular ejection fraction (lvef) < 40% or documentation of moderately or severely depressed left ventricular systolic function	X	_
8024	Spirometry test results demonstrate fev1/fvc <60% with copd symptoms (e.g, dyspnea, cough/sputum, wheezing)	X	-
	Left ventricular ejection fraction (lvef) <40% or documentation of moderately or severely depressed left ventricular systolic function	X	
20025	Clinician prescribed angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy	X	_
	Clinician prescribed angiotensin converting enzyme (ace) inhibitor of angiotensin receptor blocker (arb) therapy Clinician documented that patient was not an eligible candidate for angiotensin converting enzyme (ace) inhibitor or angiotensin	^	-
20930	receptor blocker (arb) therapy	Х	-



As of: 12/19/24

		Small Employer and Indi	
Codes	Description	Not Covered	Preauthorization Required
nould be c	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
G8937	Clinician did not prescribe angiotensin converting enzyme (ace) inhibitor or angiotensin receptor blocker (arb) therapy, reason not given	Х	-
G8942	Documented functional outcomes assessment and care plan within the previous 30 days	Х	-
	Ajcc melanoma cancer stage 0 through iic melanoma	Х	-
	Minimally invasive biopsy method attempted but not diagnostic of breast cancer (e.g., high risk lesion of breast such as atypical ductal hyperplasia, lobular neoplasia, atypic	х	-
G8950	Pre-hypertensive or hypertensive blood pressure reading documented, indicated follow-up documented	Х	-
68952	Pre-hypertensive or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given	Х	-
	Most recent assessment of adequacy of volume management	Х	-
	Patient receiving maintenance hemodialysis in an outpatient dialysis facility	Х	-
	Assessment of adequacy of volume management not documented, reason not given	Х	-
38961	Cardiac stress imaging test primarily performed on low-risk surgery patient for preoperative evaluation within 30 days preceding this surgery	х	-
38962	Cardiac stress imaging test performed on patient for any reason including those who did not have low risk surgery or test that was performed more than 30 days preceding low ri	х	-
8967	Warfarin or another oral anticoagulant that is fda approved prescribed	Х	-
	Documentation of medical reason(s) for not prescribing warfarin or another oral anticoagulant that is fda approved not prescribed (e.g., allergy, risk of bleeding, transient o	Х	-
38969	Documentation of patient reason(s) for not prescribing warfarin or another oral anticoagulant that is fda approved (e.g., economic,		
	social, and/or religious impediments, nonco	X	-
	No risk factors or one moderate risk factor for thromboembolism	X	-
	Mccd, initial rate	<u>X</u>	-
	Mccd,maintenance rate	<u>X</u>	-
	Mccd, risk adj hi, initial	X	-
	Mccd, risk adj lo, initial	X X	-
	Mccd, risk adj, maintenance Mccd, home monitoring	× X	-
	Mccd, sch team conf	× X	-
	Mccd, son team com Mccd, phys coor-care ovrsght	X	-
	Coordinated care fee, risk adjusted maintenance, level 3	X X	-
	Coordinated care fee, risk adjusted maintenance, level 4	X	-
	Coordinated care fee, risk adjusted maintenance, level 5	X	-
	Other specified case mgmt	Х	-
	Esrd demo basic bundle level i	Х	-
	Esrd demo expanded bundle including venous access and related services	Х	-
	Demo-smoking cessation coun	Х	-
	Oncology; primary focus of visit; work up, evaluation, or staging at the time of cancer diagnosis or recurrence	Х	-
	Oncology; practice guidelines; management differs from guidelines because the treating physician disagrees with guidelin	Х	-
	Oncology; practice guidelines; management differs from guidelines because the patient, after being offered treatment	Х	-
9060	Oncology; practice guidelines; management differs from guidelines associated with patient comorbid illness	Х	-
	Oncology; practice guidelines; patients condition not addressed by available guidelines	Х	-
39062	Oncology; practice guidelines; management differs from guidelines for other reasons not listed	Х	-



As of: 12/19/24

			yer and Individual	
Codes Des	scription	Not Covered	Preauthorization Required	
isclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These hould be directed to the Pharmacy link option within the website.	codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imit	nunizations, injectable drugs,	or specialty medications a	
G9063 Oncology; disease status; limited to non small cell lung cancer; ex	tent of disease initially established as stage 1	Х	-	
S9064 Oncology; disease status; limited to non small cell lung cancer; e>	tent of disease initially established as stage ii	Х	-	
G9065 Oncology; disease status; limited to non small cell lung cancer; e>		Х	-	
9066 Oncology; disease status; limited to non small cell lung cancer; st	age iii b-iv at diagnosis, metastatic	Х	-	
9067 Oncology; disease status; limited to non small cell lung cancer; e>		Х	-	
9068 Oncology; disease status; limited to small cell and combined small		Х	-	
9069 Oncoloyg; disease status; small cell lung cancer, limited to small of		Х	-	
9070 Oncology; disease status; small cell lung cancer, limited to small o	cell and combined small cell/non small	Х	-	
9071 Oncology; disease status; invasive female breast cancer; adenoc		Х	-	
9072 Oncology; disease status; invasive female breast cancer; adenoc		Х	-	
9073 Oncology; disease status; invasive female breast cancer; adenoc		X	-	
9074 Oncology; disease status; invasive female breast cancer; adenoc		X	-	
9075 Oncology; disease status; invasive female breast cancer; adenoc		X	-	
9077 Oncology; disease status; prostate cancer, limited to adenocarcin		X	-	
9078 Oncology; disease status; prostate cancer, limited to adenocarcin		X	-	
9079 Oncology; disease status; prostate cancer, limited to adenocarcin		X	-	
9080 Oncology; disease status; prostate cancer, limited to adenocarcin		X	-	
9083 Oncoloyg; disease status; prostate cancer limited to adenocarcing	•	X	-	
9084 Oncology; disease status; colon cancer, limited to invasive cance		X	-	
9085 Oncology; disease status; colon cancer, limited to invasive cance		X	-	
9086 Oncology; disease status; colon cancer, limited to invasive cance		X	-	
9087 Oncology; disease status; colon cancer, limited to invasive cance		X	-	
9088 Oncology; disease status; colon cancer, limited to invasive cance		X	-	
9089 Oncology; disease status; colon cancer, limited to invasive cance		X	-	
9090 Oncology; disease status; rectal cancer, limited to invasive cance		X	-	
9091 Oncology; disease status; rectal cancer, limited to invasive cance		X	-	
9092 Oncoloyg; disease status; rectal cancer, limited to invasive cance		X	-	
9093 Oncology; disease status; rectal cancer, limited to invasive cance		X	-	
9094 Oncology; disease status; rectal cancer, limited to invasive cance	· · · · · · · · · · · · · · · · · · ·	X	-	
9095 Oncology; disease status; rectal cancer, limited to invasive cance		X	-	
9096 Oncology; disease status; esophageal cancer, limited to adenoca	I. I	X	-	
9097 Oncology; disease status; esophageal cancer, limited to adenoca		Х	-	
9098 Oncology; disease status; esophageal cancer, limited to adenoca	rcinoma or squamous cell carcinoma as predominant cell ty	х	-	
9099 Oncology; disease status; esophageal cancer, limited to adenoca	rcinoma or squamous cell carcinoma	Х	-	
9100 Oncology; disease status; gastric cancer, limited to adenocarcino	ma as predominant cell type	Х	-	
9101 Oncology; disease status; gastric cancer, limited to adenocarcino	ma as predominant cell type	Х	-	
9102 Oncology; disease status; gastric cancer, limited to adenocarcino	ma as predominant cell type	Х	-	
9103 Oncology; disease status; gastric cancer, limited to adenocarcino		Х	-	
9104 Oncology; disease status; gastric cancer, limited to adenocarcino		Х	-	
9105 Oncology; disease status, pancreatic cancer, limited to adenocard	cinoma as predominant cell type	Х	-	
9106 Oncology; disease status; pancreatic cancer, limited to adenocard		Х	-	



As of: 12/19/24

	Small Employ	yer and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regardir should be directed to the Pharmacy link option within the website.	ng immunizations, injectable drugs,	, or specialty medications an
G9107 Oncology; disease status; pancreatic cancer, limited to adenocarcinoma; u nresectable at diagnosis	Х	-
G9108 Oncology; disease status; pancreatic cancer, limited to adenocarcinoma; extent of disease unknown	Х	-
G9109 Oncoloyg; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
G9110 Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
G9111 Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
G9112 Oncology; disease status; head and neck cancer, limited to cancers of oral cavity, pharynx and larynx with squamous cell	Х	-
G9113 Oncology; disease status, ovarian cancer, limited to epithelial cancer, pathologic stage ia-b	Х	-
G9114 Oncology; disease status; ovarian cancer, limited to epithelial cancer; pathologic stage ia-b	Х	-
G9115 Oncology; disease status; ovarian cancer, limited to epithelial cancer; pathologic stage iii-iv	Х	-
G9116 Oncology; disease status; ovarian cancer, limited to epithelial cancer; evidence of disease progression	Х	-
G9117 Oncology; disease status; ovarian cancer, limited to epithelial cancer; extent of disease unknown	Х	-
G9123 Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma	Х	-
G9124 Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma	Х	-
G9125 Oncology; disease status; non hodgkins lymphoma, limited to follicular lymphoma, mantle cell lymphoma	Х	-
G9126 Oncology; disease statu; ovarian cancer, limited to pathologically stage patients with epithelial cancer, stage ia/ib	Х	-
G9128 Oncology; disease status; limited to multiple myeloma, systemic disease; stage ii or higher	Х	-
G9130 Oncoloyg; disease status; limited to multiple myeloma, systemic disease; extent of disease unknown	Х	-
G9131 Oncology; disease status; invasive female breast cancer (does not include ductal carcinoma in situ); adenocarcinoma as p	Х	-
G9132 Oncology; disease status; prostate cancer, limited to adenocarcinoma; hormone-refractory/androgen-independent (e.g., ris	Х	-
G9133 Oncology; disease status; prostate cancer, limited to adenocarcinoma; hormone-responsive; clinical metastases or m1 at d	Х	-
G9134 Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; stage i, ii at diagnosis, not relapsed, n	Х	-
G9135 Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; stage iii, iv, not relapsed, not refracto	Х	-
G9136 Oncology; disease status; non-hodgkin's lymphoma, transformed from original cellular diagnosis to a second cellular clas	Х	-
G9137 Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; relapsed/refractory (for use in a medicar	Х	-
G9138 Oncology; disease status; non-hodgkin's lymphoma, any cellular classification; diagnostic evaluation, stage not determin	Х	-
G9139 Oncology; disease status; chronic myelogenous leukemia, limited to philadelphia chromosome positive and/or bcr-abl posit	Х	-
G9140 Equal to or greater than 4 hours; weather or other conditions must prevent transfer or the case falls into a category of	Х	-
G9143 Wayfarin responsiveness testing by genetic technique using any method, any number of specimen(s)	-	Х
G9147 Outpatient intravenous insulin treatment (oivit) either pulsatile or continuous, by any means, guided by the results of measurements	s for:	
respiratory quotient; and/or, urine	Х	-
G9148 National committee for quality assurance - level 1 medical home	Х	-
G9149 National committee for quality assurance - level 2 medical home	Х	-
G9150 National committee for quality assurance - level 3 medical home	Х	-
G9151 Mapcp demonstration - state provided services	Х	-
G9152 Mapcp demonstration - community health teams	Х	-
G9153 Mapp demonstration - physician incentive pool	Х	-
G9156 Evaluation for wheelchair requiring face to face visit with physician	Х	-
G9187 Bpci home visit	Х	-
G9188 Beta not given no reason	Х	-
G9189 Beta pres or already taking	Х	-
G9190 Medical reason for no beta	Х	-
G9191 Pt reason for no beta	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and should be directed to the Pharmacy link option within the website	d may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regard	ling immunizations, injectable drugs,	
G9192 System reason for no beta		Х	-
G9196 Med reason for no ceph		X	-
G9197 Order for ceph		Х	-
G9198 No order for ceph no reason		Х	-
G9212 Doc of dsm-iv init eval		Х	-
G9213 No doc of dsm-iv		Х	-
G9223 Pjp proph ordered cd4 low		Х	-
G9225 Norsn no foot exam		Х	-
G9226 3 comp foot exam completed		X	-
G9227 Docrsn no care plan		X	-
G9228 Gc chl syp documented		X	-
G9230 Norsn for gc chl syp test		X	-
G9231 Doc esrd dia trans preg		X	-
G9242 Doc viral load >=200		X	-
G9243 Doc viral load <200		X	-
G9246 No med visit in 24mo		X X	-
G9247 1 med visit in 24mo		<u>х</u>	-
G9250 Doc of pain comfort 48hr G9251 Doc no pain comfort 48hr		X	-
G9254 Doc pt dischg >2d		X	-
G9255 Doc pt dischg <=2d		X	-
G9273 Sys<140 and dia<90		X	-
G9274 Bp out of nrml limits		X	-
G9275 Doc of non tobacco user		X	-
G9276 Doc of tobacco user		X	-
G9277 Doc daily aspirin or contra		X	-
G9278 Doc no daily aspirin		Х	-
G9279 Pne scrn done doc vac done		Х	-
G9280 Pne not given norsn		Х	-
G9281 Pne scrn done doc not ind		Х	-
G9282 Doc medrsn no histo type		Х	-
G9283 Hist type doc on report		Х	-
G9284 No hist type doc on report		Х	-
G9285 Site not small cell lung ca		Х	-
G9286 Doc antibio order w in 7d		Х	-
G9287 No doc antibio order w in 7d		X	-
G9288 Doc medrsn no hist type rpt		X	-
G9289 Doc type nsm lung ca		X	-
G9290 No doc type nsm lung ca		X	-
G9291 Not nsm lung ca		X	-
G9292 Medrsn no pt category		X	-
G9293 No pt category on report		Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage is should be directed to the Pharmacy link	nay vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imministry within the website	unizations, injectable drugs,	
G9294 Pt cat and thck on		Х	-
G9295 Non cutaneous loc		X	-
G9296 Doc share dec pric		Х	-
G9297 No doc share dec		Х	-
G9298 Eval risk vte card 3	Od prior	Х	-
G9299 No eval riskk vte c	ard prior	Х	-
G9305 No interv req for le	ak	Х	-
G9306 Interv req for leak		Х	-
G9307 No ret for surg w ir		Х	-
G9308 Unplnd ret to surg		Х	-
G9309 No unplnd hosp re		Х	-
G9310 Unplnd hosp readr	n in 30d	Х	-
G9311 No surg site infecti		Х	-
G9312 Surgical site infect		Х	-
G9313 Docrsn not first line		Х	-
G9314 Norsn not first line	amox	Х	-
G9315 Doc first line amox		Х	-
G9316 Doc comm risk cal		Х	-
G9317 No doc comm risk		Х	-
G9318 Image std nomenc		Х	-
G9319 Image not std nom		Х	-
G9321 Doc count of ct in 7	2mo	Х	-
G9322 No doc count of ct	in 12mo	Х	-
G9341 Srch for ct w in 12		Х	-
G9342 No srch for ct in 12		Х	-
G9344 Sysrsn no dicom s	ch	Х	-
G9345 Follow up pulm no		Х	-
G9347 No follow up pulm		Х	-
G9351 Doc >1 sinus ct w		Х	-
G9352 Not >1 sinus ct w 9		Х	-
G9353 Medrsn >1 sinus c		Х	-
G9354 Norsn >1 sinus ct		Х	-
G9355 No early ind/delive	У	Х	-
G9356 Early ind/delivery		Х	-
G9357 Pp eval/edu perf		Х	-
G9358 Pp eval/edu not pe		X	-
G9359 Neg mgd pos tb no		X	-
G9360 No doc of neg or m		Х	-
	for elective delivery or early induction	Х	-
G9364 Sinus caus bac inx		Х	-
G9367 2high risk med ord		Х	-
G9368 2high risk no ord		Х	-



As of: 12/19/24

	Small Empl	oyer and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are upda should be directed to the Pharmacy link option within the website.	ated quarterly. Additionally, these coding lists do not reflect information regarding immunizations, injectable drug	s, or specialty medications a
G9380 Off assis eol iss	X	-
G9382 No off assis eol	X	-
G9383 Recd scrn hcv infec	Х	-
G9384 Doc med reas no offer eol	Х	-
G9385 Doc pt reas not rec hcv srn	Х	-
G9386 Scrn hcv infec not recd	Х	-
G9393 Ini phq9 >9 remiss <5	X	-
G9394 Dx bipol, death, nhres, hosp	Х	-
G9395 Ini phq9 >9 no remiss >=5	Х Х	-
G9396 Ini phq9 >9 not assess	X	-
G9408 Card tamp w/in 30d	X	-
G9409 No card tamp e/in 30d	X	-
G9410 Admit w/in 180d req remov	X	-
G9411 No admit w/in 180d req remov	X	-
G9412 Admit w/in 180d req surg rev	X	-
G9413 No admit req surg rev	X	-
G9414 1dose menig vac btwn 11 & 13	X	
G9415 No 1dose meni vac btwn 11&13	X	-
G9416 Tdap or td or 1tet/dipth	X	-
G9417 No tdap or td or 1tet/dipth G9418 Lungcx bx rpt docs class	X	-
	<u>х</u> Х	
S9419 Med reas no rpt histo type S9420 Spec site no lung	Х	
S9420 Spec site no lung S9421 Lung cx bx rpt no doc class	х Х	-
S9421 Rpt doc class histo type	х Х	-
G9423 Med reas rpt no histo type	Х Х	-
G9424 Site no lung or lung cx		-
G9425 Spec rpt no doc class histo	X	-
G9426 Impr med time edarr pain med	X	-
G9427 No impro med time pain med	X	-
G9428 Rpt pt cat and pt1	X	-
69429 Doc med reas no pt cat	X	-
G9430 Spec site no cutaneous	Х	-
G9431 No pt cat and pt1	Х	-
G9432 Asth controlled	Х	-
G9434 Asth not controlled	Х	-
G9452 Doc med reas no scrn hcv	Х	-
G9455 Abd imag w/us, ct or mri	Х	-
G9456 Doc med pt reas no hcc scrn	Х	-
G9457 No abd imag w/o reason	Х	-
G9468 No recd cortico>=10mg/d >60d	X	-
G9470 No rec cortico>60d 1rx 600mg	Х	-



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm lirected to the Pharmacy link option within the website.	unizations, injectable drugs,		
G9471	W/in 2yr dxa not order	Х	-	
	Services performed by chaplain in the hospice setting, each 15 minutes	Х	-	
	Services performed by dietary counselor in the hospice setting, each 15 minutes	Х	-	
G9475	Services performed by other counselor in the hospice setting, each 15 minutes	Х	-	
	Services performed by volunteer in the hospice setting, each 15 minutes	Х	-	
	Services performed by care coordinator in the hospice setting, each 15 minutes	Х	-	
	Services performed by other qualified therapist in the hospice setting, each 15 minutes	Х	-	
	Services performed by qualified pharmacist in the hospice setting, each 15 minutes	Х	-	
	Admission to medicare care choice model program (mccm)	Х	-	
	Remote e/m new pt 10mins	Х	-	
	Remote e/m new pt 20mins	Х	-	
	Remote e/m new pt 30mins	X	-	
	Remote e/m new pt 45mins	Х	-	
	Remote e/m new pt 60mins	Х	-	
	Remote e/m est. pt 10mins	Х	-	
G9487	Remote e/m est. pt 15mins	Х	-	
	Remote e/m est. pt 25mins	Х	-	
	Remote e/m est. pt 40mins	Х	-	
	Joint replac mod home visit	Х	-	
	Seen pre-operatively by anesthesiologist or proxy prior to the day of surgery	Х	-	
G9500	Radiation exposure indices, exposure time or number of fluorographic images in final report for procedures using fluoroscopy, documented	x		
G9501	Radiation exposure indices, exposure time or number of fluorographic images not documented in final report for procedure using fluoroscopy, reason not given	х	-	
G9502	Med reas no perf foot exam	X	-	
	Doc reas no hbv status	X	-	
	Antibiotic regimen prescribed within 10 days after onset of symptoms for documented medical reason	X	-	
	Biologic immune response modifier prescribed	Х	-	
	Doc reas on statin or contra	Х	-	
	Documentation that the patient is not on a statin medication	Х	-	
	Remission at twelve months as demonstrated by a twelve month (+/-30 days) phq-9 score of less than 5	Х	-	
	Remis12m not phq-9 score <5	Х	-	
	Index date phq-9 score greater than 9 documented during the twelve month denominator identification period	Х	-	
	Individual had a pdc of 0.8 or greater	Х	-	
	Individual did not have a pdc of 0.8 or greater	Х	-	
	Patient required a return to the operating room within 90 days of surgery	X	-	
	Patient did not require a return to the operating room within 90 days of surgery	X	-	
	Patient achieved an improvement in visual acuity, from their preoperative level, within 90 days of surgery	X	-	
	Patient did not achieve an improvement in visual acuity, from their preoperative level, within 90 days of surgery, reason not given		1	
20017		х	-	
G9518	Documentation of active injection drug use	X	-	
	Final ref +/- 1.0 w/in 90d	X		



As of: 12/19/24

_		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun lirected to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a
G9520	Refract not +/- 1.0 w/in 90d	Х	-
	Total number of emergency department visits and inpatient hospitalizations less than two in the past 12 months	Х	-
	Total number of emergency department visits and inpatient hospitalizations equal to or greater than two in the past 12 months or patient not screened, reason not given	Х	-
39529	Patient with minor blunt head trauma had an appropriate indication(s) for a head ct	Х	-
	Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider	Х	-
G9531	Pt doc	Х	-
39533	Patient with minor blunt head trauma did not have an appropriate indication(s) for a head ct	Х	-
39537	Documentation of system reason(s) for ordering an advanced brain imaging study (i.e., needed as part of a clinical trial; other clinician ordered the study)	х	-
G9539	Intent for potential removal at time of placement	Х	-
39540	Patient alive 3 months post procedure	Х	-
	Filter removed within 3 months of placement	Х	-
G9542	Documented re-assessment for the appropriateness of filter removal within 3 months of placement	Х	-
	Documentation of at least two attempts to reach the patient to arrange a clinical re-assessment for the appropriateness of filter removal within 3 months of placement	Х	-
G9544	No filt remov w/in 3mos plcm	Х	-
	Cys ren les or adren	Х	-
39548	No f/u rec image study	Х	-
	Doc med rsn for f/u imag	Х	-
39550	Imag rec	Х	-
G9551	Imag no les	Х	-
G9552	Incidental thyroid nodule < 1.0 cm noted in report	Х	-
	Prior thyroid disease diagnosis	Х	-
G9554	Final reports for ct or mri of the chest or neck or ultrasound of the neck with follow-up imaging recommended	Х	-
39555	Doc med reas no follow imag	Х	-
39556	Final reports for ct or mri of the chest or neck or ultrasound of the neck with follow-up imaging not recommended	Х	-
G9557	Final reports for ct or mri studies of the chest or neck or ultrasound of the neck without a thyroid nodule < 1.0 cm noted	Х	-
G9580	Door to puncture time of less than 2 hours	Х	-
39582	Door to puncture time of greater than 2 hours, no reason given	Х	-
39593	Pediatric patient with minor blunt head trauma classified as low risk according to the pecarn prediction rules	Х	-
39594	Patient presented within 24 hours of a minor blunt head trauma with a gcs score of 15 and had a head ct ordered for trauma by an emergency care provider	х	-
G9595	Doc shnt/tum/coag	Х	-
	Pediatric patient with minor blunt head trauma not classified as low risk according to the pecarn prediction rules	Х	-
	Aortic aneurysm 5.5 - 5.9 cm maximum diameter on centerline formatted ct or minor diameter on axial formatted ct	Х	-
	Aortic aneurysm 6.0 cm or greater maximum diameter on centerline formatted ct or minor diameter on axial formatted ct	Х	-
	Patient survey score improved from baseline following treatment	Х	-
	Patient survey results not available	Х	-
	Patient survey score did not improve from baseline following treatment	Х	-
	Intraoperative cystoscopy performed to evaluate for lower tract injury	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur tirected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
G9607	Patient is not eligible (e.g., patient death during procedure, absent urethra or an otherwise inaccessible bladder)	Х	-
G9608	Intraoperative cystoscopy not performed to evaluate for lower tract injury	Х	-
G9609	Documentation of an order for anti-platelet agents or p2y12 antagonists	Х	-
	Doc md rsn no antipla/p2y12	Х	-
	Order for anti-platelet agents or p2y12 antagonists was not documented, reason not otherwise specified	Х	-
	Documentation of screening for uterine malignancy or those that had an ultrasound and/or endometrial sampling of any kind	Х	-
G9620	Patient not screened for uterine malignancy, or those that have not had an ultrasound and/or endometrial sampling of any kind, reason not given	х	-
G9621	Patient identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a systematic screening method and received brief counseling	х	-
G9622	Patient not identified as an unhealthy alcohol user when screened for unhealthy alcohol use using a systematic screening method	х	-
G9623	Documentation of medical reason(s) for not screening for unhealthy alcohol use (e.g., limited life expectancy, other medical reasons)	Х	-
G9624	Patient not screened for unhealthy alcohol screening using a systematic screening method or patient did not receive brief counseling, reason not given	Х	-
G9625	Patient sustained bladder injury at the time of surgery or subsequently up to 1 month post-surgery	Х	-
	Pt not elig	Х	-
G9627	Patient did not sustained bladder injury at the time of surgery or subsequently up to 1 month post-surgery	Х	-
G9628	Patient sustained major viscus injury at the time of surgery or subsequently up to 1 month post-surgery	Х	-
G9629	Pt not elig	Х	-
	Patient did not sustain major viscus injury at the time of surgery or subsequently up to 1 month post-surgery	Х	-
G9631	Patient sustained ureter injury at the time of surgery or discovered subsequently up to 1 month post-surgery	Х	-
	Pt not elig	Х	-
	Patient did not sustain ureter injury at the time of surgery or subsequently up to 1 month post-surgery	Х	-
	Doc >1 dose reduc tech	Х	-
	No doc >1 dose reduc tech	Х	-
	Current cigarette smokers	Х	-
	Elective surgery	Х	-
	Patients who abstained from smoking prior to anesthesia on the day of surgery or procedure	Х	-
	Patients who did not abstain from smoking prior to anesthesia on the day of surgery or procedure	X	-
	Patients with 90 day mrs score of 0 to 2	X	-
	Patients with 90 day mrs score greater than 2	X	-
	Psori tool doc w/benchmk	Х	-
	Psori tool doc/no bnchmk met	Х	-
	Monitored anesthesia care (mac)	X	-
	A transfer of care protocol or handoff tool/checklist that includes the required key handoff elements is used	X	-
	Patient transferred directly from anesthetizing location to pacu	X	-
	A transfer of care protocol or handoff tool/checklist that includes the required key handoff elements is not used	X	-
	>85y no hx colo ca/rsn scope	X	-
	Doc med rsn scope pt >85y	Х	-
G9661	>85y scope othr rsn	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	izations, injectable drugs,	
G9662	Previously diagnosed or have an active diagnosis of clinical ascvd	Х	-
G9663	Fast/dir ldl <= 190 mg/dl	Х	-
	Patients who are currently statin therapy users or received an order (prescription) for statin therapy	Х	-
	Patients who are not currently statin therapy users or did not receive an order (prescription) for statin therapy	Х	-
G9666	The highest fasting or direct ldl-c laboratory test result of 70?189 mg/dl in the measurement period or two years prior to the beginning of the measurement period	х	-
G9674	Patients with clinical ascvd diagnosis	Х	-
	Patients who have ever had a fasting or direct laboratory result of ldl-c = 190 mg/dl	Х	-
	40-75y w/type 1/2 w/ldl-c rs	Х	-
	Acute care pneumonia	Х	-
	Acute care congestive heart	Х	-
	Acute care chronic obstruct	Х	-
	Acute care skin infection	Х	-
G9683	Acute care fluid or electrol	Х	-
	Acute care urinary tract inf	Х	-
	Acute nursing facility care	Х	-
	Hospice anytime msmt per	Х	-
G9688	Pt w/hosp anytime msmt per	Х	-
G9689	Inpt elect carotid intervent	Х	-
G9690	Pt rec hospice dur msmt per	Х	-
G9691	Pt hosp dur msmt period	Х	-
G9692	Hosp recd by pt dur msmt per	Х	-
G9693	Pt use hosp during msmt per	Х	-
	Hosp srv used pt in msmt per	Х	-
G9695	Long act inhal bronchdil pre	Х	-
G9696	Med rsn no presc bronchdil	Х	-
	Sys rsn no presc bronchdil	Х	-
	Long inhal bronchdil no pres	Х	-
	Pt is w/hosp during msmt per	Х	-
	Pt use hosp during msmt per	Х	-
	Child anbx 30 prior dx phary	Х	-
	Ajcc br ca stg i: t1 mic/t1a	Х	-
	Ajcc br ca stg ib	Х	-
	Low recur prost ca	Х	-
	Bilat mast/hx bi /unilat mas	X	-
	Hosp srv used pt in msmt per	X	-
	Pt prov hosp srv msmt per	X	-
	Pt hx tot col or colon ca	X	-
	Doc med rsn presc anbx	X	
	Pt use hosp during msmt per	X	-
	Pt is w/hosp during msmt per	X	-
G9716	Bmi not norm, no follow, doc	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow should be directed to the Pharmacy link option within the website.	w the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu	nizations, injectable drugs,	or specialty medications a
G9717 Doc dx depr/dx bipol, no scr		Х	-
G9718 Hospice anytime msmt per		X	-
G9719 Pt not ambul/immob/wc		Х	-
G9720 Hospice anytime msmt per		Х	-
G9721 Pt not ambul/immob/wc		Х	-
G9722 Doc hx renal fail or cr+ >4		Х	-
G9723 Hosp recd by pt dur msmt per		Х	-
G9724 Pt w/doc use anticoag mst yr		Х	-
G9726 Refused to participate		Х	-
G9727 Pt unable cmplt knee fs prom		Х	-
G9728 Refused to participate		Х	-
G9729 Pt unbl cmplt hip fs prom		Х	-
G9730 Refused to participate		Х	-
69731 Pt unbl cmplt ft/ank fs prom		Х	-
G9732 Refused to participate		Х	-
G9733 Pt unbl cmplt lb fs prom		Х	-
69734 Refused to participate		Х	-
69735 Pt unbl cmplt shld fs prom		Х	-
69736 Refused to participate		Х	-
69737 Pt unbl cmplt ewh fs prom		Х	-
G9740 Hosp srv to pt dur msmt per		Х	-
G9741 Pt w/hosp anytime msmt per		Х	-
69744 Pt not elig, dx htn		Х	-
69745 Doc rsn no scr high bp		Х	-
69746 Mit sten, valve or trans af		Х	-
69752 Urgent surgery		X	-
9753 Doc no dicom, ct other fac		X	-
9754 Incid pulm nodule		X	-
9755 Doc med rsn for imaging		X	-
9756 Surg proc w/silicone oil		X	-
9757 Surg proc w/silicone oil		Х	-
9758 Hospice or term phase		X	-
9761 Pt w/hosp anytime msmt per		X	-
9762 Pt had hpv b/t 9-13 yr		X	-
69763 Pt no hpv b/t 9-13 yr		X	-
69764 Pt tx oral syst/bio med psor		X	-
G9765 Pt decl chan/conind or <6m		X	-
G9766 Cva stroke dx tx transf fac		X	-
G9767 Hosp new dx cva consid evst		X	-
G9768 Pt w/hosp anytime msmt per		X	-
G9769 Bn den 2yr/got ost med/ther		X	-
G9770 Perip nerve block		Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	nizations, injectable drugs,	
	Anes end, 1 temp >35.5(95.9)	Х	-
	Doc med rsn no temp $>= 35.5$	X	-
	No temp >35.5(95.9), anes	Х	-
	Pt had hyst	Х	-
G9775	Recd 2 anti-emet pre/intraop	Х	-
G9776	Doc med rsn no proph antiem	Х	-
	Pt no antiemet pre/intraop	Х	-
	Pts dx w/pregn	Х	-
	Pts breastfeeding	Х	-
	Pts dx w/rhabdomyolysis	Х	-
	Doc rsn no statin	Х	-
	Hx dx fam/pure hypercholes	X	-
	Path/derm 2nd opin bx	X	-
	Path report sent	Х	-
	Path report not sent	X	-
	Pt alive lst day msmt yr	X	-
	Most rct bp = 140/90</td <td>X</td> <td>-</td>	X	-
	Record bp ip, er, urg/self	X	-
	Most ret tob stat find	X	-
	Most rct tob stat free Most rct tob stat not free	× X	-
	Pt on daily asa/antiplat	× X	-
	Doc med rsn no asa/antiplat	X	-
	Pt no daily asa/antiplat	X	
	Pt not currently on statin	X	-
	Pt currently on statin	X	
	Pt w/hosp anytime msmt per	X	-
	Pt recd cerv cyto/hpv	X	-
	Pt no recd cerv cyto/hpv	X	-
	Pt no asthm cont med mst per	X	-
	Pt w/hosp anytime msmt per	X	-
	Pdc 75% w/asth cont med	X	-
	No pdc 75% w/asth cont med	Х	-
	Pt died during inpt/30d aft	Х	-
	Pt not died w/in 30d of proc	Х	-
	Doc sex activity	Х	-
	Pt w/hosp anytime msmt per	Х	-
	Doc chlam scr test w/follow	Х	-
	No doc chlam scr ts w/follow	Х	-
	Endo abl proc yr prev ind dt	Х	-
	Endo smpl/hyst bx res doc	Х	-
9824	Endo smpl/hyst bx res no doc	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm friected to the Pharmacy link option within the website.	unizations, injectable drugs,	or specialty medications an
	Her-2 pos	Х	-
	Ajcc stg brt ca dx ii or iii	X	-
	Brt ca dx i, no t1/t1a/t1b	Х	-
G9838	Pt met dis at dx	Х	-
G9839	Anti-egfr mon anti ther	Х	-
	Kras tst bfr beg anti moab	Х	-
G9841	No kras tst bfr beg ant moab	Х	-
G9842	Pt met dis at dx	Х	-
	Kras gene mut	Х	-
	Pt no recd anti-egfr ther	Х	-
G9845	Pt recd anti-egfr ther	Х	-
	Pt died from cancer	Х	-
	Pt recd chemo last 14d life	Х	-
	Pt no chemo last 14d life	Х	-
	Pt enroll hospice	Х	-
	Pt died from cancer	Х	-
	Pt less 3d hospice	Х	-
	Pt more than 3d hospice	Х	-
	Doc rsn no 10 yr follow	Х	-
G9868	Receipt and analysis of remote, asynchronous images for dermatologic and/or ophthalmologic evaluation, for use under the next		
	generation aco model, less than 10 minutes	Х	-
G9869	Receipt and analysis of remote, asynchronous images for dermatologic and/or ophthalmologic evaluation, for use under the next		
-	generation aco model, 10-20 minutes	Х	-
G9870	Receipt and analysis of remote, asynchronous images for dermatologic and/or ophthalmologic evaluation, for use under the next		
-	generation aco model, 20 or more minutes	X	-
	1 em core session	X	-
	4 em core sessions	X	-
	9 em core sessions	X	-
	2 em core ms mo 7-9 no wl	X	-
	2 em core ms mo 10-12 no wl	X	-
	2 em core ms mo 7-9 wl	X	-
	2 em core ms mo 10-12 wl	X	-
	Em 5 percent wl	X	-
	Em 9 percent wl	X	-
	2 em ongoing ms mo 13-15 wl	X	-
	2 em ongoing ms mo 16-18 wl	X	-
	2 em ongoing ms mo 19-21 wl	X	-
	2 em ongoing ms mo 22-24 wl	X	-
	Em bridge payment	X	-
	Em session reporting	X	-
	Adr dep thrpy prescribed	X	-
9895ء	Doc med rsn no adr dep thrpy	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Plea	ase note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuled to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
	bo pt rsn no adr dep thrpy	Х	-
	nt prsc adr dep thrpy rng	Х	-
	66+ snp or ltc pos	Х	-
G9899 Sc	rn mam perf rsits doc	Х	-
G9900 Sc	rn mam perf rsits not doc	Х	-
G9901 Pt	66+ snp or ltc pos	Х	-
G9902 Pt	scrn tbco and id as user	Х	-
G9903 Pt	scrn tbco id as non user	Х	-
	oc med rsn no tbco scrn	Х	-
	p pt tbco scrn rng	X	-
	recv tbco cess interv	X	-
	be med rsn no tbeo interv	X	-
	p t tbco cess interv rng	X	-
	bc med rsn no tbco interv	X	-
	66+ snp or ltc pos	X	-
	bde neg pre/post syst ther	X	-
	by status assessed and int	X X	-
	b hbv status assesd and int	X	
	receiving anti-tnf agent b documntd hbv results rcd	X	-
	inct status past 12 months	X	
	lv dem crgvr limited	X	-
	o funct stat perf, rsn nos	X	-
	ty energy services	X	-
	afty chorns scrn and neg	X	-
	o scrn prov rsn nos	X	-
	ty cncrns scrn but no recs	X	-
	b warf or fda drug presc	Х	-
G9929 Trs		Х	-
G9930 Co		Х	-
G9931 No	o chad or chad scr 0 or 1	Х	-
G9932 Do	pc pt rsn no tb scrn recrds	Х	-
G9938 Pt	66+ snp or ltc pos	Х	-
G9939 Sa	ame path/derm perf biopsy	Х	-
G9940 Do	pc reas no statin therapy	Х	-
	Itl spine proc on same date	Х	-
	x pn nt msr vas scl pre/pst	Х	-
G9945 Pt	w/cancer scoliosis	Х	-
	a pain no vas	Х	-
	g pain no vas	Х	-
	>2 rsk fac post-op vomit	X	-
G9955 Inh	nInt anesth only for induc	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes Description	Not	Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated qua should be directed to the Pharmacy link option within the website.	arterly. Additionally, these coding lists do not reflect information regarding immunizations, i	njectable drugs, or	specialty medications and
G9956 Combo thrpy of >= 2 prophly		Х	-
G9957 Doc med rsn no combo thrpy		X	-
G9958 No combo prohpyl thrp for pt		Х	-
G9959 Systemic antimicro not presc		Х	-
G9960 Med rsn sys antimi nt rx		Х	-
G9961 Systemic antimicro presc		Х	-
G9962 Embolization doc separatly		Х	-
G9963 Embolization not doc separat		Х	-
G9964 Pt recv >=1 well-chld visit		Х	-
G9965 No well-chld vist recv by pt		Х	-
G9968 Pt refrd 2 pvdr/spclst in pp		Х	-
G9969 Pvdr rfrd pt rprt rcvd		Х	-
G9970 Pvdr rfrd pt no rprt rcvd		Х	-
G9976 Doc pat rsn no mac exm perf		Х	-
G9977 Dil mac exam no perf rsn nos		Х	-
G9978 Remote e/m new pt 10 mins		Х	-
G9979 Remote e/m new pt 20 mins		Х	-
G9980 Remote e/m new pt 30 mins		Х	-
G9981 Remote e/m new pt 45 mins		Х	-
G9982 Remote e/m new pt 60 mins		Х	-
G9983 Remote e/m est. pt 10 mins		Х	-
G9984 Remote e/m est. pt 15 mins		Х	-
G9985 Remote e/m est. pt 25 mins		Х	-
G9986 Remote e/m est. pt 40 mins		Х	-
G9987 Bpci advanced in home visit		Х	-
G9988 Pall serv during meas		Х	-
G9989 Med rsn no pneum vax		Х	-
G9992 Pall serv during meas		Х	-
G9993 Pall serv during meas		Х	-
G9994 Pall serv during meas		Х	-
G9996 Doc pt pal or hospice		Х	-
G9997 Doc pt preg dur msrmt pd		Х	-
G9998 Doc med rsn <3 colon		Х	-
G9999 Doc sys rsn <3 colon		Х	-
H0015 Alcohol and/or drug services		-	Х
H0019 Alcohol and/or drug services		Х	-
H0021 Alcohol and/or drug training		X	-
H0022 Alcohol and/or drug interven		Х	-
H0023 Alcohol and/or drug outreach		Х	-
H0024 Alcohol and/or drug preventi		Х	-
H0025 Alcohol and/or drug preventi		Х	-
H0026 Alcohol and/or drug preventi		Х	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
isclaimer: Please note that cove nould be directed to the Pharma	rage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect informatio	n regarding immunizations, injectable drugs,		
H0027 Alcohol and/or		Х	-	
10029 Alcohol and/or		X	-	
10030 Alcohol and/or		X	-	
	assessment, by non-physician	Х	-	
	service plan development by non-physician	Х	-	
10034 Medication trai	ning and support, per 15 minutes	Х	-	
10035 Mental health p	partial hospitalization, treatment, less than 24 hours	-	Х	
10036 Community psy	vchiatric supportive treatment, face-to-face, per 15 minutes	Х	-	
	ychiatric supportive treatment program, per diem	Х	-	
	services, per 15 minutes	X	-	
	nunity treatment, face-to-face, per 15 minutes	X	-	
	nunity treatment program, per diem	X	-	
	ild, non-therapeutic, per diem	X	-	
	ild, non-therapeutic, per month	X	-	
10043 Supported hou		X	-	
0044 Supported hou		X	- X	
	ervices, not in the home, per diem	- X	^	
	services, not otherwise specified other drug abuse services, not otherwise specified	<u>х</u>	-	
	other drug testing: collection and handling only, specimensother than blood	X X		
10049 Alcohol/drug s		X	-	
10050 Alcohol/drug s		X	-	
10051 Traditional hea		X	-	
	urdered indigenous persons (mmip) mental health and clinical care	X	-	
	na (ht) mental health and clinical care for indigenous persons	Х	-	
1000 Prenatal care,	at-risk assessment	-	Х	
1001 Prenatal care,	at-risk enhanced service; antepartum management	-	Х	
11002 Prenatal care,	at-risk enhanced service; care coordination	-	Х	
11003 Prenatal care,	at-risk enhanced service; education	Х	-	
	at-risk enhanced service; follow-up home visit.	-	Х	
1005 Prenatal care,	at-risk enhanced service package (includes h1001-h1004)	-	Х	
	amily planning education, per session	X	-	
	ment by licensed behavioral health professional for state definedpurposes	X	-	
	e multidisciplinary evaluation	Х	-	
12001 Rehabilitation		X	-	
	e medication services, per 15 minutes	X	-	
	tion service, per 15 minutes	Х	- V	
	Ith day treatment, per hour		X	
	alth facility service, per diem and development, per 15 minutes	- X	X	
- · · · · · · · · · · · · · · · · · · ·		X X	-	
	e community support services, per 15 minutes e community support services, per diem	<u>х</u>		



As of: 12/19/24

		Small Employer and Individual	
Codes Description		Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quar should be directed to the Pharmacy link option within the website.	erly. Additionally, these coding lists do not reflect information regarding immun	izations, injectable drugs,	or specialty medications and
H2017 Psychosocial rehabilitation services, per 15 minutes		Х	-
H2018 Psychosocial rehabilitation services, per diem		Х	-
H2019 Therapeutic behavioral services, per 15 minutes		Х	-
H2020 Therapeutic behavioral services, per diem		Х	-
H2021 Community-based wrap-around services, per 15 minutes		Х	-
H2022 Community-based wrap-around services, per diem		Х	-
H2023 Supported employment, per 15 minutes		Х	-
H2024 Supported employment, per diem		Х	-
H2025 Ongoing support to maintain employment, per 15 minutes		Х	-
H2026 Ongoing support to maintain employment, per diem		Х	-
H2027 Psychoeducational service, per 15 minutes		Х	-
H2028 Sexual offender treatment service, per 15 minutes		X	-
H2029 Sexual offender treatment service, per diem		Х	-
H2030 Mental health clubhouse services, per 15 minutes		X	-
H2031 Mental health clubhouse services, per diem		Х	-
H2032 Activity therapy, per 15 minutes		X	-
H2033 Multisystemic therapy for juveniles, per 15 minutes		X	-
H2034 Alcohol and/or drug abuse halfway house services, per diem		Х	-
H2037 Developmental delay prevention activities, dependent child of client, per 15 minute	S	Х	-
H2038 Skill train and dev/diem		Х	-
H2040 Coordinated specialty care, team-based, for first episode psychosis, per month		Х	-
H2041 Coordinated specialty care, team-based, for first episode psychosis, per encounter		Х	-
K0005 Ultralightweight wheelchair		-	Х
K0010 Stnd wt frame power whichr		-	Х
K0011 Stnd wt pwr whichr w control		-	Х
K0012 Ltwt portbl power whichr		-	Х
K0108 W/c component-accessory nos		-	X
K0455 Pump uninterrupted infusion		-	Х
K0554 Ther cgm receiver/monitor		-	Х
K0607 Replacement battery for automated external defibrillator, garment type only, each		Х	-
K0800 Pov group 1 std up to 300 lbs		-	X
K0801 Pov group 1 hd 301-450 lbs		-	X
K0802 Pov group 1 vhd 451-600 lbs		-	X
K0806 Pov group 2 std up to 300lbs		-	X
K0807 Pov group 2 hd 301-450 lbs		-	X
K0808 Pov group 2 vhd 451-600 lbs		-	X
K0813 Pwc gp 1 std port seat/back		-	X
K0814 Pwc gp 1 std port cap chair		-	X
K0815 Pwc gp 1 std seat/back		-	X
K0816 Pwc gp 1 std cap chair		-	X
K0820 Pwc gp 2 std port seat/back		-	X
K0821 Pwc gp 2 std port cap chair		-	Х



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not should be directed to the Pharmacy link option within the website.	reflect information regarding immunizations, injectable drugs,	or specialty medications an	
K0822 Pwc gp 2 std seat/back	-	Х	
K0823 Pwc gp 2 std cap chair	-	X	
K0824 Pwc gp 2 hd seat/back	-	Х	
K0825 Pwc gp 2 hd cap chair	-	Х	
K0826 Pwc gp2 vhd seat/back	-	Х	
K0827 Pwc gp 2 vhd cap chair	-	Х	
K0828 Pwc gp 2 xtra hd seat/back	-	Х	
K0829 Pwc gp 2 xtra hd cap chair	-	X	
K0830 Pwc gp2 std seat elevate s/b	-	X	
K0831 Pwc gp2 std seat elevate cap	-	X	
K0835 Pwc gp2 std sing pow opt s/b		X	
K0836 Pwc gp2 std sing pow opt cap		X	
K0837 Pwc gp 2 hd sing pow opt s/b K0838 Pwc gp 2 hd sing pow opt cap		X	
K0838 Pwc gp2 vhd sing pow opt cap K0839 Pwc gp2 vhd sing pow opt s/b		X	
K0840 Pwc gp2 xhd sing pow opt s/b		X	
K0841 Pwc gp2 std mult pow opt s/b		X	
K0842 Pwc gp2 std mult pow opt cap	-	X	
K0843 Pwc gp2 hd mult pow opt s/b	-	X	
K0848 Pwc gp 3 std seat/back	-	Х	
K0849 Pwc gp 3 std cap chair	-	Х	
K0850 Pwc gp 3 hd seat/back	-	Х	
K0851 Pwc gp 3 hd cap chair	-	Х	
K0852 Pwc gp 3 vhd seat/back	-	Х	
K0853 Pwc gp 3 vhd cap chair	-	Х	
K0854 Pwc gp 3 xhd seat/back	-	Х	
K0855 Pwc gp 3 xhd cap chair	-	Х	
K0856 Pwc gp3 std sing pow opt s/b	-	Х	
K0857 Pwc gp3 std sing pow opt cap	-	Х	
K0858 Pwc gp3 hd sing pow opt s/b	-	X	
K0859 Pwc gp3 hd sing pow opt cap	-	X	
K0860 Pwc gp3 vhd sing pow opt s/b		X	
K0861 Pwc gp3 std mult pow opt s/b	-	X	
K0862 Pwc gp3 hd mult pow opt s/b		X	
K0863 Pwc gp3 vhd mult pow opt s/b K0864 Pwc gp3 xhd mult pow opt s/b		X	
Kolo k Pwc gp3 xhd mult pow opt s/b Kolo k Pwc gp 4 std seat/back		× X	
Koose Pwc gp 4 std searback		X	
K0870 Pwc gp 4 sid cap chair K0870 Pwc gp 4 hd seat/back		X	
K0871 Pwc gp 4 vhd seat/back		X	
K0877 Pwc gp4 std sing pow opt s/b		X	
K0878 Pwc gp4 std sing pow opt cap		X	



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please r	note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm to the Pharmacy link option within the website.	nunizations, injectable drugs,	or specialty medications ar
	gp4 hd sing pow opt s/b	-	Х
	gp4 vhd sing pow opt s/b	-	Х
K0884 Pwc	gp4 std mult pow opt s/b	-	Х
K0885 Pwc	gp4 std mult pow opt cap	-	Х
	gp4 hd mult pow s/b	-	Х
	gp5 ped sing pow opt s/b	-	X
	gp5 ped mult pow opt s/b	-	Х
	er mobility device, not coded by dme pdac or does not meet criteria	X	-
	eq us diathermy device	X	-
	kaf pc s/d micro sensor	X	-
	diag reader self-admn	X	-
	blies and accessories (e.g., transducer) for low frequency ultrasonic diathermy treatment device, per month	X	-
	ting station for use with oral device/appliance used to reduce upper airway collapsibility triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, poster	X	- X
	triplanar control, one piece rigid plastic shell without interface liner, with multiple straps and closures, posterior exte		X
	triplanar control, one piece rigid plastic shell with interface liner, with multiple straps and closures, posterior exter		X
	triplanar control, two piece rigid plastic shell without interface liner, with multiple straps and closures, posterior exte		X
	a p-l control molded		X
	a -p-I control molded	-	X
	cervical into jckt vest	-	X
	cervical into body jack	-	X
	cerv into milwaukee typ	-	X
	tion to halo procedure, magnetic resonance image compatible systems, rings abd pins, any material	-	Х
	p milwauke initial model	-	Х
1005 Tens	ion based scoliosis orthosis and accessory pads, includes fitting and adjustment	-	Х
	sh initial orthosis only	-	Х
1300 Body	/ jacket mold to patient	-	Х
1310 Post-	-operative body jacket	-	Х
1690 Com	bination bilateral ho	-	Х
	/adj jt rot cntrl molded	-	Х
2005 Knee	e ankle foot orthosis, any material, single or double upright, stance control, automatic lock and swing phase release, any type		
	ation, includes ankle joint, any type,	-	Х
	sng/dbl swg/stn mcpr cus	-	X
	ankle foot orthosis, full plastic, single upright, with or without free motion knee, medial lateral rotation contro	-	X
	plas doub free knee mol	-	X
	plas sing free knee mol	-	X
	w/o joint multi-axis an	-	X
	fem fx cast molded to p	-	X
	tic mold recipro hip & c	-	X
	Il frame recipro hip & ca	- X	Х
	sert ucb berkeley shell insert remov molded spe	X	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunities are updated to the Dearmony list action within the website	nizations, injectable drugs,	
	lirected to the Pharmacy link option within the website. Foot insert plastazote or eq	Х	-
	Foot insert silicone gel eac	X	-
	Foot longitudinal arch suppo	X	-
	Foot longitud/metatarsal sup	X	-
	Foot arch support remov prem	Х	-
	Foot, insert/plate, removable, addition to lower extremity orthosis, high strength	Х	-
	Ft arch suprt premold longit	Х	-
	Foot arch supp premold metat	Х	-
	Foot arch supp longitud/meta	Х	-
L3070	Arch suprt att to sho longit	Х	-
L3080	Arch supp att to shoe metata	Х	-
L3090	Arch supp att to shoe long/m	Х	-
L3100	Hallus-valgus nght dynamic s	Х	-
L3201	Oxford w supinat/pronat inf	Х	-
	Oxford w/ supinat/pronator c	Х	-
	Oxford w/ supinator/pronator	Х	-
	Hightop w/ supp/pronator inf	Х	-
	Hightop w/ supp/pronator chi	Х	-
	Hightop w/ supp/pronator jun	X	-
	Orthopedic ftwear ladies oxf	X	-
	Orthoped ladies shoes dpth i	X	-
	Ladies shoes hightop depth i	X	-
	Orthopedic mens shoes oxford	X	-
	Orthopedic mens shoes dpth i	X	-
	Mens shoes hightop depth inl		-
	Woman's shoe oxford brace	X	-
	Man's shoe oxford brace Custom shoes depth inlay	X	-
	Custom mold shoe remov prost	X	-
	Shoe molded to pt silicone s	X	-
	Shoe molded is prisincone s	X	-
	Shoe molded plastazote cust	X	-
	Orth foot non-stndard size/w	X	-
	Orth foot non-standard size/	X	-
	Orth foot add charge split s	X	- 1
	Plastazote sandal each	X	-
	Sho lift taper to metatarsal	X	-
	Shoe lift elev heel/sole neo	X	-
	Shoe lift elev heel/sole cor	X	-
	Lifts elevation metal extens	Х	-
	Shoe lifts tapered to one-ha	Х	-
	Shoe lifts elevation heel /i	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm	unizations, injectable drugs,	
	rected to the Pharmacy link option within the website. Shoe wedge sach	Х	-
	Shoe heel wedge sach	X	-
	Shoe sole wedge outside sole	X	-
	Shoe sole wedge between sole	Х	-
	Shoe clubfoot wedge	Х	-
L3390	Shoe outflare wedge	Х	-
L3400	Shoe metatarsal bar wedge ro	Х	-
	Shoe metatarsal bar between	Х	-
L3420	Full sole/heel wedge btween	Х	-
L3430	Sho heel count plast reinfor	Х	-
L3440	Heel leather reinforced	Х	-
L3450	Shoe heel sach cushion type	Х	-
L3455	Shoe heel new leather standa	Х	-
	Shoe heel new rubber standar	Х	-
	Shoe heel thomas with wedge	Х	-
	Shoe heel thomas extend to b	Х	-
	Shoe heel pad & depress for	Х	-
	Shoe heel pad removable for	Х	-
	Ortho shoe add leather insol	Х	-
	Orthopedic shoe add rub insl	Х	-
	O shoe add felt w leath insl	Х	-
	Ortho shoe add half sole	X	-
	Ortho shoe add full sole	Х	-
	O shoe add standard toe tap	X	-
	O shoe add horseshoe toe tap	X	-
	O shoe add instep extension	X	-
	O shoe add instep velcro clo	X	-
	O shoe convert to sof counte	X	-
	Ortho shoe add march bar	X	-
	Trans shoe calip plate exist	X	-
	Trans shoe caliper plate new	X	-
	Trans shoe solid stirrup exi	X	-
	Trans shoe solid stirrup new	X	-
	Shoe dennis browne splint bo	X	-
	Orthopedic shoe, modification, addition or transfer, not otherwise specified	Х	#REF!
	Hinge ext/flex wrist finger	-	X
	Whfo electric custom fitted	-	X
	Sewho airplan desig abdu pos Shavida na kana kana kana kana kana kana kana	-	X
	Shoulder elbow wrist hand orthosis, shoulder cap design, without joints, may include soft interface, straps, custom fabr	-	X
	Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, without	-	X
	Shoulder elbow wrist hand orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, turnbuck Shoulder elbow wrist hand orthosis, abduction positioning (airplane design), thoracic component and support bar, include	-	X


As of: 12/19/24

			ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
L3975	Shoulder elbow wrist hand finger orthosis, shoulder cap design, without joints, may include soft interface, straps, cust	-	Х
	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar,	-	Х
	Shoulder elbow wrist hand finger orthosis, shoulder cap design, includes one or more nontorsion joints, elastic bands, t	-	Х
L3978	Shoulder elbow wrist hand finger orthosis, abduction positioning (airplane design), thoracic component and support bar,	-	Х
L5000	Sho insert w arch toe filler	-	Х
	Mold socket ank hgt w/ toe f	-	Х
L5020	Tibial tubercle hgt w/ toe f	-	Х
	Ank symes mold sckt sach ft	-	Х
	Symes met fr leath socket ar	-	Х
	Molded socket shin sach foot	-	Х
	Plast socket jts/thgh lacer	-	X
	Mold sckt ext knee shin sach	-	X
	Mold socket bent knee shin s	-	Х
	Kne sing axis fric shin sach	-	Х
	No knee/ankle joints w/ ft b	-	Х
	No knee joint with artic ali	-	Х
	Fem focal defic constant fri	-	Х
	Hip canad sing axi cons fric	-	Х
	Tilt table locking hip sing	-	Х
	Hemipelvect canad sing axis	-	Х
	Below knee, molded socket, shin, sach foot, endoskeletal system	-	Х
	Knee disarticulation (or through knee), molded socket, single axis knee, pylon, sach foot, endoskeletal system	-	Х
	Above knee, molded socket, open end, sach foot, endoskeletal system, single axis knee	-	Х
	Hip disarticulation, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot	-	Х
	Hemipelvectomy, canadian type, molded socket, endoskeletal system, hip joint, single axis knee, sach foot	-	Х
	Postop dress & 1 cast chg bk	-	Х
	Postop dsg bk ea add cast ch	-	Х
	Postop dsg & 1 cast chg ak/d	-	Х
	Postop dsg ak ea add cast ch	-	Х
	Postop app non-wgt bear dsg	-	Х
	Postop app non-wgt bear dsg	-	Х
	Init bk ptb plaster direct	-	Х
	Init ak ischal plstr direct	-	Х
	Prep bk ptb plaster molded	-	Х
	Perp bk ptb thermopls direct	-	Х
	Prep bk ptb thermopls molded	-	Х
	Prep bk ptb open end socket	-	X
	Prep bk ptb laminated socket	-	X
	Prep ak ischial plast molded	-	X
	Prep ak ischial direct form	-	Х
	Prep ak ischial thermo mold	-	X
L5585	Prep ak ischial open end	-	Х



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: should be c	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immulirected to the Pharmacy link option within the website.	nizations, injectable drugs,	
L5590	Prep ak ischial laminated	-	Х
L5595	Hip disartic sach thermopls	-	Х
L5600	Hip disart sach laminat mold	-	Х
L5610	Above knee hydracadence	-	Х
	Ak 4 bar link w/fric swing	-	Х
	Ak 4 bar ling w/hydraul swig	-	Х
	4-bar link above knee w/swng	-	Х
	Addition, endoskeletal knee-shin system, 4 bar linkage or multiaxial, fluid swing and stance phase control	-	X
	Ak univ multiplex sys frict	-	X
	Ak/bk self-aligning unit ea	-	X
	Test socket symes	-	X
	Test socket below knee	-	X
	Test socket knee disarticula	-	X
	Test socket above knee	-	X
	Test socket hip disarticulat	-	X
	Test socket hemipelvectomy	-	X
	Below knee acrylic socket	-	× X
	Syme typ expandabl wall sckt	-	X
	Ak/knee disartic acrylic soc Symes type ptb brim design s	-	X
	Symes type poster opening so	-	X
	Symes type poster opening so		X
	Below knee total contact	-	X
	Below knee leather socket	-	X
	Below knee wood socket	-	X
	Knee disarticulat leather so	-	X
	Above knee leather socket	-	X
	Hip flex inner socket ext fr	-	Х
	Above knee wood socket	-	Х
	Bk flex inner socket ext frame	-	Х
	Below knee air cushion socke	-	Х
L5647	Below knee suction socket	-	Х
L5648	Above knee air cushion socke	-	Х
L5649	Isch containmt/narrow m-l so	-	Х
L5650	Tot contact ak/knee disart s	-	Х
	Ak flex inner socket ext fra	-	Х
	Suction susp ak/knee disart	-	Х
L5653	Knee disart expand wall sock	-	Х
L5654	Socket insert symes	-	Х
L5655	Socket insert below knee	-	Х
	Socket insert knee articulat	-	Х
L5658	Socket insert above knee	-	Х



As of: 12/19/24

			ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	e note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immula to the Pharmacy link option within the website.	unizations, injectable drugs,	
L5661 Mult	ti-durometer symes	-	Х
	ti-durometer below knee	-	Х
L5666 Belc	ow knee cuff suspension	-	Х
L5668 Soc	ket insert w/o lock lower	-	Х
L5670 Bk n	nolded supracondylar susp	-	Х
L5671 Add	lition lower extremity, below knee/above knee suspension locking mechanism (shuttle, lanyard or equal), includes socke	-	Х
L5672 Bk r	removable medial brim sus	-	Х
L5673 Add	lition to lower extremity, below knee/above knee, custom fabricated	-	Х
	knee joints single axis p	-	Х
	knee joints polycentric p	-	Х
L5678 Bk jo	oint covers pair	-	Х
L5679 Add	lition to lower extremity, below knee/above knee, custom fabricated	-	Х
L5680 Bk tl	high lacer non-molded	-	Х
L5681 Add	lition to lower extremity, below knee/above knee, custom fabricated socket insert	-	Х
L5682 Bk tl	high lacer glut/ischia m	-	Х
L5683 Add	lition to lower extremity, below knee/above knee, custom fabricated socket insert	-	Х
L5684 Bk fo	ork strap	-	Х
L5685 Belc	ow knee sus/seal sleeve	-	Х
L5686 Bk b	pack check	-	Х
L5688 Bk v	waist belt webbing	-	Х
	waist belt padded and lin	-	Х
	pelvic control belt light	-	Х
L5694 Ak p	pelvic control belt pad/l	-	Х
L5695 Ak s	sleeve susp neoprene/equa	-	Х
L5696 Ak/k	knee disartic pelvic join	-	Х
L5697 Ak/k	knee disartic pelvic band	-	Х
L5698 Ak/k	knee disartic silesian ba	-	Х
	oulder harness	-	Х
	place socket below knee	-	Х
L5701 Rep	place socket above knee	-	Х
L5702 Rep	place socket hip	-	Х
L5703 Ank	le, symes, molded to patient model, socket without solid ankle cushion heel (sach) fott, replacement only	-	Х
L5704 Cust	tom shape covr below knee	-	Х
L5705 Cus	stm shape cover above knee	-	Х
L5706 Cust	stm shape cvr knee disart	-	Х
	tm shape cover hip disart	-	Х
L5710 Kne	e-shin exo sng axi mnl loc	-	Х
L5711 Kne	e-shin exo mnl lock ultra	-	Х
L5712 Kne	e-shin exo frict swg & st	-	Х
L5714 Kne	e-shin exo variable frict	-	Х
L5716 Kne	e-shin exo mech stance ph	-	Х
L5718 Kne	e-shin exo frct swg & sta	-	Х



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	ease note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu cted to the Pharmacy link option within the website.	unizations, injectable drugs,	or specialty medications a
L5722 K	nee-shin pneum swg frct exo	-	Х
5724 K	nee-shin exo fluid swing ph	-	Х
_5726 K	nee-shin ext jnts fld swg e	-	Х
5728 K	inee-shin fluid swg & stance	-	Х
5780 K	inee-shin pneum/hydra pneum	-	Х
	ddition to lower limb prosthesis, vacuum pump, residual limb volume managementand moisture evacuation system	-	Х
_5782 A	ddition to lower limb prosthesis, vacuum pump, residual limb volume managementand moisture evacuation system, heavy dut	-	х
5783 A	ddition to lower extremity, user adjustable, mechanical, residual limb volume management system	-	Х
5785 E	xoskeletal bk ultralt mater	-	Х
5790 E	xoskeletal ak ultra-light m	-	Х
5795 E	xoskel hip ultra-light mate	-	Х
5810 E	ndoskel knee-shin mnl lock	-	Х
	ndo knee-shin mnl lck ultra	-	Х
	ndo knee-shin frct swg & st	-	Х
5814 E	ndo knee-shin hydral swg ph	-	Х
	ndo knee-shin polyc mch sta	-	Х
	ndo knee-shin frct swg & st	-	Х
	ndo knee-shin pneum swg frc	-	Х
	ndo knee-shin fluid swing p	-	Х
	liniature knee joint	-	X
	ndo knee-shin fluid swg/sta	-	X
	ndo knee-shin pneum/swg pha	-	X
	Iulti-axial knee/shin system	-	X
	ddition, endoskeletal knee-shin system, polycentric, pneumatic swing, and stance phase control	-	X
	inee-shin sys stance flexion	-	X
	ddition to endoskeletal, knee-shin system, hydraulic stance extension,dampening feature, adjustable	-	X
	ndo ak/hip knee extens assi	-	X
	lech hip extension assist lec knee-shin swing/stance	-	× ×
	lec knee-shin swing only	-	X
	ddition to lower extremity prosthesis, endoskeletal knee shin system, microprocessor control feature, stance phase only	-	X
	ddition to lower extremity prosthesis, endoskeletal knee-shin system, powered and programmable flexion/extension assist control,	_	~
in	ncludes any type motor(s)	-	Х
	ndo below knee alignable sy	-	Х
	ndo ak/hip alignable system	-	Х
	bove knee manual lock	-	Х
	ddition to lower extremity prosthesis, endoskeletal, knee disarticulation, above knee, hip disarticulation, positional rotation unit, any pe	-	Х
	ligh activity knee frame	-	Х
	ndo bk ultra-light material	-	Х
	ndo ak ultra-light material	-	Х



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: should be d	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu lirected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
L5960	Endo hip ultra-light materia	-	Х
L5961	Endo poly hip, pneu/hyd/rot	-	Х
L5962	Below knee flex cover system	-	Х
	Above knee flex cover system	-	Х
	Hip flexible cover system	-	Х
	Multiaxial ankle w dorsiflex	-	Х
	Foot external keel sach foot	-	X
	All lower extremity prosthesis, solid ankle cushion heel (sach) foot, replacement only	-	Х
	Flexible keel foot	-	Х
	Endoskeletal ankle foot system, microprocessor controlled feature, dorsiflexion and/or plantar flexion control, includes	-	X
	Foot single axis ankle/foot	-	X
	Combo ankle/foot prosthesis	-	X
	Energy storing foot	-	X
	Ft prosth multiaxial ankl/ft	-	X
	Multi-axial ankle/ft prosth	-	X
	Flex foot system	-	X
	Flex-walk sys low ext prosth	-	X
	Exoskeletal axial rotation u	-	<u>^</u> Х
	Endoskeletal axial rotation Lwr ext dynamic prosth pylon	-	X
	Multi-axial rotation unit	-	X
	Shank ft w vert load pylon	-	X
	Vertical shock reducing pylo	_	X
	Addition to lower extremity prosthesis, user adjustable heel height	_	X
	Addition to lower extremity prostheses, oser additable neer neight	_	X
	Partial hand, thumb remaining	-	X
	Partial hand, little and/or ring finger remaining	-	X
	Partial hand, no finger remaining	-	X
	Part hand myo exclu term dev	-	Х
	Wrst mld sck flx hng tri pad	-	Х
	Wrst mold sock w/exp interfa	-	Х
	Elb mold sock flex hinge pad	-	Х
	Elbow mold sock suspension t	-	Х
L6120	Elbow mold doub splt soc ste	-	Х
	Elbow stump activated lock h	-	Х
L6200	Elbow mold outsid lock hinge	-	Х
L6205	Elbow molded w/ expand inter	-	Х
L6250	Elbow inter loc elbow forarm	-	Х
L6300	Shlder disart int lock elbow	-	Х
L6310	Shoulder passive restor comp	-	Х
L6320	Shoulder passive restor cap	-	Х
L6350	Thoracic intern lock elbow	-	Х



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Reguired	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu irected to the Pharmacy link option within the website.	nizations, injectable drugs,		
	Thoracic passive restor comp	-	Х	
	Thoracic passive restor cap	-	X	
	Postop dsg cast chg wrst/elb	-	Х	
	Postop dsg cast chg elb dis/	-	Х	
	Postop dsg cast chg shlder/t	-	Х	
	Postop ea cast chg & realign	-	Х	
	Postop applicat rigid dsg on	-	Х	
	Below elbow prosth tiss shap	-	Х	
L6450	Elb disart prosth tiss shap	-	Х	
L6500	Above elbow prosth tiss shap	-	Х	
L6550	Shldr disar prosth tiss shap	-	Х	
L6570	Scap thorac prosth tiss shap	-	Х	
L6580	Wrist/elbow bowden cable mol	-	Х	
L6582	Wrist/elbow bowden cbl dir f	-	Х	
L6584	Elbow fair lead cable molded	-	Х	
L6586	Elbow fair lead cable dir fo	-	Х	
L6588	Shdr fair lead cable molded	-	Х	
L6590	Shdr fair lead cable direct	-	Х	
L6600	Polycentric hinge pair	-	Х	
L6605	Single pivot hinge pair	-	Х	
L6610	Flexible metal hinge pair	-	Х	
L6611	Addition to upper extremity prosthesis, external powered, additional switch, any type	-	Х	
L6615	Disconnect locking wrist uni	-	Х	
L6616	Disconnect insert locking wr	-	Х	
L6620	Flexion-friction wrist unit	-	Х	
L6621	Upper extremity prosthesis addition, flexion/extension wrist with or without friction, for use with external powered ter	-	Х	
L6623	Spring-ass rot wrst w/ latch	-	Х	
L6624	Upper extremity addition, flexion/extension and rotation wrist unit	-	Х	
L6625	Rotation wrst w/ cable lock	-	Х	
L6628	Quick disconn hook adapter o	-	Х	
	Lamination collar w/ couplin	-	Х	
	Stainless steel any wrist	-	Х	
L6632	Latex suspension sleeve each	-	Х	
L6635	Lift assist for elbow	-	Х	
L6637	Nudge control elbow lock	-	Х	
L6638	Upper extremity addition to prosthesis, electric locking feature, only for usewith manually powered elbow	-	Х	
	Shoulder abduction joint pai	-	Х	
	Excursion amplifier pulley t	-	Х	
L6642	Excursion amplifier lever ty	-	Х	
	Shoulder flexion-abduction j	-	Х	
L6646	Upper extremity addition, shoulder joint, multipositional locking, flexion, adjustable abduction friction control, for us	-	Х	
L6647	Upper extremity addition, shoulder lock mechanism, body powered actuator	-	Х	



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	e note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu do the Pharmacy link option within the website.	unizations, injectable drugs,	
	ber extremity addition, shoulder lock mechanism, external powered actuator	-	Х
	bulder universal joint		X
	ndard control cable extra	_	X
	avy duty control cable	_	X
	Ion or equal cable lining	-	X
	bk to hand cable adapter	-	X
	ness chest/shider saddle	-	X
	ness figure of 8 sing con	-	X
	ness figure of 8 dual con	-	X
	per extremity addition, harness, triple control, simultaneous operation of terminal device and elbow	-	X
	t sock wrist disart/bel e	-	X
	t sock elbw disart/above	-	X
	st socket shldr disart/tho	-	Х
L6686 Suc		-	Х
	me typ socket bel elbow/w	-	Х
	me typ sock above elb/dis	-	Х
	me typ socket shoulder di	-	Х
	me typ sock interscap-tho	-	Х
	novable insert each	-	Х
	cone gel insert or equal	-	Х
	kingelbow forearm cntrbal	-	Х
	ow socket ins use w/lock	-	Х
	ow socket ins use w/o lck	-	Х
	s elbo skt in for con/atyp	-	Х
	s elbo skt in not con/atyp	-	Х
L6698 Belo	ow/above elbow lock mech	-	Х
L6703 Terr	minal device, passive hand/mitt, any material, any size	-	Х
	minal device, sport/recreational/work attachment, any material, any size	-	Х
	minal device, hook, mechanical, voluntary opening, any material, any size, lined or unlined	-	Х
	minal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined	-	Х
	minal device, hand, mechanical, voluntary opening, any material, any size	-	Х
	minal device, hand, mechanical, voluntary closing, any material, any size	-	Х
	minal device, hook, mechanical, voluntary opening, any material, any size, 'lined or unlined, pediatric	-	Х
	minal device, hook, mechanical, voluntary closing, any material, any size, lined or unlined, pediatric	-	Х
	minal device, hand, mechanical, voluntary opening, any material, any size, pediatric	-	Х
	minal device, hand, mechanical, voluntary closing, any material, any size, pediatric	-	Х
	minal device model #5xa	-	Х
L6721 Terr	minal device, hook or hand, heavy duty, mechanical, voluntary opening, any 'material, any size, lined or unlined	-	Х
	minal device, hook or hand, heavy duty, mechanical, voluntary closing, any 'material, any size, lined or unlined	-	Х
L6805 Mod	difier wrist flexion unit	-	Х
L6810 Pind	cher tool otto bock or eq	-	Х



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu irected to the Pharmacy link option within the website.	nizations, injectable drugs,	
	Electric hand, switch or myoelectric controlled, independently articulating digits, any grasp pattern or combination of grasp patterns,		X
	includes motor(s)	-	X
	Automatic grasp feature, additional to upper limb prosthetic terminal device. Microprocessor control feature, addition to upper limb prosthesis terminal device	-	× X
	Replacement socket, below elbow/wrist disarticulation, molded to patient model, for use with or without external power	-	X
	Replacement socket, above elbow disarticulation, molded to patient model, for use with or without external power	-	X
	Replacement socket, shoulder disarticulation/interscapular thoracic, molded to patient model, for use with or without external power and the socket.	-	X
	Production glove	-	X
	Custom glove	-	X
	Hand restorat thumb/1 finger	-	X
	Hand restoration multiple fi	-	Х
	Hand restoration no fingers	-	Х
	Hand restoration replacmnt g	-	Х
L6920	Wrist disarticul switch ctrl	-	Х
L6925	Wrist disart myoelectronic c	-	Х
L6930	Below elbow switch control	-	Х
L6935	Below elbow myoelectronic ct	-	Х
L6940	Elbow disarticulation switch	-	Х
L6945	Elbow disart myoelectronic c	-	Х
L6950	Above elbow switch control	-	Х
L6955	Above elbow myoelectronic ct	-	Х
L6960	Shldr disartic switch contro	-	Х
L6965	Shldr disartic myoelectronic	-	Х
	Interscapular-thor switch ct	-	Х
L6975	Interscap-thor myoelectronic	-	Х
	Electric hand, switch or myoelectric controlled, adult	-	X
	Electric hand, switch or myoelectric, controlled, pediatric	-	X
	Electric hook, switch or myoelectric controlled, adult	-	X
	Prehensile actuator hosmer s	-	X
	Electron hook child michigan	-	X
-	Electronic elbow hosmer swit	-	X
	Electronic elbow utah myoele	-	X
	Electronic elbo simultaneous	-	X
	Electron elbow adolescent sw	-	X
	Electron elbow child switch	-	X
	Elbow adolescent myoelectron	-	X
	Elbow child myoelectronic ct	-	X
	Electronic wrist rotator any	- V	Х
	Six volt bat otto bock/eq ea	X	-
	Battery chrgr six volt otto	X	-
· / ≺h/I	Twelve volt battery utah/equ	Х	-



As of: 12/19/24

			ver and Individual
Codes	Description	Not Covered	Preauthorization Reguired
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunities to the Pharmacy link option within the website.	nizations, injectable drugs,	
L7367	Lithium ion battery, replacement	Х	-
	Lithium ion battery charger, replacement only	Х	-
L7400	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, ultralight material (titanium, carbon fiber o	-	Х
L7401	Addition to upper extremity prosthesis, above elbow disarticulation, ultralight material (titanium, carbon fiber or equa	-	Х
L7402	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, ultralight material (titanium,	-	Х
L7403	Addition to upper extremity prosthesis, below elbow/wrist disarticulation, acrylic material	-	Х
L7404	Addition to upper extremity prosthesis, above elbow disarticulation, acrylic material	-	Х
L7405	Addition to upper extremity prosthesis, shoulder disarticulation/interscapular thoracic, acrylic material	-	Х
L7510	Prosthetic device repair rep	-	Х
L7520	Repair prosthesis per 15 min	-	Х
L7600	Prosthetic donning sleeve, any material, each	-	Х
L7700	Pros soc insert gasket/seal	-	Х
L7900	Vacuum erection system	Х	-
L7902	Tension ring, for vacuum erection device, any type, replacement only, each	Х	-
	Nipple prosthesis custom, ea	Х	-
	Nasal prosthesis	-	Х
L8041	Midfacial prosthesis	-	Х
L8042	Orbital prosthesis	-	Х
	Upper facial prosthesis	-	Х
	Hemi-facial prosthesis	-	Х
	Auricular prosthesis	-	Х
L8046	Partial facial prosthesis	-	Х
L8047	Nasal septal prosthesis	-	Х
	Unspec maxillofacial prosth	-	Х
	Repair maxillofacial prosth	-	Х
L8400	Sheath below knee	-	Х
L8410	Sheath above knee	-	Х
L8415	Sheath upper limb	-	Х
L8417	Pros sheath/sock w gel cushn	-	Х
	Prosthetic sock multiply bk	-	Х
L8430	Prosthetic sock multiply ak	-	Х
	Pros sock multi ply upper Im	-	Х
	Shrinker below knee	-	Х
	Shrinker above knee	-	Х
L8465	Shrinker upper limb	-	Х
	Pros sock single ply bk	-	Х
	Pros sock single ply ak	-	Х
	Pros sock single ply upper l	-	Х
	Unlisted misc prosthetic ser	-	Х
	Artificial larynx	-	X
	Tracheostomy speaking valve	-	X
	Artificial larynx replacement battery/accessory, any type	Х	1 -



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu Pharmacy link option within the website.	unizations, injectable drugs		
L8507 Tracheo	-esophageal voice prosthesis, patient inserted, any type, each	-	Х	
	-esophageal voice prosthesis, inserted by a licensed health care provider, any type	-	Х	
L8510 Voice an	nplifier	Х	-	
L8511 Insert for	r indwelling tracheoesophageal prosthesis, with or without valve, replacement only	-	Х	
L8512 Gelatin of	capsules or equivalent, for use with tracheoesophageal voice prosthesis	-	Х	
L8515 Gel cap	app device for trach	-	Х	
L8600 Implant b	preast silicone/eq	-	Х	
L8603 Collager	n imp urinary 2.5 ml	-	Х	
L8605 Injectabl	e bulking agent, dextranomer/hyaluronic acid copolymer implant, anal canal, 1 ml, includes shipping and necessary supplies	х	-	
L8606 Synthetic	c implnt urinary 1ml	-	Х	
	neous external component, supply or accessory for use with the Argus II Retinal Prosthesis System	Х	-	
L8609 Artificial		Х	-	
L8610 Ocular in	nplant	Х	-	
L8613 Ossicula		Х	-	
L8614 Cochlea		-	Х	
	plant headset replace	-	Х	
	plant microphone repl	-	Х	
	plant trans coil repl	-	Х	
	plant tran cable repl	-	X	
	r implant, external speech processor and controller, integrated system, replacement	-	X	
L8621 Repl zind		-	X	
L8622 Repl alka		-	X	
	on battery for use with cochlear implant device speech processor, other than ear level, replacement, each	-	X	
	on battery for use with cochlear implant device speech processor, ear level, replacement, each	-	X	
	coch impl/aoi battry	-	X	
×	r implant, external speech processor, component, replacement	-	X	
	r implant, external controller component, replacement	-	X	
	tting coil and cable, integrated, for use with cochlear implant device, replacement	_	X	
	pophalangeal implant	Х	-	
	pal phalangeal joint replacement, two or more pieces, metal	-	Х	
L8641 Metatars		_	X	
L8642 Hallux in		_	X	
	langeal joint implot		X	
	langeal joint impirit langeal finger joint replacement, 2 or more pieces, metal	-	X	
L8670 Vascular		X	^	
	rosti pls gn any type	^	- X	
	ble neurostimulator electrode (with any number of contact points), each	-	X	
		-	X	
	programmer (external) for use with implantable programmable neurostimulator pulse generator	-	X	
	ble neurostimulator radiofrequency receiver	-	X	
	quency transmitter (external) for use with implantable neurostimulator radiofrequency receiver	-	X	
Lobod Radiofre	quency transmitter (external) for use with implantable sacral root neurostimulator receiver for bowel and bladde	-	^	



As of: 12/19/24

		Small Employ	Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm lirected to the Pharmacy link option within the website.	nunizations, injectable drugs,	or specialty medications and	
L8685	Implantable neurostimulator pulse generator, single array, rechargeable, includes extension	-	Х	
	Implantable neurostimulator pulse generator, single array, non-rechargeable, includes extension	-	Х	
	Implantable neurostimulator pulse generator, dual array, rechargeable, includes extension	-	Х	
	Implantable neurostimulator pulse generator, dual array, non-rechargeable, includes extension	-	Х	
	External recharging system for implanted neurostimulator, replacement only prosthetic implant, not otherwise specified	-	Х	
	Auditory osseointegrated device, includes all internal and external components	-	Х	
	Auditory osseointegrated device, external sound processor, replacement	-	Х	
L8692	Auditory osseointedgrated device, external sound processor, used without osseiontegration, body worn, includes headband	-	Х	
	Aud osseo dev, abutment	-	Х	
	Aoi transducer/actuator repl	-	Х	
	Pow ue rom dev ewh uprt cust	-	Х	
	Pow ue rom dev ewhf uprt cus	-	Х	
	External lower extremity sensory prosthesis, cutaneous stimulation of mechanoreceptors proximal to the ankle, per leg	Х	-	
	Receptor sole for use with I8720, replacement, each	Х	-	
	O&p supply/accessory/service	-	Х	
	Advancing cancer care mips value pathways	Х	-	
M0002	Optimal care for kidney health mips value pathways	Х	-	
	Supportive care for neurodegenerative conditions mips value pathways	Х	-	
	Promoting wellness mips value pathways	Х	-	
	Eom meos payment	Х	-	
M0075	Cellular therapy	Х	-	
M0076	Prolotherapy	Х	-	
M0100	Intragastric hypothermia	Х	-	
M0300	Iv chelationtherapy	Х	-	
M0301	Fabric wrapping of aneurysm	Х	-	
M1003	Tb screening performed and results interpreted within twelve months prior to initiation of first-time biologic disease modifying anti-			
	rheumatic drug therapy for ra	Х	-	
M1004	Doc med rsn no srn tb	Х	-	
M1005	Tb screening not performed or results not interpreted, reason not given	Х	-	
M1006	Disease activity not assessed, reason not given	Х	-	
M1007	>=50% of total number of a patient's outpatient ra encounters assessed	Х	-	
M1008	< 50% of total number of a patient's outpatient ra encounters assessed	Х	-	
M1009	Dc eoc doc med rec	Х	-	
M1010	Dc eoc doc med rec	Х	-	
M1011	Dc eoc doc med rec	Х	-	
M1012	Dc eoc doc med rec	Х	-	
M1013	Dc eoc doc med rec	Х	-	
M1014	Dc epi care doc medrec	Х	-	
M1016	Female patients unable to bear children	Х	-	
M1017	Patient admitted to palliative care services	Х	-	
	Pt dx hst cr pt sk lg cr scr	Х	-	
	Adl pt mj dep ds rs 12 phq<5	Х	-	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	nizations, injectable drugs,		
M1020	Adl pt mj dep ds no rs 12 mo	Х	-	
M1021	Patient had only urgent care visits during the performance period	Х	-	
M1027	Imaging of the head (ct or mri) was obtained	Х	-	
M1028	Documentation of patients with primary headache diagnosis and imaging other than ct or mri obtained	Х	-	
	Imaging of the head (ct or mri) was not obtained, reason not given	Х	-	
	Adults currently taking pharmacotherapy for oud	Х	-	
M1034	Adults who have at least 180 days of continuous pharmacotherapy with a medication prescribed for oud without a gap of more than seven days	х	-	
M1035	Adults who are deliberately phased out of medication assisted treatment (mat) prior to 180 days of continuous treatment	Х	-	
M1036	Adults who have not had at least 180 days of continuous pharmacotherapy with a medication prescribed for oud without a gap of more than seven days	х	-	
M1037	Patients with a diagnosis of lumbar spine region cancer at the time of the procedure	Х	-	
	Patients with a diagnosis of lumbar spine region fracture at the time of the procedure	Х	-	
	Patients with a diagnosis of lumbar spine region infection at the time of the procedure	Х	-	
M1040	Patients with a diagnosis of lumbar idiopathic or congenital scoliosis	Х	-	
M1041	Patient had cancer, fracture or infection related to the lumbar spine or patient had idiopathic or congenital scoliosis	Х	-	
M1043	Fs no odi 9-15mo	Х	-	
M1045	Fs oks 9-15mo = 37	Х	-	
M1046	Fs oks 9-15mo = 37	Х	-	
	Fs wth scr no odi pre and p	Х	-	
V1051	Patient had cancer, fracture or infection related to the lumbar spine or patient had idiopathic or congenital scoliosis	Х	-	
	Lg pn not meas w/ vas 1yr po	Х	-	
	Patient had only urgent care visits during the performance period	Х	-	
	Aspirin or another antiplatelet therapy used	Х	-	
	Presc antico med in pp	Х	-	
	Aspirin or another antiplatelet therapy not used, reason not given	Х	-	
	Patient was a permanent nursing home resident at any time during the performance period	X	-	
	Patient was in hospice or receiving palliative care at any time during the performance period	Х	-	
	Patient died prior to the end of the performance period	X	-	
	Hospice services for patient provided any time during the measurement period	X	-	
	Adults who are not ambulatory	X	-	
	Patient screened for future fall risk	<u>х</u>	-	
	Patient not screened for future fall risk, reason not given	<u> </u>	-	
	Patient had any additional spine procedures performed on the same date as the lumbar discectomy/laminotomy	X	-	
	Rom rad therapy anal, pc Rom rad therapy anal, tc	X		
	Rom rad therapy bladder, pc	X	-	
	Rom rad therapy bladder, tc	X	-	
	Rom rad ther bone mets, pc	X	-	
	Rom rad ther bone mets, to	X	-	
	Rom rad ther brain mets, pc	X	-	
	Rom rad ther brain mets, to	X	-	



As of: 12/19/24

	Small Emplo	yer and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, should be directed to the Pharmacy link option within the website.	these coding lists do not reflect information regarding immunizations, injectable drugs	, or specialty medications and
M1080 Rom rad therapy breast, pc	X	-
M1081 Rom rad therapy breast, tc	Х	-
M1082 Rom rad therapy cervical, pc	Х	-
M1083 Rom rad therapy cervical, tc	Х	-
M1084 Rom rad therapy cns, pc	Х	-
M1085 Rom rad therapy cns, tc	X	-
M1086 Rom rad ther colorectal, pc	X	-
M1087 Rom rad ther colorectal, tc	X	-
M1088 Rom rad ther head/neck, pc	X	-
M1089 Rom rad ther head/neck, tc M1094 Rom rad therapy lung, pc	X X	-
M1094 Rom rad therapy lung, tc	× ×	-
M1095 Rom rad therapy lymphoma, pc	X	-
M1097 Rom rad therapy lymphoma, tc	X	-
M1098 Rom rad therapy pancreas, pc	X	-
M1099 Rom rad therapy pancreas, pc	X	-
M1100 Rom rad therapy prostate, pc	Х	-
M1101 Rom rad therapy prostate, to	Х	-
M1102 Rom rad therapy gi, pc	Х	-
M1103 Rom rad therapy gi, tc	Х	-
M1104 Rom rad therapy uterus, pc	X	-
M1105 Rom rad therapy uterus, tc	Х	-
M1106 Start eoc doc med rec	Х	-
M1107 Docu dx degen neuro	X	-
M1108 Oc ni pt 1-2 vis	X	-
M1109 Oc ni pt dc 1-2 vis	X	-
M1110 Oc ni pt selfdc 1-2 vis	X	-
M1111 Start eoc doc med rec	X X	-
M1112 Docu dx degen neuro M1113 Oc ni pt 1-2 vis	^ X	-
M1113 Oc ni pt dc 1-2 vis	×	-
M1114 Oc ni pt selfdc 1-2 vis	^ X	-
M1116 Start eoc doc med rec	X	-
M1117 Docu dx degen neuro	X	-
M1118 Oc ni pt 1-2 vis	X	-
M1119 Oc ni pt dc 1-2 vis	X	-
M1120 Oc ni pt selfdc 1-2 vis	Х	-
M1121 Start eoc doc med rec	Х	-
M1122 Docu dx degen neuro	Х	-
M1123 Oc ni pt 1-2 vis	Х	-
M1124 Oc ni pt dc 1-2 vis	Х	-
M1125 Oc ni pt selfdc 1-2 vis	X	-



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications an	
	Start eoc doc med rec	Х	-	
	Docu dx degen neuro	X X		
	Oc ni pt 1-2 vis	X	-	
	Oc ni pt dc 1-2 vis	X X	-	
	Oc ni pt self dc 1-2 vis	X X	-	
	Docu dx degen neuro	X X	-	
	Oc ni pt 1-2 vis	X	-	
	Oc ni pt dc 1-2 vis	X	-	
	Oc ni pt self dc 1-2 vis	X	-	
	Start eoc doc med rec	X	-	
	Fs no oks	X	-	
	Emerge cases	X	-	
	Ni rehab med chiro	X	-	
	Ongoing care not ind	X	-	
	Care not poss med rsn	X	-	
	Pt self dschg	X	-	
	No neck fs prom incap	X	-	
	Left ventricular ejection fraction (lvef) less than or equal to 40% or documentation of moderately or severely depressed left ventricular			
11100	systolic function	Х	-	
11151	Patients with a history of heart transplant or with a left ventricular assist device (lvad)	X X	-	
	Patients with a history of heart transplant or with a left ventricular assist device (Ivad)	X	-	
	Patient with diagnosis of osteoporosis on date of encounter	X	-	
	Hospice services provided to patient any time during the measurement period	X	-	
	Patient had anaphylaxis due to the meningococcal vaccine any time on or before the patient's 13th birthday	X	-	
	Patient had anaphylaxis due to the tetanus, diphtheria or pertussis vaccine any time on or before the patient's 13th birthday	X	-	
	Patient had encephalitis due to the tetanus, diphtheria or pertussis vaccine any time on or before the patient's 13th birthday	X	-	
	Patient had anaphylaxis due to the hpv vaccine any time on or before the patient's 13th birthday	X	-	
	Patients with dementia any time during the patient's history through the end of the measurement period	X	-	
	Patients who use hospice services any time during the measurement period	X	-	
	Pathology report for tissue specimens produced from wide local excisions or re-excisions	X	-	
	In hospice or using hospice services during the measurement period	X	-	
	Patient received an influenza vaccine on or between july 1 of the year prior to the measurement period and june 30 of the measurement	~		
	period	Х	-	
11169	Documentation of medical reason(s) for not administering influenza vaccine (e.g., prior anaphylaxis due to the influenza vaccine)			
		Х	-	
11170	Patient did not receive an influenza vaccine on or between july 1 of the year prior to the measurement period and june 30 of the	~		
	measurement period	Х	-	
11171	Patient received at least one td vaccine or one tdap vaccine between nine years prior to the encounter and the end of the measurement	~		
	period	Х	-	
11172	Documentation of medical reason(s) for not administering td or tdap vaccine (e.g., prior anaphylaxis due to the td or tdap vaccine or	~	<u> </u>	
111/2	history of encephalopathy within seven days after a previous dose of a td-containing vaccine)	х		



As of: 12/19/24

Codes Description Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immunicatic should be directed to the Pharmacy link option within the website. M1173 Patient did not receive at least one do se of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period M1175 Documentation of medical reason(s) for not administering zoster vaccine (e.g., prior anaphylaxis due to the zoster vaccine) M1176 Patient tidin on receive at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period M1177 Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 60th birthday and before the end of the measurement period M1178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1180 P	Not Covered	
hould be directed to the Pharmacy link option within the website. 11173 Patient did not receive at least one td vaccine or one tdap vaccine between nine years prior to the encounter and the end of the measurement period 11174 Patient did not receive at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period 11175 Documentation of medical reason(s) for not administering zoster vaccine (e.g., prior anaphylaxis due to the zoster vaccine) 11176 Patient did not receive at least one dose of the herpes zoster live vaccine or during the measurement period 11177 Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 60th birthday and before the end of the measurement period 11178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) 11178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) 11179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period 11179 Patients no immune checkpoint inhibitor therapy 111111111111111111111111111111111111	Not Covered	Preauthorization Required
measurement period 11174 Patient received at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period 11175 Documentation of medical reason(s) for not administering zoster vaccine (e.g., prior anaphylaxis due to the zoster vaccine) 11176 Patient did not receive at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period 11177 Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 60th birthday and before the end of the measurement period 11178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) 11179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period 11179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period 11180 Patients on immune checkpoint inhibitor therapy 11181 Grade 2 or above diarrhea and/or grade 2 or above colitis 11182 Documentation of immune checkpoint inhibitor therapy held and corticosteroids or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiol	ions, injectable drugs,	or specialty medications a
days apart) anytime on or after the patient's 50th birthday before or during the measurement period A1175 Documentation of medical reason(s) for not administering zoster vaccine (e.g., prior anaphylaxis due to the zoster vaccine) A1176 Patient did not receive at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period A1177 Patient did not receive at least one dose of the herpes zoster live vaccine on or after their 60th birthday and before the end of the measurement period A1178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) A1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period A1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period A1180 Patients on immune checkpoint inhibitor therapy A1180 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) A1183 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiti	х	-
M1175 Documentation of medical reason(s) for not administering zoster vaccine (e.g., prior anaphylaxis due to the zoster vaccine) M1176 Patient did not receive at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period M1177 Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 60th birthday and before the end of the measurement period M1178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1180 Patients on immune checkpoint inhibitor therapy M1181 Grade 2 or above diarrhea and/or grade 2 or above colitis M1182 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) M1183 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup result	х	-
M1176 Patient did not receive at least one dose of the herpes zoster live vaccine or two doses of the herpes zoster recombinant vaccine (at least 28 days apart) anytime on or after the patient's 50th birthday before or during the measurement period M1177 Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 60th birthday and before the end of the measurement period M1178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1180 Patients on immune checkpoint inhibitor therapy M1181 Grade 2 or above diarrhea and/or grade 2 or above colitis M1182 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) M1183 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reason/contraindication)	Х	-
M1177 Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 60th birthday and before the end of the measurement period M1178 Documentation of medical reason(s) for not administering pneumococcal vaccine (e.g., prior anaphylaxis due to the pneumococcal vaccine) M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1180 Patients on immune checkpoint inhibitor therapy M1181 Grade 2 or above diarrhea and/or grade 2 or above colitis M1182 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) M1183 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reasons/contraindication)	х	-
vaccine) M1179 Patient did not receive any pneumococcal conjugate or polysaccharide vaccine, on or after their 60th birthday and before or during measurement period M1180 Patients on immune checkpoint inhibitor therapy M1181 Grade 2 or above diarrhea and/or grade 2 or above colitis M1182 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) M1183 Documentation of immune checkpoint inhibitor therapy held and corticosteroids or immunosuppressants prescribed or administered M1184 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reasons/contraindication)	х	-
measurement period measurement period M1180 Patients on immune checkpoint inhibitor therapy M1181 Grade 2 or above diarrhea and/or grade 2 or above colitis M1182 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) M1183 Documentation of immune checkpoint inhibitor therapy held and corticosteroids or immunosuppressants prescribed or administered M1184 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reasons/contraindication)	х	
M1180 Patients on immune checkpoint inhibitor therapy M1181 Grade 2 or above diarrhea and/or grade 2 or above colitis M1182 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) M1183 Documentation of immune checkpoint inhibitor therapy held and corticosteroids or immunosuppressants prescribed or administered M1184 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reasons/contraindication)	Х	-
M1181 Grade 2 or above diarrhea and/or grade 2 or above colitis Image: Colored co	Х	-
11182 Patients not eligible due to pre-existing inflammatory bowel disease (ibd) (e.g., ulcerative colitis, crohn's disease) 11183 Documentation of immune checkpoint inhibitor therapy held and corticosteroids or immunosuppressants prescribed or administered 11184 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reasons/contraindication)	Х	-
11183 Documentation of immune checkpoint inhibitor therapy held and corticosteroids or immunosuppressants prescribed or administered 11184 Documentation of medical reason(s) for not prescribing or administering corticosteroid or immunosuppressant treatment (e.g., allergy, intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reasons/contraindication)	Х	-
intolerance, infectious etiology, pancreatic insufficiency, hyperthyroidism, prior bowel surgical interventions, celiac disease, receiving other medication, awaiting diagnostic workup results for alternative etiologies, other medical reasons/contraindication)	х	-
	Х	-
11185 Documentation of immune checkpoint inhibitor therapy not held and/or corticosteroids or immunosuppressants prescribed or administered was not performed, reason not given	х	-
11186 Patients who have an order for or are receiving hospice or palliative care	Х	-
1187 Patients with a diagnosis of end stage renal disease (esrd)	Х	-
1188 Patients with a diagnosis of chronic kidney disease (ckd) stage 5	Х	-
11189 Documentation of a kidney health evaluation defined by an estimated glomerular filtration rate (egfr) and urine albumin-creatinine ratio (uacr) performed	х	-
11190 Documentation of a kidney health evaluation was not performed or defined by an estimated glomerular filtration rate (egfr) and urine albumin-creatinine ratio (uacr)	х	-
11191 Hospice services provided to patient any time during the measurement period	Х	-
1192 Patients with an existing diagnosis of squamous cell carcinoma of the esophagus	Х	-
11193 Surgical pathology reports that contain impression or conclusion of or recommendation for testing of mmr by immunohistochemistry, msi by dna-based testing status, or both	х	-
1194 Documentation of medical reason(s) surgical pathology reports did not contain impression or conclusion of or recommendation for testing of mmr by immunohistochemistry, msi by dna-based testing status, or both tests were not included (e.g., patient will not be treated with checkpoint inhibitor therapy, no residual carcinoma is present in the sample [tissue exhausted or status post neoadjuvant	Y	
treatment], insufficient tumor for testing) A1195 Surgical pathology reports that do not contain impression or conclusion of or recommendation for testing of mmr by immunohistochemistry, msi by dna-based testing status, or both, reason not given	<u>х</u> х	-



As of: 12/19/24

			ver and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications a	
<i>I</i> 1196	Initial (index visit) numeric rating scale (nrs), visual rating scale (vrs), or itchyquant assessment score of greater than or equal to 4	Х	-	
<i>I</i> 1197	Itch severity assessment score is reduced by 2 or more points from the initial (index) assessment score to the follow-up visit score	х	-	
/1198	Itch severity assessment score was not reduced by at least 2 points from initial (index) score to the follow-up visit score or assessment was not completed during the follow-up encounter	х	-	
/1199	Patients receiving rrt	Х	-	
	Ace inhibitor (ace-i) or arb therapy prescribed during the measurement period	Х	-	
M1201	Documentation of medical reason(s) for not prescribing ace inhibitor (ace-i) or arb therapy during the measurement period (e.g., pregnancy, history of angioedema to ace-i, other allergy to ace-i and arb, hyperkalemia or history of hyperkalemia while on ace-i or arb therapy, acute kidney injury due to ace-i or arb therapy), other medical reasons)	Х	-	
/1202	Documentation of patient reason(s) for not prescribing ace inhibitor or arb therapy during the measurement period, (e.g., patient declined, other patient reasons)	Х	-	
M1203	Ace inhibitor or arb therapy not prescribed during the measurement period, reason not given	Х	-	
/1204	Initial (index visit) numeric rating scale (nrs), visual rating scale (vrs), or itchyquant assessment score of greater than or equal to 4	х	-	
/1205	Itch severity assessment score is reduced by 2 or more points from the initial (index) assessment score to the follow-up visit score	Х	-	
/1206	Itch severity assessment score was not reduced by at least 2 points from initial (index) score to the follow-up visit score or assessment was not completed during the follow-up encounter	Х	-	
/1207	Number of patients screened for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety	Х	-	
/1208	Number of patients not screened for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety	Х	-	
/1209	At least two orders for high-risk medications from the same drug class, (table 4), not ordered	Х	-	
	At least two orders for high-risk medications from the same drug class, (table 4), not ordered	Х	-	
	Most recent hemoglobin A1c level > 9.0%	Х	-	
	Hemoglobin A1c level is missing, or was not performed during the measurement period (12 months)	Х	-	
	No history of spirometry results with confirmed airflow obstruction (FEV1/FVC < 70%) and present spirometry is >= 70%	Х	-	
	Spirometry results with confirmed airflow obstruction (FEV1/FVC < 70%) documented and reviewed	Х	-	
	Documentation of medical reason(s) for not documenting and reviewing spirometry results (e.g., patients with dementia or tracheostomy)	Х	-	
	No spirometry results with confirmed airflow obstruction FEV1/FVC < 70%) documented and/or no spirometry performed with results documented during the encounter	Х	-	
/1217	Documentation of system reason(s) for not documenting and reviewing spirometry results (e.g., spirometry equipment not available at the time of the encounter)	х	-	
/1218	Patient has COPD symptoms (e.g., dyspnea, cough/sputum, wheezing)	Х	-	
11220	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist or artificial intelligence (AI) interpretation documented and reviewed; with evidence of retinopathy	Х	-	
	Dilated retinal eye exam with interpretation by an ophthalmologist or optometrist or artificial intelligence (AI) interpretation documented and reviewed; without evidence of retinopathy	Х	-	
M1222	Glaucoma plan of care not documented, reason not otherwise specified	Х	-	



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
isclaimer hould be	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications an
M1223	Glaucoma plan of care documented	Х	-
M1224	Intraocular pressure (IOP) reduced by a value less than 20% from the pre-intervention level	Х	-
	Intraocular pressure (IOP) reduced by a value of greater than or equal to 20% from the pre-intervention level	Х	-
/1226	IOP measurement not documented, reason not otherwise specified	Х	-
/1227	Evidence-based therapy was prescribed	Х	-
M1228	Patient, who has a reactive HCV antibody test, and has a follow up HCV viral test that detected HCV viremia, has HCV treatment initiated within 3 months of the reactive HCV antibody test	Х	-
	Patient, who has a reactive HCV antibody test, and has a follow up HCV viral test that detected HCV viremia, is referred within 1 month of the reactive HCV antibody test to a clinician who treats HCV infection	Х	-
/1230	Patient has a reactive HCV antibody test and does not have a follow-up HCV viral test, or patient has a reactive HCV antibody test and has a follow-up HCV viral test that detects HCV viremia and is not referred to a clinician who treats HCV infection within 1 month and does not have HCV treatment initiated within 3 months of the reactive HCV antibody test, reason not given		
		Х	-
/1231	Patient receives HCV antibody test with nonreactive result	Х	-
	Patient receives HCV antibody test with reactive result	Х	-
	Patient does not receive HCV antibody test or patient does receive HCV antibody test but results not documented, reason not given	Х	-
Л1234	Patient has a reactive HCV antibody test, and has a follow-up HCV viral test that does not detect HCV viremia	Х	-
/1235	Documentation or patient report of HCV antibody test or HCV RNA test which occurred prior to the performance period	Х	-
/1236	Baseline MRS > 2	Х	-
/1237	Patient reason for not screening for food insecurity, housing instability, transportation needs, utility difficulties, and interpersonal safety (e.g., patient declined or other patient reasons)	Х	-
/1238	Documentation that administration of second recombinant zoster vaccine could not occur during the performance period due to the recommended 2 to 6 month interval between doses (i.e., first dose received after October 31)	Х	-
/1239	Patient did not respond to the question of "Patient felt heard and understood by this provider and team"	Х	-
	Patient did not respond to the question of "Patient felt this provider and team put my best interests first when making recommendations about my care"	Х	-
	Patient did not respond to the question of "Patient felt this provider and team saw me as a person, not just someone with a medical problem"	Х	-
	Patient did not respond to the question of "Patient felt this provider and team understood what is important to me in my life"	Х	-
	Patient provided a response other than "completely true" for the question of "Patient felt heard and understood by this provider and team"	Х	-
	Patient provided a response other than "completely true" for the question of "Patient felt this provider and team put my best interests first when making recommendations about my care"	Х	-
	Patient provided a response other than "completely true" for the question of "Patient felt this provider and team saw me as a person, not just someone with a medical problem"	Х	-
	Patient provided a response other than "completely true" for the question of "Patient felt this provider and team understood what is important to me in my life"	Х	-
	Patient responded "completely true" for the question of "Patient felt this provider and team put my best interests first when making recommendations about my care"	Х	-
/1248	Patient responded "completely true" for the question of "Patient felt this provider and team saw me as a person, not just someone with a medical problem"	Х	-



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuni directed to the Pharmacy link option within the website.	zations, injectable drugs,	or specialty medications ar
M1249	Patient responded "completely true" for the question of "Patient felt this provider and team understood what is important to me in my life"	х	-
M1250	Patient responded as "completely true" for the question of "Patient felt heard and understood by this provider and team"	Х	-
	Patients for whom a proxy completed the entire HU survey on their behalf for any reason (no patient involvement)	Х	-
M1252	Patients who did not complete at least one of the four patient experience HU survey items and return the HU survey within 60 days of the ambulatory palliative care visit	х	-
M1253	Patients who respond on the patient experience HU survey that they did not receive care by the listed ambulatory palliative care provider in the last 60 days (disavowal)	Х	-
<i>M</i> 1254	Patients who were deceased when the HU survey reached them	Х	-
	Patients who have another reason for visiting the clinic [not prenatal or postpartum care] and have a positive pregnancy test but have not established the clinic as an OB provider (e.g., plan to terminate the pregnancy or seek prenatal services elsewhere)		
		X	-
	Prior history of known CVD	Х	-
	CVD risk assessment not performed or incomplete (e.g., CVD risk assessment was not documented), reason not otherwise specified	Х	-
	CVD risk assessment performed, have a documented calculated risk score	Х	-
M1259	Patients listed on the kidney-pancreas transplant waitlist or who received a living donor transplant within the first year following initiation of dialysis	Х	-
M1260	Patients who were not listed on the kidney-pancreas transplant waitlist or patients who did not receive a living donor transplant within the first year following initiation of dialysis	х	-
M1261	Patients who were on the kidney or kidney-pancreas waitlist prior to initiation of dialysis	Х	-
	Patients who had a transplant prior to initiation of dialysis	Х	-
	Patients in hospice on their initiation of dialysis date or during the month of evaluation	Х	-
	CMS Medical Evidence Form 2728 for dialysis patients: initial form completed	Х	-
	Patients admitted to a skilled nursing facility (SNF)	Х	-
	Patients not on any kidney or kidney-pancreas transplant waitlist or is not in active status on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period	Х	-
M1268	Patients on active status on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period	Х	-
M1269	Receiving ESRD MCP dialysis services by the provider on the last day of the reporting month	Х	-
	Patients not on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period	Х	_
11271	Patients with dementia at any time prior to or during the month	X	-
	Patients on any kidney or kidney-pancreas transplant waitlist as of the last day of each month during the measurement period	Х	-
M1273	Patients who were admitted to a skilled nursing facility (SNF) within 1 year of dialysis initiation according to the CMS-2728 Form	Х	-
<i>M</i> 1274	Patients who were admitted to a skilled nursing facility (SNF) during the month of evaluation were excluded from that month	Х	-
	Patients determined to be in hospice were excluded from month of evaluation and the remainder of reporting period	Х	-
	BMI documented outside normal parameters, no follow-up plan documented, no reason given	Х	-
	Colorectal cancer screening results documented and reviewed	Х	-
	Elevated or hypertensive blood pressure reading documented, and the indicated follow-up is documented	Х	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	izations, injectable drugs,	
	Elevated or hypertensive blood pressure reading documented, indicated follow-up not documented, reason not given	Х	-
/1280	Women who had a bilateral mastectomy or who have a history of a bilateral mastectomy or for whom there is evidence of a right and a left unilateral mastectomy	х	-
/1281	Blood pressure reading not documented, reason not given	Х	-
	Patient screened for tobacco use and identified as a tobacco non-user	Х	-
11283	Patient screened for tobacco use and identified as a tobacco user	Х	-
11284	Patients age 66 or older in institutional special needs plans (SNP) or residing in long-term care with POS code 32, 33, 34, 54, or 56 for more than 90 consecutive days during the measurement period	Х	-
11285	Screening, diagnostic, film, digital or digital breast tomosynthesis (3D) mammography results were not documented and reviewed, reason not otherwise specified	Х	-
11286	BMI is documented as being outside of normal parameters, follow-up plan is not completed for documented medical reason	Х	-
	BMI is documented below normal parameters and a follow-up plan is documented	Х	-
	Documented reason for not screening or recommending a follow-up for high blood pressure	Х	-
/1289	Patient identified as tobacco user did not receive tobacco cessation intervention during the measurement period or in the 6 months prior to the measurement period (counseling and/or pharmacotherapy)	х	-
11290	Patient not eligible due to active diagnosis of hypertension	Х	-
11291	Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period and a dispensed medication for dementia during the measurement period or the year prior to the measurement period	х	-
/1292	Patients 66 years of age and older with at least one claim/encounter for frailty during the measurement period and either one acute inpatient encounter with a diagnosis of advanced illness or two outpatient, observation, ED or nonacute inpatient encounters on different dates of service with an advanced illness diagnosis during the measurement period or the year prior to the measurement period	х	_
11293	BMI is documented above normal parameters and a follow-up plan is documented	X	-
	Normal blood pressure reading documented, follow-up not required	X X	-
	Patients with a diagnosis or past history of total colectomy or colorectal cancer	X	-
	BMI is documented within normal parameters and no follow-up plan is required	Х	-
	BMI not documented due to medical reason or patient refusal of height or weight measurement	Х	-
	Documentation of patient pregnancy anytime during the measurement period prior to and including the current encounter	Х	-
11299	Influenza immunization administered or previously received	Х	-
11300	Influenza immunization was not administered for reasons documented by clinician (e.g., patient allergy or other medical reasons, patient declined or other patient reasons, vaccine not available or other system reasons)	Х	-
11301	Patient identified as a tobacco user received tobacco cessation intervention during the measurement period or in the 6 months prior to the measurement period (counseling and/or pharmacotherapy)	Х	-
11302	Screening, diagnostic, film digital or digital breast tomosynthesis (3D) mammography results documented and reviewed	Х	-
11303	Hospice services provided to patient any time during the measurement period	Х	-
1304	Patient did not receive any pneumococcal conjugate or polysaccharide vaccine on or after their 19th birthday and before the end of the measurement period	Х	-
	Patient received any pneumococcal conjugate or polysaccharide vaccine on or after their 19th birthday and before the end of the measurement period	Х	-
	Patient had anaphylaxis due to the pneumococcal vaccine any time during or before the measurement period	Х	-
/1307	Documentation stating the patient has received or is currently receiving palliative or hospice care	Х	-
/1308	Influenza immunization was not administered, reason not given	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications a
	Palliative care services provided to patient any time during the measurement period	Х	-
/1310	Patient screened for tobacco use and received tobacco cessation intervention during the measurement period or in the 6 months prior		
	to the measurement period (counseling, pharmacotherapy, or both), if identified as a tobacco user	Х	-
	Anaphylaxis due to the vaccine on or before the date of the encounter	Х	-
	Patient not screened for tobacco use	Х	-
/1313	Tobacco screening not performed or tobacco cessation intervention not provided during the measurement period or in the 6 months		
	prior to the measurement period	Х	-
-	BMI not documented and no reason is given	Х	-
	Colorectal cancer screening results were not documented and reviewed; reason not otherwise specified	Х	-
	Current tobacco non-user	Х	-
/1317	Patients who are counseled on connection with a CSP and explicitly opt out	Х	-
/1318	Patients who did not have documented contact with a CSP for at least one of their screened positive HRSNS within 60 days after		
	screening or documentation that there was no contact with a CSP	Х	-
/1319	Patients who had documented contact with a CSP for at least one of their screened positive HRSNS within 60 days after screening		
		Х	-
	Patients who screened positive for at least 1 of the 5 HRSNS	Х	-
11321	Patients who were not seen within 7 weeks following the date of injection for follow-up or who did not have a documented IOP or no		
	plan of care documented if the IOP was >25 mm Hg	Х	-
M1322	Patients seen within 7 weeks following the date of injection and are screened for elevated intraocular pressure (IOP) with tonometry		
	with documented IOP =<25 mm Hg for injected eye	Х	-
11323	Patients seen within 7 weeks following the date of injection and are screened for elevated intraocular pressure (IOP) with tonometry		
	with documented IOP >25 mm Hg and a plan of care was documented	Х	-
11324	Patients who had an intravitreal or periocular corticosteroid injection (e.g., triamcinolone, preservative-free triamcinolone,		
	dexamethasone, dexamethasone intravitreal implant, or fluocinolone intravitreal implant)	Х	-
11325	Patients who were not seen for reasons documented by clinician for patient or medical reasons (e.g., inadequate time for follow-up,		
	patients who received a prior intravitreal or periocular steroid injection within the last 6 months and had a subsequent IOP evaluation		
	with IOP <25mm Hg within 7 weeks of treatment)	Х	-
	Patients with a diagnosis of hypotony	Х	-
	Patients who were not appropriately evaluated during the initial exam and/or who were not re-evaluated within 8 weeks	Х	-
	Patients with a diagnosis of acute vitreous hemorrhage	Х	-
11329	Patients with a post-operative encounter of the eye with the acute PVD within 2 weeks before the initial encounter or 8 weeks after		
	initial acute PVD encounter	Х	-
	Documentation of patient reason(s) for not having a follow-up exam (e.g., inadequate time for follow-up)	Х	-
11331	Patients who were appropriately evaluated during the initial exam and were re-evaluated no later than 8 weeks from initial exam	Х	-
11332	Patients who were not appropriately evaluated during the initial exam and/or who were not re-evaluated within 2 weeks	Х	-
	Acute vitreous hemorrhage	Х	-
	Patients with a post-operative encounter of the eye with the acute PVD within 2 weeks before the initial encounter or 2 weeks after		
	initial acute PVD encounter	Х	-
/1335	Documentation of patient reason(s) for not having a follow-up exam (e.g., inadequate time for follow-up)	Х	-
	Patients who were appropriately evaluated during the initial exam and were re-evaluated no later than 2 weeks	X	-
	Acute PVD	X	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immuni irected to the Pharmacy link option within the website.	zations, injectable drugs,	or specialty medications an
M1338	Patients who had follow-up assessment 30 to 180 days after the index assessment who did not demonstrate positive improvement or maintenance of functioning scores during the performance period	Х	-
M1339	Patients who had follow-up assessment 30 to 180 days after the index assessment who demonstrated positive improvement or		
113/0	maintenance of functioning scores during the performance period Index assessment completed using the 12-item WHODAS 2.0 or SDS during the denominator identification period	X X	-
	Patients who did not have a follow-up assessment or did not have an assessment within 30 to 180 days after the index assessment	Λ	-
110-1	during the performance period	Х	-
/1342	Patients who died during the performance period	X	-
	Patients who are at PAM level 4 at baseline or patients who are flagged with extreme straight line response sets on the PAM	Х	-
/1344	Patients who did not have a baseline PAM score and/or a second score within 6 to 12 month of baseline PAM score	X	-
	Patients who had a baseline PAM score and a second score within 6 to 12 month of baseline PAM score	Х	-
	Patients who did not have a net increase in PAM score of at least 6 points within a 6 to 12 month period	Х	-
	Patients who achieved a net increase in PAM score of at least 3 points in a 6 to 12 month period (passing)	Х	-
	Patients who achieved a net increase in PAM score of at least 6 points in a 6 to 12 month period (excellent)	Х	-
	Patients who did not have a net increase in PAM score of at least 3 points within 6 to 12 month period	Х	-
/1350	Patients who had a completed suicide safety plan initiated, reviewed, or updated in collaboration with their clinician (concurrent or within 24 hours of the index clinical encounter)	Х	-
M1351	Patients who had a suicide safety plan initiated, reviewed, or updated and reviewed and updated in collaboration with the patient and their clinician (concurrent or within 24 hours of clinical encounter and within 120 days after initiation)	х	-
M1352	Suicidal ideation and/or behavior symptoms based on the C-SSRS or equivalent assessment	Х	-
И1353	Patients who did not have a completed suicide safety plan initiated, reviewed, or updated in collaboration with their clinician (concurrent or within 24 hours of the index clinical encounter)	Х	-
/1354	Patients who did not have a suicide safety plan initiated, reviewed, or updated or reviewed and updated in collaboration with the patient and their clinician (concurrent or within 24 hours of clinical encounter and within 120 days after initiation)	Х	-
/1355	Suicide risk based on their clinician's evaluation or a clinician-rated tool	X	-
	Patients who died during the measurement period	Х	-
	Patients who had a reduction in suicidal ideation and/or behavior upon follow-up assessment within 120 days of index assessment	Х	-
/1358	Patients who did not have a reduction in suicidal ideation and/or behavior upon follow-up assessment within 120 days of index assessment	Х	-
/1359	Index assessment during the denominator period when the suicidal ideation and/or behavior symptoms or increased suicide risk by clinician determination occurs and a non-zero C-SSRS score is obtained	х	-
/1360	Suicidal ideation and/or behavior symptoms based on the C-SSRS	Х	-
	Suicide risk based on their clinician's evaluation or a clinician-rated tool	Х	-
11362	Patients who died during the measurement period	Х	-
	Patients who did not have a follow-up assessment within 120 days of the index assessment	Х	-
	Calculated 10-year ASCVD risk score of >=20 percent during the performance period	Х	-
	Patient encounter during the performance period with hospice and palliative care specialty code 17	Х	-
	Focusing on women's health MIPS value pathway	X	-
	Quality care for the treatment of ear, nose, and throat disorders MIPS value pathway	X	-
/1368	Prevention and treatment of infectious disorders including hepatitis C and HIV MIPS value pathway	Х	-



As of: 12/19/24

			er and Individual
Codes	Description	Not Covered	Preauthorization Required
isclaimer: hould be o	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	izations, injectable drugs,	
M1369	Quality care in mental health and substance use disorders MIPS value pathway	Х	-
Л1370	Rehabilitative support for musculoskeletal care MIPS value pathway	Х	-
	Most recent glycemic status assessment (hba1c or gmi) level < 7.0%	Х	-
	Most recent glycemic status assessment (hba1c or gmi) level >= 7.0% and < 8.0%	Х	-
	Most recent glycemic status assessment (hba1c or gmi) level >= 8.0% and <= 9.0%	Х	-
	An additional encounter with an ra diagnosis during the performance period or prior performance period that is at least 90 days before or after an encounter with an ra diagnosis during the performance period	х	-
/1375	An additional encounter with an ra diagnosis during the performance period or prior performance period that is at least 90 days before or after an encounter with an ra diagnosis during the performance period	Х	-
/1376	An additional encounter with an ra diagnosis during the performance period or prior performance period that is at least 90 days before or after an encounter with an ra diagnosis during the performance period	х	-
/1377	Recommended follow-up interval for repeat colonoscopy of 10 years documented in colonoscopy report and communicated with patient	Х	-
/1378	Documentation of medical reason(s) for not recommending a 10 year follow-up interval (e.g., inadequate prep, familial or personal history of colonic polyps, patient had no adenoma and age is >= 66 years old, or life expectancy < 10 years, other medical reasons)	х	-
11379	A 10 year follow-up interval for colonoscopy not recommended, reason not otherwise specified		-
И1380	Filled at least two prescriptions during the performance period for any combination of the qualifying oral antipsychotic medications listed under "denominator note" or the long-acting injectable antipsychotic medications listed under "denominator note"	Х	_
/1381	Patients with secondary stroke (e.g., a subsequent stroke that may occur with vasospasm in the setting of subarachnoid hemorrhage) within 5 days of the initial procedure	X	-
/1382	Patient encounter during the performance period with place of service code 11	Х	-
	Acute pvd	Х	-
11384	Patients who died during the performance period	Х	-
/1385	Documentation of patient reasons for patients who were not seen for the second pam survey (e.g., less than four months between baseline pam assessment and follow-up	Х	-
/1386	Patients with an excisional surgery for melanoma or melanoma in situ in the past 5 years with an initial ajcc staging of 0, i, or ii at the start of the performance period	х	-
11387	Patients who died during the performance period	Х	-
	Patients with documentation of an exam performed for recurrence of melanoma	Х	-
11389	Documentation of patient reasons for no examination i.e., refusal of examination or lost to follow-up (documentation must include information that the clinician was unable to reach the patient by phone, mail or secure electronic mail - at least one method must be	v	
11390	documented) Patients who do not have a documented exam performed for recurrence of melanoma or no documentation within the performance period	X	-
11301	All patients who were diagnosed with recurrent melanoma during the current performance period	× X	-
	Documentation of patient reasons for no examination, i.e., refusal of examination or lost to follow-up (documentation must include information that the clinician was unable to reach the patient by phone, mail or secure electronic mail - at least one method must be	^	-
	documented)	Х	-
	Patients who were not diagnosed with recurrent melanoma during the current performance period	Х	-
	Stages i-iii breast cancer	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
	: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun directed to the Pharmacy link option within the website.	izations, injectable drugs,	or specialty medications ar
M1395	Patients receiving an initial chemotherapy regimen with a defined duration with the eligible clinician or group	Х	-
	Patients on a therapeutic clinical trial	Х	-
	Patients with recurrence/disease progression	Х	-
	Patients with baseline and follow-up promis surveys documented in the medical record	Х	-
	Patients who leave the practice during the follow-up period	Х	-
	Patients who died during the follow-up period	Х	-
	Stages i-iii breast cancer	Х	-
	Patients receiving an initial chemotherapy regimen with a defined duration with the eligible clinician or group	Х	-
	Patients with baseline and follow-up promis surveys documented in the medical record	Х	-
	Patients on a therapeutic clinical trial	X	-
	Patients with recurrence/disease progression	X	-
	Patients who leave the practice during the follow-up period	X	-
	Patients who died during the follow-up period	Х	-
M1408	Patients who have germline brca testing completed before diagnosis of epithelial ovarian, fallopian tube, or primary peritoneal cancer	Х	-
M1409	Patients who received germline testing for brca1 and brca2 or genetic counseling completed within 6 months of diagnosis	Х	-
	Patients who did not have germline testing for brca1 and brca2 or genetic counseling completed within 6 months of diagnosis	Х	-
	Currently on first-line immune checkpoint inhibitors without chemotherapy	Х	-
M1412	Patients with metastatic nsclc with epidermal growth factor receptor (egfr) mutations, alk genomic tumor aberrations, or other targetable genomic abnormalities with approved first-line targeted therapy, such as nsclc with ros1 rearrangement, braf v600e mutation, ntrk 1/2/3 gene fusion, met ex14 skipping mutation, and ret rearrangement	Х	_
/1413	Patients who had a positive pd-I1 biomarker expression test result prior to the initiation of first-line immune checkpoint inhibitor therapy	Х	-
	Documentation of medical reason(s) for not performing the pd-I1 biomarker expression test prior to initiation of first-line immune checkpoint inhibitor therapy (e.g., patient is in an urgent or emergent situation where delay of treatment would jeopardize the patient's health status; other medical reasons/contraindication) Patients who did not have a positive pd-I1 biomarker expression test result prior to the initiation of first-line immune checkpoint inhibitor	Х	
	therapy	Х	-
/1416	Patient received hospice services any time during the performance period	X	-
	Patients who are up to date on their covid-19 vaccinations as defined by cdc recommendations on current vaccination	X	-
	Patients who are not up to date on their covid-19 vaccinations as defined by cdc recommendations on current vaccination because of a medical contraindication documented by clinician	Х	-
M1419	Patients who are not up to date on their covid-19 vaccinations as defined by cdc recommendations on current vaccination	Х	-
	Complete ophthalmologic care mips value pathway	Х	-
	Dermatological care mips value pathway	Х	-
11422	Gastroenterology care mips value pathway	Х	-
/1423	Optimal care for patients with urologic conditions mips value pathway	Х	-
Л1424	Pulmonology care mips value pathway	Х	-
	Surgical care mips value pathway	Х	-
	Hair analysis	Х	-
P9020	Plaelet rich plasma unit	Х	-
	One-way allow prorated miles	Х	-



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please note that should be directed to the P	at coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding imm harmacy link option within the website.	unizations, injectable drugs,	or specialty medications and
P9604 One-way a	allow prorated trip	Х	-
Q0035 Cardiokyn	nography	Х	-
Q0113 Pinworm e	examinations	Х	-
Q0114 Fern test		Х	-
Q0115 Post-coita	I mucous exam	Х	-
Q0479 Power mo	dule combo vad, rep	-	Х
	use with pneumatic ventricular assist device, replacement only	-	Х
Q0481 Microproc	essor control unit for use with electric ventricular assist device, replacement only	-	Х
	essor control unit for use with electric/pneumatic combination ventricular assist device, replacement only	-	Х
	splay module for use with electric ventricular assist device, replacement only	-	Х
	splay module for use with electric or electric/pneumatic ventricular assist device, replacement only	-	Х
	ck base for use with electric/pneumatic ventricular assist device, replacement only	-	Х
	wer pack charger for use with electric or electric/pneumatic ventricular assist device, replacement only	X	-
	her than lithium-ion, for use with electric or electric/pneumatic ventricular assist device, replacement only	Х	-
1	ps for use with electric or electric/pneumatic ventricular assist device, replacement only	Х	-
	hium-ion, for use with electric or electric/pneumatic ventricular assist device, replacement only	Х	-
Q0510 Pharmacy	supply fee for initial immunosuppressive drug(s), first month following implant	Х	-
Q0511 Pharmacy	supply fee for oral anti-cancer, oral anti-emetic or immunosuppressive drug(s); for the first presription in a	Х	-
Q0512 Pharmacy	supply fee for oral anti-cancer, oral anti-emetic or immunosuppressive drug(s); for a subsequent prescription i	Х	-
Q0513 Pharmacy	dispensing fee for inhalation drug(s); per 30 days	Х	-
Q0514 Pharmacy	dispensing fee for inhalation drug(s); per 90 days	Х	-
Q0521 Pharmacy	supplying fee for hiv pre-exposure prophylaxis fda approved prescription	Х	-
Q1004 Ntiol categ	gory 4	Х	-
Q1005 Ntiol categ		Х	-
Q3031 Collagen s		Х	-
	titute, not otherwise specified	Х	-
	n, per square centimeter	Х	-
	er square centimeter	Х	-
	per square centimeter	Х	-
,	per square centimeter	Х	-
	el or biodexcel, 1cm	X	-
Q4138 Biodfence		X	-
Q4139 Amnio or I		X	-
Q4140 Biodfence		X	-
	gic tiss matrix 1cm	X	-
Q4143 Repriza, 1		X	-
Q4145 Epifix, inj,		X	-
Q4146 Tensix, 1c		X	-
Q4147 Architect e		X	-
Q4148 Neox 1k, 1		X	-
Q4149 Excellage		X	-
Q4150 Allowrap of	is or dry 1 sq cm	Х	-



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary should be directed to the Pharmacy link option w	by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding important within the website	nunizations, injectable drugs,	
Q4151 Amnioband, guardian 1 s		Х	-
Q4152 Dermapure 1 square cm	<u>4</u> 0	Х	-
Q4153 Dermavest 1 square cm		Х	-
Q4154 Biovance 1 square cm		Х	-
Q4155 Neoxflo or clarixflo 1 mg		Х	-
Q4156 Neox 100 1 square cm		Х	-
Q4157 Revitalon 1 square cm		X	-
Q4158 Kerecis omega3, per sq	cm	X	-
Q4159 Affinity1 square cm		X	-
Q4160 Nushield 1 square cm		X	-
Q4161 Bio-connekt wound matri		X	-
Q4162 Wndex flw, bioskn flw, 0.		X	-
Q4163 Woundex, bioskin, per so		X X	-
Q4164 Helicoll, per square centi		X	-
Q4165 Keramatrix, per square c		X	-
Q4167 Truskin, per sq centimete Q4168 Amnioband, 1 mg		× X	-
Q4169 Artacent wound, per sq c		X	-
Q4170 Cygnus, per sq cm		X	-
Q4171 Interfyl, 1 mg		X	-
Q4173 Palingen or palingen xplu	IS	X	-
Q4174 Palingen or promatrx		X	-
Q4175 Miroderm		Х	-
Q4176 Neopatch, per sq centime	eter	Х	-
Q4177 Floweramnioflo, 0.1 cc		Х	-
Q4179 Flowerderm, per sq cm		Х	-
Q4180 Revita, per sq cm		Х	-
Q4181 Amnio wound, per square	e cm	Х	-
Q4182 Transcyte, per sq centime		Х	-
Q4183 Surgigraft, per square ce		Х	-
Q4184 Cellesta, per square cent		Х	-
Q4185 Cellesta flowable amnion		Х	-
Q4187 Epicord, per square centi		Х	-
Q4188 Amnioarmor, per square	centimeter	X	-
Q4189 Artacent ac, 1 mg		X	-
Q4190 Artacent ac, per square o		X	-
Q4191 Restorigin, per square ce	entimeter	X	-
Q4192 Restorigin, 1 cc		X	-
Q4193 Coll-e-derm, per square of		X	-
Q4194 Novachor, per square ce		X	-
Q4195 Puraply, per square centi		X	-
Q4196 Puraply am, per square c	entimeter	Ă	-



As of: 12/19/24

		Small Employ	Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	e note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immun I to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications an	
	aply xt, per square centimeter	Х	-	
	esis amniotic membrane, per square centimeter	X	-	
	nus matrix, per square centimeter	Х	-	
	te, per square centimeter	Х	-	
	rion, per square centimeter	Х	-	
Q4202 Kerc	pxx (2.5g/cc), 1cc	Х	-	
Q4203 Derr	ma-gide, per square centimeter	Х	-	
	ap, per square centimeter	Х	-	
	d flow or fluid gf 1 cc	Х	-	
	graft per sq cm	Х	-	
	lotl graf dualgraf sq cm	Х	-	
	nion bio or axobio sq cm	X	-	
Q4212 Allog		X	-	
Q4213 Asce		X	-	
	esta cord per sq cm	X	-	
	lotI ambient, cryo 0.1 mg	X	-	
	cent cord per sq cm	X	-	
	undfix biowound plus xplus	X	-	
	gicord per sq cm gigraft dual per sq cm	X	-	
	acell hd, surederm sq cm	X	-	
	niowrap2 per sq cm	X	-	
	genamatrix, per sq cm	X	-	
	10-p per sq cm	X	-	
	niobind, per sq cm	X	-	
	wn harv prep proc sq cm	X	-	
	niocore per sq cm	Х	-	
	nextpatch, per sq cm	Х	-	
	enex amnio memb per sq cm	Х	-	
Q4230 Cog	enex flow amnion 0.5 cc	Х	-	
Q4231 Corp	plex p, per cc	Х	-	
Q4232 Corp	plex, per sq cm	Х	-	
	actor /nudyn per 0.5 cc	Х	-	
	llerate, per sq cm	Х	-	
	niorepair or altiply sq cm	Х	-	
	epatch per sq cm	Х	-	
	p-cord, per sq cm	Х	-	
	m-maxx, per sq cm	Х	-	
	nio-maxx or lite per sq cm	Х	-	
	ecyte topical only 0.5 cc	X	-	
	rcyte, topical only 0.5cc	X	-	
24242 Amr	niocyte plus, per 0.5 cc	Х	-	



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not should be directed to the Pharmacy link option within the website.	t reflect information regarding immunizations, injectable drugs,		
Q4244 Procenta, per 200 mg	Х	-	
Q4245 Amniotext, per cc	Х	-	
Q4246 Coretext or protext, per cc	Х	-	
Q4247 Amniotext patch, per sq cm	Х	-	
Q4248 Dermacyte amn mem allo sq cm	Х	-	
Q4249 Amniply, per sq cm	Х	-	
Q4250 Amnioamp-mp per sq cm	Х	-	
Q4251 Vim, per square centimeter	X	-	
Q4252 Vendaje, per square centimeter	X	-	
Q4253 Zenith amniotic membrane, per square centimeter	X	-	
Q4255 Reguard, topical use per sq	X	-	
Q4256 Mlg complet, per sq cm	X	-	
Q4257 Relese, per sq cm	X	-	
Q4258 Enverse, per sq cm	X	-	
Q4259 Celera dual layer or celera dual membrane, per square centimeter	X	-	
Q4260 Signature apatch, per square centimeter	X	-	
Q4261 Tag, per square centimeter	X	-	
Q4262 Dual layer impax membrane, per square centimeter	X	-	
Q4263 Surgraft tl, per square centimeter	X	-	
Q4264 Cocoon membrane, per square centimeter	X	-	
Q4265 Neostim tl, per square centimeter	X X	-	
Q4266 Neostim membrane, per square centimeter		-	
Q4267 Neostim dl, per square centimeter	X	-	
Q4268 Surgraft ft, per square centimeter	X	-	
Q4269 Surgraft xt, per square centimeter	^ X	-	
Q4270 Complete sl, per square centimeter	^	-	
Q4271 Complete ft, per square centimeter Q4272 Esano a, per square centimeter	X	-	
Q4273 Esano aa, per square centimeter	X	-	
Q4273 Esano ada, per square centimeter	X X	-	
Q4275 Esano aca, per square centimeter	X X		
Q4276 Orion, per square centimeter	X	-	
Q4277 Woundplus membrane or e-graft, per square centimeter	X	-	
Q4278 Epieffect, per square centimeter	X	-	
Q4279 Vendaje AC, per sq cm	X	-	
Q4280 Xcell amnio matrix, per square centimeter	X	-	
Q4281 Barrera sl or barrera dl, per square centimeter	X	-	
Q4282 Cygnus dual, per square centimeter	X	-	
Q4283 Biovance tri-layer or biovance 3I, per square centimeter	X	-	
Q4284 Dermabind sl, per square centimeter	X	-	
Q4287 DermaBind DL, per sq cm	X	-	
Q4288 DermaBind CH, per sq cm	X	-	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: Please r should be directed t	note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu to the Pharmacy link option within the website.	nizations, injectable drugs,		
Q4289 Revo	Shield+ Amniotic Barrier, per sq cm	Х	-	
Q4290 Mem	brane Wrap-Hydro™, per sq cm	Х	-	
Q4291 Lame	ellas XT, per sq cm	Х	-	
	ellas, per sq cm	Х	-	
	so DL, per sq cm	Х	-	
	o Quad-Core, per sq cm	Х	-	
	io Tri-Core Amniotic, per sq cm	Х	-	
	ound Matrix, per sq cm	Х	-	
	rge Matrix, per sq cm	Х	-	
	Core Pro, per sq cm	Х	-	
	Core Pro+, per sq cm	X	-	
	so TL, per sq cm	X	-	
	ate Matrix, per sq cm	X	-	
	plete ACA, per sq cm	X	-	
	plete AA, per sq cm	X	-	
	x plus, per sq cm	X	-	
	rican amnion ac tri-layer, per square centimeter	X	-	
	rican amnion ac, per square centimeter	X	-	
	rican amnion, per square centimeter	X	-	
	pellis, per square centimeter	X	-	
	natrix, per square centimeter	X	-	
	enta, per 100 mg	X	-	
	so, per square centimeter	X	-	
	so ac, per square centimeter	X	-	
	nabind fm, per square centimeter	X	-	
	ra ft, per square cenitmeter	X	-	
· · ·	enelink amniotic membrane allograft, per square centimeter	X X	-	
	noplast, per square centimeter	<u>х</u>	-	
	raft, per square centimeter	X	-	
	aft, per square centimeter graft, per square centimeter	× X	-	
	graft, per square centimeter	× X		
	graft, per square centimeter	X	-	
	graft, per square centimeter	X		
	ly, per square centimeter	X	-	
· · · ·	iy, per square centimeter	X		
	atch, per square centimeter	× X		
	ndplus, per square centimeter	X	-	
	amnion, per square centimeter	X X		
	, per square centimeter	X X	-	
	ay, per square centimeter	<u>х</u>	-	
5	, per square centimeter	<u>х</u>		



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that cove hould be directed to the Pharma	rage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding within the website	g immunizations, injectable drugs,	or specialty medications an	
Q4331 Axolotl graft, p		Х	-	
	ft, per square centimeter	X	-	
Q4333 Ardeograft, pe		X	-	
Q4334 Amnioplast 1,		Х	-	
Q4335 Amnioplast 2,	per square centimeter	Х	-	
Q4336 Artacent c, per		Х	-	
	t, per square centimeter	Х	-	
	per square centimeter	X	-	
	en, per square centimeter	X	-	
Q4340 Simpligraft, pe		X	-	
24341 Simplimax, per		X	-	
24342 Theramend, pe	matrix amniotic membrane allograft, per square centimeter	X	-	
	wrap, per square centimeter	× ×	-	
	raft dermis, per square centimeter	X		
	trix, per square centimeter	X	-	
	trix, per square centimeter	X	-	
	x, per square centimeter	X	-	
	x, per square centimeter	Х	-	
	atrix, per square centimeter	Х	-	
Q4351 Enclose tl mati	ix, per square centimeter	Х	-	
	rix, per square centimeter	Х	-	
	, per square centimeter	Х	-	
0209 Wheelchair va	n, mileage, per mile	Х	-	
	y transportation; mileage	X	-	
0220 Medical confer		X	-	
0221 Medical confer		X	-	
	e geriatric assessment and treatment planning performed by assessment team	X X	-	
	ysical (outpatient or office) related to surgical procedure (list separately in addition to code for appro	X	-	
	agement f patient home care standard monthly case rate per 30 days agement of patient home care hospice monthly case rate per 30 days	^ X	-	
	agement of patient home care episodic care monthly case rate per 30 days	X	-	
	er visit at members home outside of a capitation arrangement	X	-	
	program, comprehensive care coordination and planning, initial plan	X	-	
	program, comprehensive care coordination and planning, maintenance of plan	X	-	
	onsultation performed prior to a screening colonoscopy procedure	X	-	
	ly periodic screening diagnosis and treatment (epsdt) service (list in addition to code for appropriate eva	Х	-	
	vices (list separately in addition to code for appropriate evaluation and management service.)	Х	-	
	e management and care coordination for advanced illness, per calendar month	Х	-	
	gement program, initial assessment and initiation of program	Х	-	
	gement program, followup assessment	Х	-	
S0317 Disease mana	gement program; per diem	Х	-	



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that cover should be directed to the Pharmac	age may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding ir y link option within the website.	nmunizations, injectable drugs,		
S0320 Telephone calls	by reg nurse to disease management program member	Х	-	
	cation program for management for coronary artery disease, including all supportive services; first quar	Х	-	
	cation program for management for coronary artery disease, including all supportive services; second or	Х	-	
	cation program for management for coronary artery disease, including all supportive services; fourth qua	Х	-	
	re; removal and/or trimming of corns, calluses and/or nails andpreventive maintenance in specific medical	Х	-	
	ting of a foot performed by a practitioner other than the manufacturer of the orthotic	Х	-	
	escription lens (safety, athletic, or sunglass), per lens	Х	-	
	rescription lens (safety, athletic, or sunglass), per lens	X	-	
	prescription lens (safety, athletic, or sunglass), per lens	X	-	
	n lens (safety, athletic, or sunglass), per lens	X	-	
S0514 Color contract I		X	-	
S0516 Safety eyeglase		X	-	
S0518 Sunglasses fra		X	-	
	ens (list this code in addition to the basic code for the lens)	X	-	
	ns (list this code in addition to the basic code for the lens)	Х	-	
<u> </u>	rvice, miscellaneous services reported separately	X	-	
Ŭ	v spectacle lenses for patient supplied frame	X	-	
	lar lens for correction of refractive error	Х	-	
	hearing aid evaluation to determine the level and degree of hearing loss	Х	-	
	for college, new or established patient (list separately in addition to appropriate evaluation and managem	Х	-	
S0800 Laser in situ ke	ratomileusis	Х	-	
S0810 Photorefractive		Х	-	
S0812 Phototherapution		Х	-	
	tient aware (list in addition to code for basic item)	Х	-	
	m (list in addition to code for basic item)	Х	-	
	invasive glucose monitoring device, purchase (for physician interpretation of data, use cpt code)	-	X	
	invasive glucose monitoring device, rental, including sensor, sensor replacement, and download to monitor	-	X	
S2053 Transplantation		-	X	
S2054 Transplantation		-	Х	
S2055 Harvesting of d		-	X	
S2060 Lobar lung tran		-	X	
S2061 Donor lobecton		-	X	
	ancreas kidney transplantation	-	X	
	astric band diameter via subcutaneous port by injection or aspiration of saline	-	X	
S2102 Islet cell tissue		-	X	
S2103 Adrenal tissue		-	Х	
	notherapy i.e. development of specific anti-tumor reactivity (e.g.tumor-infiltrating lymphocyte therapy) pe	Х	-	
S2140 Cord blood har		-	X	
S2142 Cord blood-der		-	X	
	r blood-derived peripheral stem cell harvesting and transplantation, allogenic or autologous, including phe	-	X	
U ();	complete or segmental, single organ or combination of organs; deceased or living donor(s), procurement,	-	Х	
S2202 Echosclerother	apy	Х	-	



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists or should be directed to the Pharmacy link option within the website.	do not reflect information regarding immunizations, injectable drugs,		
S2230 Implantation of magnetic component of semi-implantable hearing device on ossicles in middle ear	-	Х	
S2260 Induced abortion, 17 to 24 weeks, any surgical method	Х	-	
S2265 Abortion for fetal indication, 25-28 weeks	Х	-	
S2266 Abortion for fetal indication, 29-31 weeks	Х	-	
S2267 Abortion for fetal induction, 32 weeks or greater	Х	-	
S2300 Arthroscopy, shoulder, surgi	Х	-	
S2348 Decompress disc rf lumbar	Х	-	
S2350 Diskectomy, anterior, with d	Х	-	
S2351 Diskectomy, anterior, with d	Х	-	
S2405 Repair of sacrococcygeal teratoma in the fetus, procedure performed in utero	Х	-	
S2409 Repair, congenital malformation of fetus, procedure performed in utero, not otherwise classified	Х	-	
S2900 Surgical techniques requiring use of robotic surgical system (list separately in addition to code for primary p	procedure X	-	
S3005 Performance measurement, evaluation of patient self assessment, depression	Х	-	
S3650 Saliva test, hormone level;	Х	-	
S3800 Genetic testing for amyotrophic lateral sclerosis (als)	-	Х	
S3840 Dna analysis for germline mutations of the ret proto-oncogene for susceptibility to multiple endocrine neopla	asia type 2 -	Х	
S3841 Genetic testing for retinoblastoma	-	Х	
S3842 Genetic testing for von hippel-lindau disease	-	Х	
S3844 Dna analysis of the connexin 26 gene (gjb2) for susceptibility to congenital, profound deafness	-	Х	
S3845 Genetic testing for alpha-thalassemia	-	Х	
S3846 Genetic testing for hemoglobin e beta-thalassemia	-	Х	
S3849 Genetic testing for niemann-pick disease	-	Х	
S3850 Genetic testing for sickle cell anemia	-	Х	
S3852 Dna analysis for apoe epilson 4 allele for susceptibility to alzheimer's disease	Х	-	
S3853 Genetic testing for myotonic muscular dystrophy	-	Х	
S3854 Gene expression profiling panel for use in the management of breast cancer treatment	-	Х	
S3861 Genetic testing, sodium channel, voltage-gated, type v, alpha subunit (scn5a) and variants for suspected bru		Х	
S3865 Comprehensive gene sequence analysis for hypertrophic cardiomyopathy	-	Х	
S3866 Genetic analysis for a specific gene mutation for hypertrophic cardiomyopathy (hcm) in an individual with a k	known hcm mu -	Х	
S3870 Comparative genomic hybrization (cgh) microarray testing for developmental delay, autism spectrum disorde		Х	
S3900 Surface electromyography (emg)	Х	-	
S3904 Masters two step	Х	-	
S4005 Interim labor facility global (labor occurring but not resulting in delivery)	Х	-	
S4011 In vitro fertilization; including but not limited to identification and incubation of mature oocytes, fertilization with	ith X	-	
S4013 Complete cycle, gamete intrafallopian transfer (gift), case rate	Х	-	
S4014 Complete cycle, zygote intrafallopian transfer (zift), case rate	Х	-	
S4015 Complete in vitro fertilization cycle, case rate	Х	-	
S4016 Frozen in vitro fertilization cycle, case rate	Х	-	
S4017 Incomplete cycle, treatment cancelled prior to stimulation, case rate	Х	-	
S4018 Frozen embryo transfer procedure cancelled before transfer, case rate	X	-	
S4020 In vitro fertilization procedure cancelled before aspiration, case rate	X	-	
S4021 In vitro fertilization procedure cancellation after aspiration, case rate	X	-	



As of: 12/19/24

	Small Emplo	yer and Individual
Codes Description	Not Covered	Preauthorization Required
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally should be directed to the Pharmacy link option within the website.	r, these coding lists do not reflect information regarding immunizations, injectable drugs	, or specialty medications and
S4022 Assisted oocyte fertilization, case rate	Х	-
S4023 Donor egg cycle, incomplete, case rate	Х	-
S4025 Donor services for in vitro fertilization (sperm or embryo), case rate	Х	-
S4026 Procurement of donor sperm from sperm bank	Х	-
S4027 Storage of previously frozen embryos	X	-
S4028 Microsurgical epididymal sperm aspiration (mesa)	X	-
S4030 Sperm procurement and cryopreservation services; initial visit	X	-
S4031 Sperm procurement and cryopreservation services; subsequent visit	X	-
S4037 Cryopreserved embryo transfer, case rate	X	-
S4040 Monitoring and storage of cryopreserved embryos, per 30 days	X	-
S4042 Ovulation mgmt per cycle S4988 Penile contracture device, manual, greater than 3 lbs traction force	X	-
	X X	-
S4990 Nicotine patches, legend S4991 Nicotine patches, non-legend	×	-
S4993 Contraceptive pills for birth control	×	
S4995 Smoking cessation gum	X	
S5000 Prescription drug, generic		-
S5001 Prescription drug, brand name	X	-
S5035 Home infusion therapy, routine service of infusion device (e.g., pump maintenance)	-	Х
S5036 Home infusion therapy, repair of infusion device (e.g., pump repair)	-	Х
S5100 Day care services, adult, per 15 minutes	Х	-
S5101 Day care services, adult, per half day	Х	-
S5102 Day care services, adult, per diem	Х	-
S5105 Day care services, center based, not incl in program fee, per diem	Х	-
S5108 Home care training to home care client, per 15 minutes	-	Х
S5109 Home care training to home care client, per 15 minutes per session	-	Х
S5110 Home care training, family, per 15 minutes	Х Х	-
S5111 Home care training, family, per session	X	-
S5115 Home care training, non-family, per 15 minutes	X	-
S5116 Home care training, non-family, per session	X	-
S5120 Chore services, per 15 minutes	X	-
S5121 Home care training, family, per diem	X	-
S5125 Attendant care services, per 15 minutes	X	-
S5126 Attendant care services, per diem	X	-
S5130 Homemaker service, nos, per 15 minutes	X X	-
S5131 Homemaker services, nos, per diem S5135 Companion care, adult, per 15 minutes	X X	-
S135 Companion care, adult, per 15 minutes S5136 Companion care, adult, per diem	× ×	
S136 Companion care, adult, per diem S5140 Foster care, adult, per diem	X	-
S144 Foster care, adult, per month	X X	-
S5145 Foster care, therapeutic, child, per diem	X	-
S5146 Foster care, therapeutic, child, per month	X	-



As of: 12/19/24

		Small Employ	er and Individual
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immur directed to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
S5150	Unskilled respite care, not hospice, per 15 minutes	Х	-
	Unskilled respite care, not hospice, per diem	Х	-
	Emergency response system, installation and testing	Х	-
	Emergency response system, service fee per month	Х	-
	Emergency response system, purchase only	Х	-
	Home modifications, per service	Х	-
	Home delivered meals, including preparation, per meal	Х	-
	Laundry service, external, professional, per order	Х	-
	Home health respiratory therapy, initial evaluation	-	Х
	Home health respiratory therapy, nos, per diem	-	Х
	Medication reminder services, no face to face, per month	Х	-
	Wellness assessment, performed by non-physician	Х	-
	Scleral application of tantalum ring(s) for localization of lesions for proton beam therapy	Х	-
	Topographic brain mapping	Х	-
	Magnetic resonance imaging (mri), low-field	-	Х
S8055	Ultrasound guidance for multifetal pregnancy reduction(s), technical component (only to be used when the physician doing the reduction procedure does not perform the ultrasound, guidance is included in the CPT code for multifetal pregnancy reduction	х	-
S8130	Interferential current stimulator, 2 channel	-	Х
	Interferential current stimulator, 4 channel	-	Х
	Application of a modality (requiring constant provider attendance) to one or	Х	-
	Complex lymphedema therapy,	Х	-
	Physical or manipulative therapy performed for maintenance rather than restoration	Х	-
	Home uterine monitor with or	Х	-
	Intra-vaginal motion sensor system, provides biofeedback for pelvic floor muscle rehabilitation device	Х	-
	Paranasal sinus ultrasound	Х	-
	Extracorporeal shockwave lithotripsy for gall stones (if performed with ercp,	Х	-
	Procuren or other growth fac	Х	-
	Coma stimulation per diem	Х	-
S9090	Vertebral axial decompressio	Х	-
	Home visit for wound care	-	Х
	Home visit, phototherapy services (e.g., bililite), including equipment rental, nursing services, blood draw, supplies a	-	Х
	Telemonitoring of patient in their home, including all necessary equipment; computer system, connections, and software; maintenance; patient education and support; per	Х	-
S9117	Back school, per visit	-	X*
	Home health aide or certifie	-	Х
	Nursing care, in the home; b	-	Х
S9124	Nursing care, in the home; b	-	Х
S9125	Respite care, in the home, p	-	Х
S9126	Hospice care, in the home, p	-	Х
	Social work visit, in the ho	-	Х
S9128	Speech therapy, in the home,	-	X*



As of: 12/19/24

			Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required	
	that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding i Pharmacy link option within the website.	mmunizations, injectable drugs,		
S9129 Occupat	ional therapy, in the	-	X*	
	therapy, in the home, per diem	-	X*	
	management program,	Х	-	
S9141 Diabetic	management program,	Х	-	
S9145 Insulin p	ump initiation, instruction in initial use of pump (pump not included)	Х	-	
S9150 Evaluation	on by ocularist	Х	-	
	therapy, re-evaluation	-	Х	
S9381 Delivery	or service to high risk areas requiring escort or extra protection, per visit	Х	-	
	cy compounding and dispensing services	X	-	
	d non inborn err meta	Х	-	
	h preparation/lamaze classes, non-physician provider, per session	X	-	
	h refresher classes, non-physician provider, per session	X	-	
	n birth classes, non-physician provider, per session	X	-	
	iginal birth after cesarean) classes, non-physician provider, per session	X	-	
	education, non-physician provider, per session	X	-	
×	classes, non-physician provider, per session	X	-	
	g classes, non-physician provider, per session	X	-	
	fety (including cpr) classes, non-physician provider, per session	X	-	
Ŭ	nanagement classes, non-physician provider, per session	X	-	
	classes, non-physician provider, per session	X	-	
	cessation classes, non-physician provider, per session	X	-	
	anagement classes, non-physician provider, per session	X	-	
	rehabilitation progr	X	-	
	ry rehabilitation pro	X	-	
	omal therapy by a re	Х	-	
	ory setting substance	-	Х	
	ar rehabilitation program, non-physician provider, per diem	Х	-	
	e outpatient psychia	-	Х	
	tabilization services, per 15 minutes	Х	-	
	ervention mental health services, per hour	-	X	
	ervention mental h	-	Х	
	venipuncture for collection of specimen(s), single home bound, nursing home, or skilled nursing facility patient	X	-	
	by a journal-listed christian science practitioner for the purpose of healing, per diem	X	-	
S9901 Christian		X	-	
	Ilanc nonemerg fixed	X		
	Ian nonemerg rotary	X	-	
	lub membership, annual	X	- V	
	Int related lodging, meals and transportation, per diem	-	Х	
<u> </u>	per diem, not otherwise specified	X	-	
	er diem, not otherwise specified	X	-	
	records copying fee, administrative	X	-	
59982 Medical	records copying fee, per page	Х	-	



As of: 12/19/24

	Small Em	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additional should be directed to the Pharmacy link option within the website.	lly, these coding lists do not reflect information regarding immunizations, injectable d		
S9986 Not medically necessary service (patient is aware that service not medically necessary)	Х	-	
S9989 Services provided outside of the united states of america (list in addition to code(s) for service	e(s) X	-	
S9992 Transportation costs to and	Х	-	
S9994 Lodging costs (e.g. hotel ch	Х	-	
S9996 Meals for clinical trial par	X	-	
S9999 Sales tax	Х	-	
T1000 Private duty/independent nursing service(s) - licensed, up to 15 minutes	-	Х	
T1001 Nursing assessment/evaluation	· ·	X	
T1002 Rn services, up to 15 minutes	· ·	X	
T1003 Lpn/lvn services, up to 15 minutes	· ·	X	
T1004 Services of a qualified nursing aide, up to 15 minutes	-	X	
T1005 Respite care services, up to 15 minutes	-	X	
T1006 Alcohol and/or substance abuse services, family/couple counseling	X	-	
T1007 Alcohol and/or substance abuse services, treatment plan development and/or modification	X	-	
T1009 Child sitting services for children of the individual receiving alcohol and/or substance abuse		-	
T1010 Meals for individuals receiving alcohol and/or substance abuse services (when meals not inc	5 /	-	
T1012 Alcohol and/or substance abuse services, skills development	X	-	
T1013 Sign language or oral interpreter services	X	-	
T1014 Telehealth transmission, per minute, professional services bill separately	X	-	
T1015 Clinic visit/encounter, all-inclusive	X	-	
T1016 Case management, each 15 minutes	X	-	
T1017 Targeted case management, each 15 minutes	X	-	
T1018 School-based individualized education program (iep) services, bundled	X	-	
T1019 Personal care services, per 15 minutes, not for an inpatient or resident of ahospital, nursing		-	
T1020 Personal care services, per diem, not for an inpatient or resident of ahospital, nursing facility		-	
T1021 Home health aide or certified nurse assistant, per visit	-	X	
T1022 Contracted home health agency services, all services provided under contract,per day	X	-	
T1023 Screening to determine the appropriateness of consideration of an individual for participation		-	
T1024 Evaluation and treatment by an integrated, specialty team contracted to provide coordinated		-	
T1025 Intensive, extended multidisciplinary services provided in a clinic setting tochildren with comp		-	
T1026 Intensive, extended multidisciplinary services provided in a clinic setting tochildren with comp		-	
T1027 Family training and counseling for child development, per 15 minutes	X X	-	
T1028 Assessment of home, physical and family environment, to determine suitabilityto meet patien			
T1029 Comprehensive environmental lead investigation, not including laboratoryanalysis, per dwelli	ng A		
T1030 Nursing care, in the home, by registered nurse, per diem			
T1031 Nursing care, in the home, by licensed practical nurse, per diem	- X	X -	
T1032 Services performed by a doula birth worker, per 15 minutes	× ×		
T1033 Services performed by a doula birth worker, per diem	× ×		
T1040 Comm bh clinic svc per diem			
T1041 Comm bh clinic svc per month	X	-	
T1505 Elec med comp dev, noc	X X	-	
T2001 Non-emergency transportation; patient attendant/escort	Ă	-	



As of: 12/19/24

		Small Employ	ver and Individual
Codes	Description	Not Covered	Preauthorization Required
Disclaimer: Please no should be directed to	te that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu the Pharmacy link option within the website.	nizations, injectable drugs,	
T2002 Non-er	mergency transportation; per diem	Х	-
	mergency transportation; encounter/trip	Х	-
T2004 Non-ei	mergency transport; commercial carrier, multi-pass	Х	-
T2005 Non-ei	mergency transportation; non-ambulatory stretcher van	Х	-
T2007 Transp	portation waiting time, air ambulance and non-emergency vehicle, one-half(1/2) hour increments	Х	-
T2010 Preadr	mission screening and resident review (pasrr) level i id screening, per screen	Х	-
	mission screening and resident review (pasrr) level ii eval, per eval	Х	-
	ation, educational; waiver, per diem	Х	-
	ation, educational, waiver; per hour	Х	-
	ation, prevocational, waiver; per diem	Х	-
	ation, prevocational, waiver; per hour	X	-
	ation, residential, waiver; per diem	X	-
	ation, residential, waiver; 15 minutes	X	-
	ation, supported employment, waiver; per diem	X	-
	ation, supported employment, waiver; per 15 minutes	X	-
	abilitation, waiver; per diem	X	-
	abilitation, waiver; per 15 minutes	X	-
	nanagement, per month	X	-
U	ed case management; per month	X	-
	e assessment/plan of care development, waiver	X	-
	r services; not otherwise specified (nos)	X	-
	alized childcare, waiver; per diem	X	-
	alized childcare, waiver; per 15 minutes	X	-
	alized supply, not otherwise specified, waiver	X	-
	alized medical equipment, not otherwise specified, waiver	X	-
	ed living, waiver; per month	X	-
	ed living; waiver, per diem	X	-
	ential care, not otherwise specified (nos), waiver; per month	X	-
	ential care, not otherwise specified (nos), waiver; per diem	X	-
	intervention, waiver; per diem	X	-
	services to support medical equipment and assistive technology/devices, waiver	X	-
	peutic camping, overnight, waiver; each session	X	-
	beutic camping, day, waiver; each session	X	-
	unity transition, waiver; per service		-
	e modifications, waiver; per service	X	-
	cial management, self-directed, waiver; per 15 minutes	X	-
	rts brokerage, self-directed, waiver; per 15 minutes	× -	- X
	ce routine home care; per diem	-	X
	ce continuous home care; per hour		
	ce inpatient respite care; per diem	-	X X
	ce general inpatient care; per diem	- X	X
12046 Hospic	ce long term care, room and board only; per diem	Λ	-



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Codes Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not refl should be directed to the Pharmacy link option within the website.	lect information regarding immunizations, injectable drugs,		
T2047 Hab prevo waiver per 15	Х	-	
T2048 Behavioral health; long-term care residential (non-acute care in a residential program, per diem	Х	-	
T2049 Non-emergency transportation; stretcher van, mileage; per mile	Х	-	
T2050 Financial mgt waiver/diem	Х	-	
T2051 Support broker waiver/diem	Х	-	
T4521 Adult size brief/diaper sm	Х	-	
T4522 Adult size brief/diaper med	Х	-	
T4523 Adult size brief/diaper Ig	Х	-	
T4524 Adult size brief/diaper xl	Х	-	
T4525 Adult size pull-on sm	Х	-	
T4526 Adult size pull-on med	Х	-	
T4527 Adult size pull-on lg	Х	-	
T4528 Adult size pull-on xl	Х	-	
T4529 Ped size brief/diaper sm/med	Х	-	
T4530 Ped size brief/diaper lg	Х	-	
T4531 Ped size pull-on sm/med	Х	-	
T4532 Ped size pull-on lg	Х	-	
T4533 Youth size brief/diaper	Х	-	
T4534 Youth size pull-on	Х	-	
T4535 Disposable liner/shield/pad	Х	-	
T4536 Reusable pull-on any size	Х	-	
T4537 Reusable underpad bed size	Х	-	
T4538 Diaper serv reusable diaper	Х	-	
T4539 Reuse diaper/brief any size	Х	-	
T4540 Reusable underpad chair size	Х	-	
T4541 Large disposable underpad	Х	-	
T4542 Small disposable underpad	Х	-	
T4543 Disposable incontinence product, brief/diaper, bariatric, each	Х	-	
T4544 Adlt disp und/pull on abv xl	Х	-	
T4545 Incontinence product, disposable, penile wrap, each	Х	-	
T5001 Positioning seat for persons with special orthopedic needs, for use in vehicles	Х	-	
V2025 Eveglasses delux frames	Х	-	
V2399 Lens trifocal speciality	Х	-	
V2410 Lens variab asphericity sing	Х	-	
V2430 Lens variable asphericity bi	Х	-	
V2499 Variable asphericity lens	Х	-	
V2524 Cntct lens hydrophil photoch	Х	-	
V2526 Contact lens, hydrophilic, with blue-violet filter, per lens	Х	-	
V2600 Hand held low vision aids	Х	-	
V2610 Single lens spectacle mount	Х	-	
V2615 Telescop/othr compound lens	Х	-	
V2626 Reduction of eye prosthesis	-	Х	



As of: 12/19/24

	Small Employer and Individual		
Codes Description	Not Covered	Preauthorization Required	
visclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do hould be directed to the Pharmacy link option within the website.	o not reflect information regarding immunizations, injectable drugs,	or specialty medications ar	
V2627 Scleral cover shell	-	Х	
V2755 Uv lens/es	X	-	
V2756 Eye glass case	X	-	
V2761 Mirror coating, any type, solid, gradient or equal, any lens material, per lens	X	-	
V2786 Specialty occupational multifocal lens, per lens	Х	-	
V2787 Astigmatism correcting function of intraocular lens	Х	-	
V2788 Presbyopia correcting function of intraocular lens	Х	-	
V5010 Assessment for hearing aid	-	Х	
V5011 Hearing aid fitting/checking	-	Х	
V5014 Hearing aid repair/modifying	-	Х	
V5020 Conformity evaluation	-	Х	
V5030 Body-worn hearing aid air	-	Х	
V5040 Body-worn hearing aid bone	-	Х	
V5050 Hearing aid monaural in ear	-	Х	
V5060 Behind ear hearing aid	-	Х	
/5070 Glasses air conduction	-	Х	
/5080 Glasses bone conduction	-	Х	
V5090 Hearing aid dispensing fee	-	Х	
/5095 Semi-implantable middle ear hearing prosthesis	-	Х	
/5100 Body-worn bilat hearing aid	-	Х	
V5110 Hearing aid dispensing fee	-	Х	
/5120 Body-worn binaur hearing aid	-	Х	
/5130 In ear binaural hearing aid	-	Х	
/5140 Behind ear binaur hearing ai	-	Х	
/5150 Glasses binaural hearing aid	-	Х	
/5160 Dispensing fee binaural	-	Х	
/5171 Hearing aid, contralateral routing device, monaural, in the ear (ite)	-	Х	
/5172 Hearing aid, contralateral routing device, monaural, in the canal (itc)	-	Х	
/5181 Hearing aid, contralateral routing device, monaural, behind the ear (bte)	-	Х	
/5190 Glasses cros hearing aid	-	Х	
/5200 Cros hearing aid dispens fee	Х	-	
/5211 Hearing aid, contralateral routing system, binaural, ite/ite	-	Х	
/5212 Hearing aid, contralateral routing system, binaural, ite/itc	-	Х	
/5213 Hearing aid, contralateral routing system, binaural, ite/bte	-	Х	
/5214 Hearing aid, contralateral routing system, binaural, itc/itc	-	Х	
/5215 Hearing aid, contralateral routing system, binaural, itc/bte	-	X	
/5221 Hearing aid, contralateral routing system, binaural, bte/bte	-	X	
/5230 Glasses bicros hearing aid	-	Х	
V5240 Dispensing fee bicros	Х	-	
V5241 Dispensing fee, monaural healing aid, any type	-	X	
/5242 Hearing aid, analog, monaural, cic (completely in the ear canal)	-	X	
V5243 Hearing aid, analog, monaural, itc (in the canal)	-	Х	



As of: 12/19/24

		Small Employer and Individual	
Codes	Description	Not Covered	Preauthorization Required
	Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information regarding immu irected to the Pharmacy link option within the website.	nizations, injectable drugs,	or specialty medications and
V5244	Hearing aid, digitally programmable analog, monaural, cic	-	Х
V5245	Hearing aid, digitally programmable analog, monaural, itc	-	Х
	Hearing aid, digitally programmable analog, monaural, ite (in the ear)	-	Х
	Hearing aid, digitally programmable analog, monaural, bte (behind the ear)	-	Х
	Hearing aid, analog, binaural, cic	-	X
	Hearing aid, analog, binaural, itc	-	X
	Hearing aid, digitally programmable analog, binaural, cic	-	X
	Hearing aid, digitally programmable analog, binaural, itc	-	X
	Hearing aid, digitally programmable binaural, ite Hearing aid, digitally programmable binaural, bte	-	X
	Hearing aid, digital, monaural, cic	-	X
	Hearing aid, digital, monaural, itc	-	X
	Hearing aid, digital, monaural, ite	-	X
	Hearing aid, digital, monaural, hte	-	X
	Hearing aid, digital, binaural, cic	-	X
	Hearing aid, digital, binaural, itc	-	X
	Hearing aid, digital, binaural, ite	-	Х
/5261	Hearing aid, digital, binaural, bte	-	Х
V5262	Hearing aid, disposable, and type, monaural	-	Х
V5263	Hearing aid, disposable, and type, binaural	-	Х
V5266	Battery for use in hearing device	Х	-
	Assistive listening device, telephone amplifier, any type	Х	-
	Assistive listening device, alerting, any type	Х	-
	Assistive listening device, television amplifier, any type	Х	-
	Assistive listening device, television caption decoder	X	-
	Assistive listening device, tdd	X	-
	Assistive listening device, for use with cochlear implant	X	-
	Assistive listening devise, not otherwise specified	X	-
	Ear impression, each	X	-
	Assistive listening device, personal fm/dm system, monaural, (1 receiver, transmitter, microphone), any type Assistive listening device, personal fm/dm system, binaural, (2 receivers, transmitter, microphone), any type	X	-
	Assistive listening device, personal fm/dm neck, loop induction receiver	X	-
	Assistive listening device, personal fm/dm, ear level receiver	X	-
	Assistive listening device, personal fm/dm, direct audio input receiver	X	-
	Assistive listening device, personal blue tooth fm/dm receiver	X	-
	Assistive listening device, personal fm/dm receiver, not otherwise specified	X	-
	Assistive listening device, personal fm/dm transmitter assistive listening device	X	-
	Assistive listening device, personal fm/dm adapter/boot coupling device for receiver, any type	Х	-
	Assistive listening device, transmitter microphone, any type	Х	-
	Speech screening	Х	-
	Language screening	Х	-
V5364	Dysphagia screening	Х	-



As of: 12/19/24

	Small Employ	Small Employer and Individual	
Description	Not Covered	Preauthorization Required	
Disclaimer: Please note that coverage may vary by plan type and may not follow the listed services. These codes are updated quarterly. Additionally, these coding lists do not reflect information re should be directed to the Pharmacy link option within the website.	garding immunizations, injectable drugs	, or specialty medications and	

END OF DATA